

1. Product and Company Identification

www.rxmarine.com

Product Name Silicon tetrachloride 98%.100gram
Part Number RXSOL-19-3361-212

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400
Fax +91 22 27612100 ::AOH :0091 9821214367
Email mail@rxmarine.com
Website www.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

| Chemical Name | CAS | EC number | Weight | Formula |
|-----------------------------------|---|-----------|--|---------|
| Silicon tetrachloride | 10026-04-7 | 233-054-0 | 10.000 mg/kg (OECD Test Guideline 402) | |
| Skin corrosion/irritation | Skin - Rabbit Result: Corrosive (OECD Test Guideline 404) | | | |
| Serious eye damage/eye irritation | Remarks: Risk of blindness! | | | |
| Respiratory or skin sensitization | No data available | | | |
| Toxic Effects on Human | May cause damage to the following organs: upper respiratory tract. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant, sensitizer), of ingestion, of inhalation (lung irritant, lung sensitizer). | | | |
| Carcinogenicity | Carcinogenicity - No indication of carcinogenic activity. | | | |
| Germ cell mutagenicity | Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: | | | |

negative Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Reproductive toxicity No data available

Specific target organ toxicity - single exposure May cause respiratory irritation.

Special Remarks on other Toxi Effects on Humans Acute Potential Health Effects: Skin: Causes skin irritation. May cause skin sensitization, an allergic reaction, which becomes evident upon re-exposure to this material. Eyes: Causes eye irritation. Ingestion: Causes gastrointestinal (digestive) tract irritation with nausea, vomiting, and diarrhea. May be harmful if swallowed. Inhalation: Causes respiratory tract irritation. May cause chemical pneumonitis and pulmonary edema, inflammation, edema of bronchi and larynx. Chronic Potential Health Effects: Repeated or prolonged skin exposure may cause allergic reactions in sensitive individuals. Repeated or prolonged exposure by inhalation may affect respiration and metabolism.

Endocrine properties disrupting The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Decomposition of the substance with tissue moisture. Good warning effect due to low odour threshold. Systemic effects: After a latency period:

Circulatory collapse Other dangerous properties can not be excluded. This substance should be handled with particular care.

12. Ecological information

www.rxmarine.com

| | |
|---|--|
| Bioaccumulative potential | No data available |
| Persistence and degradability | The methods for determining the biological degradability are not applicable to inorganic substances. |
| Toxicity to fish | Semi-static test LC50 - Danio rerio (zebra fish) - > 245 mg/l - 96 h (OECD Test Guideline 203) Remarks: The value is given in analogy to the following substances: tetraethyl silicate |
| Toxicity to daphnia and other aquatic invertebrates | Static test EC50 - Daphnia magna (Water flea) - > 844 mg/l - 48 h (OECD Test Guideline 202) Remarks: The value is given in analogy to the following substances: tetraethyl silicate |
| Toxicity to algae | Static test EC50 - Pseudokirchneriella subcapitata (green algae) - >100 mg/l - 72 h (OECD Test Guideline 201) Remarks: The value is given in analogy to the following substances: tetraethyl silicate static test NOEC - Pseudokirchneriella subcapitata (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201) Remarks: The value is given in analogy to the following substances: tetraethyl silicate |
| Toxicity to bacteria | Static test EC50 - activated sludge - > 100 mg/l - 3 h (OECD Test Guideline 209) |
| Mobility in soil | No Information available |
| Results of PBT and vPvB assessment | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. |
| Endocrine disrupting properties | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
| Other adverse effects | No data available |

13. Disposal considerations

www.rxmarine.com

| | |
|------------------------|--|
| Disposal methods | The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems. |
| Contaminated packaging | Dispose of as unused product. |
| Waste treatment Method | No data available |

14. Transport information

www.rxmarine.com

| | |
|----------------------------|---|
| UN number | ADR/RID: 1818 IMDG: 1818 IATA: 1818 |
| UN proper shipping name | ADR/RID:SILICON TETRACHLORIDE IMDG:SILICON TETRACHLORIDE IATA:SILICON TETRACHLORIDE |
| Transport hazard class(es) | ADR/RID: 8 IMDG: 8 IATA: 8 |
| Packaging group | ADR/RID: II IMDG: II IATA: II |
| Environmental hazards | ADR/RID: NO IMDG: NO IATA: NO |
| Further information | No data available |

15. Regulatory information

www.rxmarine.com

| | |
|--|---|
| Inventory status | Components are on the following inventories: Polymaleic acid: - US TSCA, Canadian DSL, EU EINECS, Australian AICS, Korean, Philippine PICCS and Chinese Xi irritant R 36/38 Irritant to eyes & skin R 41 Risk of serious damage to eyes S24/25 Avoid contact with skin and eyes S26/28 In case of contact eyes & skin, rinse with plenty water and seek medical advice Section 312/313: Not listed. Not listed under California proposition 65. |
| Safety, health and environmental regulations/legislation specific for the substance or mixture | This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. |
| National legislation | Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. H2 ACUTE TOXIC O1 OTHER HAZARDS |
| Other regulations | Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work. |
| Chemical Safety Assessment | For this product a chemical safety assessment was not carried out |

16. Other information

www.rxmarine.com

| | |
|-------------------|---|
| Other Information | <p>The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.</p> <p>DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.</p> |
|-------------------|---|