

## 1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-64-2610-001  
Product Type Coil & Duct Disinfectant

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999  
Fax +91 22 2781 1318 ::::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

INGREDIENT	CAS No.	UNITS
-dimethyl benzyl ammonium chloride	Mixture	--

## 3. Hazards Identification

www.rxmarine.com

DANGER

Toxic if swallowed. May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause damage to organs; Causes severe skin burns and eye damage.

## 4. First Aid Measures

www.rxmarine.com

If INHALED	If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Get medical attention. Prompt action is essential.
If on SKIN	Immediately wash with soap and water. Remove and wash any contaminated clothing.
If in EYES	Flush eyes with large amounts of water for 15 minutes. Get medical attention if irritation persists.
If SWALLOWED	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

## 5. Fire-fighting Measures

www.rxmarine.com

FLASH POINT	None
EXTINGUISHING MEDIA	Non-flammable. Use agents appropriate for surrounding fires
SPECIAL FIRE FIGHTING PROCEDURES	Wear self-contained full face piece breathing apparatus and other protective clothing. Hazardous decomposition products may be evolved. Evacuate if necessary. If possible (see Section 10).

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Remove all sources of ignition. Use absorbent materials to prevent from spreading. Contain spill. Ventilate area with natural or explosion-proof, forced air ventilation. Do not flush into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Keep container closed and upright when not in use. Do not store near open flames.

OTHER PRECAUTIONS

Avoid prolonged or repeated contact with skin or clothing. Empty containers contain residues; treat as if full and observe all products precautions. Do not reuse empty containers.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

RESPIRATORY PROTECTION (SPECIFY TYPE)

In confined, poorly ventilated areas, use NIOSH/MSHA approved air supplied respirators during soldering operations until fumes have been exhausted.

VENTILATION - LOCAL EXHAUST

Acceptable

SPECIAL

Explosion proof

MECHANICAL (GENERAL)

Acceptable

OTHER

N/A

PROTECTIVE GLOVES

Wear rubber gloves.

EYE PROTECTION

Safety glasses (ANSI Z-87.1 or equivalent)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Chemical resistant coveralls recommended.

WORK/HYGIENIC PRACTICES

Where use can result in skin contact, wash exposed areas thoroughly before drinking, smoking, or leaving work area. Launder contaminated clothing separately.

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

BOILING POINT

212 F (100 C) @ 760mm Hg

SPECIFIC GRAVITY (H<sub>2</sub>O = 1) 1.04

VAPOR PRESSURE (mm Hg) N/D

MELTING POINT N/A

VAPOR DENSITY (AIR = 1) 1

APPEARANCE/ODOR Clear Liquid / Eucalyptus Odour

SOLUBILITY IN WATER Soluble

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

STABILITY

CONDITIONS TO AVOID None

INCOMPATIBILITY (MATERIALS TO AVOID) None, acids and other bases.

HAZARDOUS DECOMPOSITION PRODUCTS CO, CO, and fragmented hydrocarbons.

HAZARDOUS POLYMERIZATION Will not occur.

10

11. Toxicological information

www.rxmarine.com

CHRONIC HEALTH HAZARDS

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

Ingredient Name	Oral-Rat LD50	Inhalation-Rat LC50
dimethyl benzyl ammonium chloride	240 mg/kg	N/D

12. Ecological information

www.rxmarine.com

Ingredient Name	Food Chain Concentration Potential	WATERFOWL TOXICITY	BOD	AQUATIC TOXICITY
dimethyl benzyl ammonium chloride	None	None	None	None

13. Disposal considerations

www.rxmarine.com

Waste Classification  
Disposal Method

Non-regulated liquid waste.  
Dispose of absorbed materials and liquid waste in accordance with all federal regulations.

14. Transport information

www.rxmarine.com

DOT	Non-regulated
OCEAN (IMDG)	Non-regulated
AIR (IATA)	Non-regulated
WHMIS (CANADA)	Non-regulated

15. Regulatory information

www.rxmarine.com

Ingredient Name	SARA 313	TSCA Inventory	CERCLA RQ	RCRA Code
-----------------	----------	----------------	-----------	-----------

dimethyl benzyl ammonium chloride	No	Yes	N/A	N/A
-----------------------------------	----	-----	-----	-----

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the users own assessment of workplace risk as required by other health and safety legislation.

## 1. Product and Company Identification

[www.rxmarine.com](http://www.rxmarine.com)

Product Name                      RXSOL-64-2610-001  
Product Type                      Air Filter Cleaner Degreaser

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Phone                                      +91 22 65113333 / 5555 / 9999  
Fax    +91 22 2781 1318 :::AOH :0091 9821214367  
Email                                         [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

[www.rxmarine.com](http://www.rxmarine.com)

INGREDIENT	CAS No.	UNITS
Alkyl amine oxide	308062-30-8	--
Propylene Glycol	57-55-6	--
Sodium Metasilicate	10213-79-3	--
Trilon M Powder	164462-16-2	--
Food Grade Colour Dye		

## 3. Hazards Identification

[www.rxmarine.com](http://www.rxmarine.com)

### SUMMARY OF ACUTE HAZARDS

Irritation to eyes, nose, and throat; drowsiness, narcosis, tremors, and dermatitis, and defatting.

### INHALATION

#### ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS

Nasal and respiratory irritation, dizziness, narcosis, headache, nausea, CNS depression, and unconsciousness.

### EYE CONTACT

Watering, blurred vision, inflammation, and irritation which can result in corneal injury.

### SKIN CONTACT

Irritation, dermatitis.

### INGESTION

Nausea, vomiting; CNS depression; irritation of gastrointestinal tract, liver and peritoneal wall; lung congestion.

#### 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

If INHALED	If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. medical attention. Prompt action is essential.
If on SKIN	Immediately wash with soap and water. Remove and wash any contaminated clothing.
If in EYES	Flush eyes with large amounts of water for 15 minutes. Get medical attention if irritation persists.
If SWALLOWED	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything to an unconscious person.

#### 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

FLASH POINT	145 F(63 C) SETA CC, Negative Flame Extension
EXTINGUISHING MEDIA	Foam, dry chemical, CO2, or water fog.
SPECIAL FIRE FIGHTING PROCEDURES	Wear self-contained full face piece breathing apparatus and full body protective clothing. Hazardous decomposition products possible (see Section 10). Evacuate area. Dike area as run-off may create additional environmental contamination.
UNUSUAL FIRE AND EXPLOSION HAZARDS	Foam or water can cause frothing. Heat may build up pressure and rupture containers.

#### 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	Remove all sources of ignition. Use absorbent materials to prevent fo to contain. Ventilate area with natural or explosion-proof, forced air v flushing into sewers, drains, waterways, and soil. Wear protective clo and respiratory protection during cleanup.
---	--

#### 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	Shake well before using. Keep away from heat, sparks and open flame
OTHER PRECAUTIONS	Avoid prolonged or repeated contact with skin or clothing. Empty con contain residues; treat as if full and observe all products precautions. empty containers.

#### 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

RESPIRATORY PROTECTION (SPECIFY TYPE)	In confined, poorly ventilated areas, use NIOSH/MSHA approved air supplied air respirators during soldering operations until fumes have
VENTILATION - LOCAL EXHAUST	Acceptable
SPECIAL	Explosion proof
MECHANICAL (GENERAL)	Acceptable

OTHER

PROTECTIVE GLOVES

EYE PROTECTION

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

WORK/HYGIENIC PRACTICES

N/A

Wear rubber gloves.

Safety glasses (ANSI Z-87.1 or equivalent)

Chemical resistant coveralls recommended.

Where use can result in skin contact, wash exposed areas thoroughly before drinking, smoking, or leaving work area. Launder contaminated clothing

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

BOILING POINT

>212 F (100 C) @ 760mm Hg

SPECIFIC GRAVITY (H2O = 1) 1.04

VAPOR PRESSURE (mm Hg) N/D

MELTING POINT N/A

VAPOR DENSITY (AIR = 1) 1

APPEARANCE/ODOR Clear Blue Liquid

SOLUBILITY IN WATER Soluble

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

STABILITY

CONDITIONS TO AVOID None

INCOMPATIBILITY (MATERIALS TO AVOID)

HAZARDOUS DECOMPOSITION PRODUCTS CO, CO, and fragmented hydrocarbons.

HAZARDOUS POLYMERIZATION Will not occur.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

CHRONIC HEALTH HAZARDS

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen

Ingredient Name	Oral-Rat LD50	Inhalation-Rat LC50
Propylene Glycol	N/D	N/D
Sodium Metasilicate	1153 mg/kg	N/D

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Ingredient Name	Food Chain Concentration Potential	WATERFOWL TOXICITY	BOD	AQUATIC TOXICITY
Propylene Glycol	N/D	N/D	N/D	N/D
Sodium Metasilicate	N/D	N/D	N/D	N/D

## 13. Disposal considerations

www.rxmarine.com

Waste Classification  
Disposal Method

Non-regulated liquid waste  
Dispose of absorbed materials and liquid waste in accordance with all federal regulations.

## 14. Transport information

www.rxmarine.com

Road & Rail Transport

Not classified as a Dangerous Goods under NZS 5433:2007 Transport of Dangerous Goods on land.

Marine Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) NON DANGEROUS GOODS.

## 15. Regulatory information

www.rxmarine.com

Ingredient Name	SARA 313	TSCA Inventory	CERCLA RQ	RCRA Code
Propylene Glycol	No	Yes	N/A	N/A
Sodium Metasilicate	No	Yes	N/A	N/A

## 16. Other information

www.rxmarine.com

The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the users own assessment of workplace risk as required by other health and safety legislation.

1. Product and Company Identification www.rxmarine.com

Product Name RXSOL-64-2610-001  
Product Type Bio-Pan Biocide Tablets

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing, BSEL, TECH PARK.  
VASHI, NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999  
Fax +91 22 2781 1318 :::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

INGREDIENT	CAS No.	UNITS
Di-N-alkyl(C8-10)dimethylammonium chloride	68424-95-3	--

### 3. Hazards Identification

[www.rxmarine.com](http://www.rxmarine.com)

#### SUMMARY OF ACUTE HAZARDS

Based on the available animal toxicity information, it is anticipated that direct or prolonged contact. No human overexposure data is available.

#### INHALATION

#### ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS

#### EYE CONTACT

None known.

#### SKIN CONTACT

May cause eye irritation

#### INGESTION

May cause skin irritation.

#### SUMMARY OF CHRONIC HAZARDS

May cause Nausea and vomiting.

#### MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

None known

No effects indicated.

### 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

#### If INHALED

If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Seek medical attention. Prompt action is essential.

#### If on SKIN

Immediately wash with soap and water. Remove and wash any contaminated clothing.

#### If in EYES

Flush eyes with large amounts of water for 15 minutes. Get medical attention if irritation persists.

#### If SWALLOWED

If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything to an unconscious person.

### 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

#### FLASH POINT

None

#### EXTINGUISHING MEDIA

Non-flammable. Use agents appropriate for surrounding fires.

#### SPECIAL FIRE FIGHTING PROCEDURES

Wear self-contained full face piece breathing apparatus and other protective clothing. Hazardous decomposition products possible (see Section 10).

#### UNUSUAL FIRE AND EXPLOSION HAZARDS

None

### 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

#### STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Use absorbent materials to prevent footing hazard and to contain. Avoid sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

### 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

#### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Keep container closed and upright when not in use.

## OTHER PRECAUTIONS

Avoid prolonged or repeated contact with skin or clothing. Empty containers contain residues; treat as if full and observe all products precautions. empty containers.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

RESPIRATORY PROTECTION (SPECIFY TYPE)

None required.

VENTILATION - LOCAL EXHAUST

Acceptable

SPECIAL

N/A

MECHANICAL (GENERAL)

Acceptable

OTHER

N/A

PROTECTIVE GLOVES

Wear rubber gloves.

EYE PROTECTION

Safety glasses (ANSI Z-87.1 or equivalent)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Plastic apron and sleeves.

WORK/HYGIENIC PRACTICES

Where use can result in skin contact, wash exposed areas thoroughly before drinking, smoking, or leaving work area. Launder contaminated clothing.

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

BOILING POINT

>212 F (100 C) @ 760mm Hg

SPECIFIC GRAVITY (H<sub>2</sub>O = 1) 1.00

VAPOR PRESSURE (mm Hg) N/D

MELTING POINT N/A

VAPOR DENSITY (AIR = 1) N/D

EVAPORATION RATE (ETHYL N/D  
ACETATE = 1)

APPEARANCE/ODOR white tablet soap like texture

SOLUBILITY IN WATER Soluble

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

STABILITY

CONDITIONS TO AVOID None

INCOMPATIBILITY (MATERIALS  
TO AVOID)

HAZARDOUS DECOMPOSITION PRODUCTS CO, CO<sub>2</sub>, and fragmented hydrocarbons.

HAZARDOUS POLYMERIZATION Will not occur.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

CHRONIC HEALTH HAZARDS

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

Ingredient Name

Oral-Rat LD50

Inhalation-Rat LC50

Di-N-alkyl(C8-10)dimethylammonium chloride	240 mg/kg	N/D
--	-----------	-----

-eye irritation (rabbit)	non-irritant (primary irritation index = 0.0)
-skin irritation ( rabbit)	non-irritant (primary irritation index = 0.0)

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Ingredient Name	Food Chain Concentration Potential	WATERFOWL TOXICITY	BOD	AQUATIC TOXICITY
Di-N-alkyl(C8-10)dimethylammonium chloride	None	None	None	None

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Waste Classification	Non-regulated liquid waste.
Disposal Method	Dispose of in accordance with local, state and federal regulations.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

DOT	Non-regulated
OCEAN (IMDG)	Non-regulated
AIR (IATA)	Non-regulated
WHMIS (CANADA)	Non-regulated

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

Ingredient Name	SARA 313	TSCA Inventory	CERCLA RQ	RCRA Code
This is an EPA registered pesticide (EPA Registration No. 6836-152-51219)				
Di-N-alkyl(C8-10)dimethylammonium chloride	No	Yes	N/A	N/A

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the users own assessment of workplace risk as required by other health and safety legislation.

Product Name RXSOL-64-2610-001  
 Product Type BIO-WASH (TOWER WASH)

#### Company Details:

RX MARINE INTERNATIONAL  
 105, A wing , BSEL , TECH PARK.  
 VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999  
 Fax +91 22 2781 1318 :::AOH :0091 9821214367  
 Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

[www.rxmarine.com](http://www.rxmarine.com)

INGREDIENT	CAS No.	UNITS
lauryl dimethyl amine oxide	961788-90-7	--
Polylene Glycol Butyl Ether	57018-52-7	--
Sodium Metasilicate	6834-92-0	--
Oil of Eucalyptus	8000-48-4	--
dimethyl benzyl ammonium chloride	8001-54-5	--

## 3. Hazards Identification

[www.rxmarine.com](http://www.rxmarine.com)

#### SUMMARY OF ACUTE HAZARDS

INHALATION  
 EYE CONTACT

SKIN CONTACT  
 INGESTION

#### SUMMARY OF CHRONIC HAZARDS

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Irritation to eyes, nose, and throat; drowsiness, narcosis, tremors, and dermatitis, and defatting.

#### ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS

Nasal and respiratory irritation, dizziness, narcosis, headache, nausea, Watering, blurred vision, inflammation, and irritation which can result in corneal injury.

Irritation, dermatitis.

Nausea, vomiting; CNS depression; irritation of gastrointestinal tract, liver and peritoneal wall; lung congestion.

Skin irritation, contact dermatitis, and defatting.

Individuals with pre-existing or chronic diseases of the eyes, skin, respiratory system, liver, or kidneys may have increased susceptibility to excessive exposure.

## 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

If INHALED

If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Seek medical attention. Prompt action is essential.

If on SKIN

Immediately wash with soap and water. Remove and wash any contaminated clothing.

If in EYES  
If SWALLOWED

Flush eyes with large amounts of water for 15 minutes. Get medical attention if irritation persists.  
If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything to an unconscious person.

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

FLASH POINT 145 F(63 C) SETA CC, Negative Flame Extension  
EXTINGUISHING MEDIA Foam, dry chemical, CO2, or water fog.  
SPECIAL FIRE FIGHTING PROCEDURES Wear self-contained full face piece breathing apparatus and full body protective clothing. Hazardous decomposition products possible (see Section 10). Evacuate area. Dike area as run-off may create additional environmental contamination.  
UNUSUAL FIRE AND EXPLOSION HAZARDS Foam or water can cause frothing. Heat may build up pressure and rupture containers.

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Remove all sources of ignition. Use absorbent materials to prevent flow to contain. Ventilate area with natural or explosion-proof, forced air ventilation. Do not flush into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING Shake well before using. Keep away from heat, sparks and open flames.  
OTHER PRECAUTIONS Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

RESPIRATORY PROTECTION (SPECIFY TYPE) In confined, poorly ventilated areas, use NIOSH/MSHA approved supplied air respirators during soldering operations until fumes have been removed.  
VENTILATION - LOCAL EXHAUST Acceptable  
SPECIAL MECHANICAL (GENERAL) Explosion proof  
OTHER Acceptable  
PROTECTIVE GLOVES N/A  
EYE PROTECTION Wear rubber gloves.  
OTHER PROTECTIVE CLOTHING OR EQUIPMENT Safety glasses (ANSI Z-87.1 or equivalent)  
WORK/HYGIENIC PRACTICES Chemical resistant coveralls  
Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing separately.

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

BOILING POINT	>212 F (100 C) @ 760mm Hg
SPECIFIC GRAVITY (H2O = 1)	1.04
VAPOR PRESSURE (mm Hg)	N/D
MELTING POINT	N/A
VAPOR DENSITY (AIR = 1)	1
APPEARANCE/ODOR	Clear Green Liquid / Mild Odour
SOLUBILITY IN WATER	Soluble
Ph	13

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

### STABILITY

CONDITIONS TO AVOID None

INCOMPATIBILITY (MATERIALS TO AVOID)

HAZARDOUS DECOMPOSITION PRODUCTS CO, CO, and fragmented hydrocarbons.

HAZARDOUS POLYMERIZATION Will not occur.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

### CHRONIC HEALTH HAZARDS

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

Ingredient Name	Oral-Rat LD50	Inhalation-Rat LC50
lauryl dimethyl amine oxide	4.3 mg/kg	N/D
Polylene Glycol Butyl Ether	N/D	N/D
Sodium Metasilicate	1153 mg/kg	N/D

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Ingredient Name	Food Chain Concentration Potential	WATERFOWL TOXICITY	BOD	AQUATIC TOXICITY
lauryl dimethyl amine oxide	N/D	N/D	N/D	N/D
Polylene Glycol Butyl Ether	N/D	N/D	N/D	N/D
Sodium Metasilicate	N/D	N/D	N/D	N/D
dimethyl benzyl ammonium chloride	N/D	N/D	N/D	N/D

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Waste Classification

Non-regulated liquid waste.

**14. Transport information**[www.rxmarine.com](http://www.rxmarine.com)

DOT	Non-regulated
OCEAN (IMDG)	Non-regulated
AIR (IATA)	Non-regulated
WHMIS (CANADA)	N/A

**15. Regulatory information**[www.rxmarine.com](http://www.rxmarine.com)

Ingredient Name	SARA 313	TSCA Inventory	CERCLA RQ	RCRA Code
lauryl dimethyl amine oxide	No	Yes	N/A	N/A
Polylene Glycol Butyl Ether	No	Yes	N/A	N/A
Sodium Metasilicate	No	Yes	N/A	N/A
Oil of Eucalyptus	No	Yes	N/A	N/A

**16. Other information**[www.rxmarine.com](http://www.rxmarine.com)

The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the users own assessment of workplace risk as required by other health and safety legislation.

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.