### 1. Product and Company Identifaction

www.rxmarine.com

Product Name

Corrosion Inhibitor High Temp

Product Type RXSOL-81-8154-220

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch Stock Point: Mumbai, Chennai, Kolkata, Kandla, Visakhapatanam, Fujairah, Muscat, Canada, Kenya

Phone +91 22 27815540 / 41 / 42

Fax +91 22 2781 1318 :::AOH :0091 9322594669

Email <u>mail@rxmarine.com</u>

# 2. Composition / Information on ingredients

www.rxmarine.com

Name	CAS	%
Ethylene glycol mono butyl ether	111-76-2	10-30
Benzenesulfonic acid,	68910-32-7	1-5
mono-C10-16-alkyl		
derivs., compds. with		
ethanolamine		
Fatty acids, tall-oil,	61790-69-0	1-5
reaction products with		
diethylenetriamine		
Imidazole	288-32-4	1-5
Proprietory Blend of Corrosion Inhibitors	-	>80

### 3. Hazards Identification

www.rxmarine.com

Inhalation: Mist can cause irritation of respiratory tract and inflammation of lungs.

Skin Contact / Absorption: Causes irritation. May cause burns. Morpholine may be absorbed

throughintact skin causing liver, kidney, CNS depression and blood

system damage.

Eye Contact: Causes severe irritation to the mucous membranes of the eyes. May cause

ulceration of the eye.

Ingestion: Burning in mouth and esophagus; nausea, vomiting, abdominal pain and

diarrhea, edema (swelling) of larynx and subsequent suffocation. Perforation of gastrointestinal tract can occur. May cause liver, kidney,

central nervous system depression and blood system damage.

Exposure Limits: 2-butoxyethanol: STEL: 50 ppm 15 minute(s)

TWA: 25 ppm 8 hour(s).

#### 4. First Aid Measures

www.rxmarine.com

Inhalation:

Remove victim to fresh air. Give artificial respiration only if breathing

has stopped. If breathing is difficult, give oxygen. Seek medical attention

if difficulties persist.

Skin Contact / Absorption: Remove contaminated clothing. Wash affected area with soap and water.

Seek medical attention if irritation occurs or persists.

Eye Contact: Flush immediately with water for at least 20 minutes. Forcibly hold

eyelids apart to ensure complete irrigation of eye tissue. Seek medical

attention if symptoms persist.

Ingestion: Do not induce vomiting. Drink large quantities of water or milk to dilute

the chemical. Seek immediate medical attention.

Additional Information.: Not Available.

### 5. Fire-fighting Measures

Hazardous Combustible Products:

www.rxmarine.com

Conditions of Flammability Flammable liquid

Means of Extinction: Carbon dioxide and dry chemical extinguishers. Use water spray to

disperse vapours.

Nitrogen oxides

Flash Point: 84 degree Celsius
Auto-ignition Temperature: Not Available
Upper Flammable Limit: Not Available
Lower Flammable Limit: Not Available

Special Fire Fighting Procedures: Wear NIOSH-approved self-contained breathing apparatus and protective

clothing.

Explosion Hazards: Vapours are heavier than air and may "travel" to source of ignition

causing fire and explosion..

Combustible liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

#### 6. Accidental Release Measures

www.rxmarine.com

Leak / Spill:

Wear appropriate personal protective equipment if required. Ventilate area. Stop or reduce leak if safe to do so. Prevent material from entering sewers or water ways. Flush with water to remove any residue. Neutralize minor spills with dilute acid before washing away with plenty of water.

Deactivating Materials:

Neutralize with dilute acid..

# 7. Handling and Storage

www.rxmarine.com

Handling Procedures:

Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure.

Storage Requirements:

Store in cool area above freezing point away from incompatible materials.

# 8. Exposure controls and personal protection

www.rxmarine.com

Protective Equipment Eyes:

Chemical goggles, full-face shield, or a full-face respirator is to be worn at all times when product is handled. Contact lenses should not be worn;

they may contribute to severe eye injury. Respiratory

Approved respiratory protection should be used if chance of mist will be

formed.

Gloves: Impervious gloves of chemically resistant material should be worn at all times. Wash contaminated clothing and dry thoroughly before reuse.

Body suits, aprons, and/or coveralls of chemical resistant material should be worn at all times. Wash contaminated clothing and dry thoroughly

before reuse.

Impervious boots of chemically resistant material should be worn. Footwear:

**Engineering Controls** 

Mechanical ventilation (dilution or local exhaust), process or personnel Ventilation Requirements:

enclosure and control of process conditions should be provided. Supply sufficient replacement air to make up for air removed by exhaust systems.

Keep an eye wash fountain and safety shower available and in close

proximity to work area.

# 9. Physical and chemical properties

Information on basic physical and chemical properties:

www.rxmarine.com

Physical state: Liquid

Colour: Brown

Clothing:

Other:

Odour: Not available

Odour threshold: Not available

pH: 8.4

Boiling Point: Not available.

Melting point/freezing point: Not available.

Flammability (solid, gas): May be combustible at high temperature.

Flash point Closed cup: 84°C (183.2°F)

Explosive properties: Not available

Explosion limits: Not available

Oxidising properties: Not available

Vapour pressure Density: Not available

Relative density: 0.996 (25°C)

Solubility: Easily soluble in the following materials: cold water

Partition coefficient: n octanol/water: Not available

Viscosity Dynamic: 5 cP

Vapour density: Not available

Evaporation rate (butyl acetate = 1): Not available

Decomposition temperature: Not available

Auto-ignition temperature: Not available

### 10. Stability and reactivity

www.rxmarine.com

Stability: Stable under normal conditions.

Incompatibility: Oxidizing materials, acids, copper, copperm alloys,lead

Hazardous Products of Decomposition:

Polymerization:

Not Available

### 11. Toxicological information

www.rxmarine.com

Severe irritant to the eyes. Severe irritant to the eyes.

Sensitization: Not Available

Chronic/Acute Effects: No other adverse effects expected other than those mentioned above in

section 3.

Synergistic Materials: Not Available

Animal Toxicity Data: LD50 Oral: Ethylene glycol monobutylether: 917 mg/kg

Carcinogenicity: Not Available
Reproductive Toxicity: Not Available
Teratogenicity: Not Available
Mutagenicity: Not Available

### 12. Ecological information

www.rxmarine.com

Fish Toxicity: Not Available
Biodegradability: Not Available
Environmental Effects: Not Available

#### 13. Disposal considerations

www.rxmarine.com

Waste Disposal:

Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.

### 14. Transport information

www.rxmarine.com

TDG Classification:

 Class
 8 (3)

 Group
 II

 PIN Number
 UN 2920

Other Secure containers (full and/or empty) with suitable hold down devises

during shipment

#### 15. Regulatory information

www.rxmarine.com

WHMIS Classification......B, D1, E

NOTE:

THE PRODUCT LISTED ON THIS MSDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS MSDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

16. Other information www.rxmarine.com

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents. The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.