

1. Product and Company Identification

www.rxmarine.com

Product Name Calcium OXIDE 95%
Product Type RXSOL-93-1495-020

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kolkata, Chennai, Gandhidham, Visakhapatnam, Fujairah, Muscat

Phone +91 22 27815541 / 42
Fax +91 22 2781 1318 ::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Ingredient	CAS No	Percent	Hazardous
Calcium oxide	1305-78-8	90 - 100%	-

3. Hazards Identification

www.rxmarine.com

Danger! Harmful if swallowed. Causes burns by all exposure routes. Reacts violently with water. Target Organs: Respiratory system, gastrointestinal system, eyes, skin.

Potential Health Effects

Eye: Causes eye burns.

Skin: Causes skin burns. May be harmful if absorbed through the skin.

Ingestion: Harmful if swallowed. Causes gastrointestinal tract burns.

Inhalation: Causes chemical burns to the respiratory tract. May be harmful if inhaled.

Chronic: Prolonged or repeated skin contact may cause dermatitis. Chronic inhalation may cause nasal septum ulceration and perforation.

4. First Aid Measures

www.rxmarine.com

Eyes Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids immediately

Skin Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion: Do not induce vomiting. Get medical aid immediately. Call a poison control center.

Inhalation: Get medical aid immediately. Remove from exposure and move to fresh air immediately. If breathing is difficult, give mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a resuscitator equipped with a one-way valve or other proper device.

Notes to Physician: Treat symptomatically and supportively.

5. Fire-fighting Measures

www.rxmarine.com

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Water reactive. Material will react with water and may release a flammable and/or toxic gas.

Extinguishing Media: Use foam, dry chemical, or carbon dioxide. DO NOT USE WATER!

Autoignition Temperature: Not available.

Flash Point: Not applicable.

Explosion Limits: Lower: Not available

Explosion Limits: Upper: Not available

NFPA Rating: ; Special Hazard: -W

6. Accidental Release Measures

www.rxmarine.com

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Wear a self contained breathing apparatus and appropriate personal protection. (See Exposure Controls, Personal Protection section). Avoid generating dusty conditions. Provide ventilation. Do not expose spill to water. Do not get water inside containers. Do not let this chemical enter the environment.

7. Handling and Storage

www.rxmarine.com

Handling

Do not allow water to get into the container because of violent reaction. Minimize dust generation and accumulation in eyes, on skin, or on clothing. Do not ingest or inhale. Do not allow contact with water. Use only in a chemical fume hood.

Storage:

Store in a cool, dry place. Store in a tightly closed container. Corrosives area. Store protected from moisture. Store under an inert atmosphere.

8. Exposure controls and personal protection

www.rxmarine.com

+-----+-----+-----+-----+-----+

Chemical Name ACGIH NIOSH OSHA - Final PELs

-----+-----+-----+-----+-----+

Calcium oxide 2 mg/m3 2 mg/m3 TWA 2.5 mg/m3 TWA
mg/m3 IDLH

+-----+-----+-----+-----+-----+

OSHA Vacated PELs: Calcium oxide: 5 mg/m3 TWA (not in effect as a result of reconsideration)

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use only under a chemical fume hood.

Exposure Limits Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

9. Physical and chemical properties

www.rxmarine.com

Physical State: Powder

Color: white to light yellow - very slightly beige

Odor: Odorless.

pH: 12.5 (1.65 g/L aq sol)

Vapor Pressure: Negligible.

Vapor Density: Not available

Evaporation Rate: Negligible.

Viscosity: Not available

Boiling Point: 2850 deg C @ 760 mmHg (5,162.00°F)

Freezing/Melting Point: 2570 deg C (4,658.00°F)

Decomposition Temperature: Not available

Solubility in water: Reacts

Specific Gravity/Density: Not available.

Molecular Formula: CaO

Molecular Weight: 56.08

10. Stability and reactivity

www.rxmarine.com

Chemical Stability: Air sensitive. Reacts violently with water. Moisture sensitive.

Conditions to Avoid: Incompatible materials, dust generation, exposure to air, exposure to moist air or water.

Incompatibilities with Other Materials Strong oxidizing agents, acids, carbon dioxide, chlorine trifluoride, fluorine, halogens, phosphorus pentoxide, calcium chloride, metal halides, hydrofluoric acid, hydrogen fluoride, ethanol, boron trifluoride.

Hazardous Decomposition Products Calcium hydroxide.

Hazardous Polymerization Has not been reported.

11. Toxicological information

www.rxmarine.com

RTECS#: CAS# 1305-78-8: EW3100000

LD50/LC50: RTECS: Not available.

Carcinogenicity: Calcium oxide - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

Other: See actual entry in RTECS for complete information.

12. Ecological information

www.rxmarine.com

Other: Do not empty into drains.

13. Disposal considerations

www.rxmarine.com

Dispose of in a manner consistent with federal, state, and local regulations.

14. Transport information

www.rxmarine.com

US DOT

Shipping Name: CALCIUM OXIDE

Hazard Class: 8

UN Number: UN1910

Packing Group: III

Canada TDG Shipping Name: CALCIUM OXIDE

Hazard Class: 8

UN Number: UN1910

Packing Group: III

15. Regulatory information

www.rxmarine.com

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: C

Risk Phrases:

R 14 Reacts violently with water.

R 22 Harmful if swallowed.

R 35 Causes severe burns.

Safety Phrases:

S 25 Avoid contact with eyes.

S 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16. Other information

www.rxmarine.com

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents. The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other.

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was

prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.