1. Product and Company Identifaction

www.rxmarine.com

Product Name : **RXSOL-19-1498-050**Product Type : Caustic Soda Flake

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Stock Points: Mumbai, Kandla, Kolkata, Vishakhapatnam, Chennai, Fujairah, Muscat Kenya, Canada

Phone : +91 22 65113333 / 5555 / 9999 / 27611360 Fax : +91 22 2781 1318 :::AOH :0091 9821214367

Email : <u>mail@rxmarine.com</u>

2. Composition / Information on ingredients

www.rxmarine.com

Name CAS # % by Weight

Sodium Hydroxide 1310-73-2 100

Toxicological Data on Ingredients: Sodium hydroxide LD50: Not available. LC50: Not available.

3. Hazards Identification

www.rxmarine.com

Potential Acute Health Effects:

Very hazardous in case of skin contact (corrosive, irritant, permeator), of eye contact (irritant, corrosive), of ingestion, of inhalation. The amount of tissue depends on length of contact. Eye contact can result in corneal damage or blindness. Skin contact can produce inflammation and blistering. Inhalation of produce irritation to gastro-intestinal or respiratory tract, characterized by burning, sneezing and coughing. Severe over-exposure can produce lung damage, unconsciousness or death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, reddening, or, occasionally, blistering.

Potential Chronic Health Effects:

Carcinogenic Effects Not available.

Mutagenic Effects Mutagenic for mammalian somatic cells.

Teratogenic Effects Not available.

Developmental Toxicity Not available.

The substance may be toxic to mucous membranes, upper respiratory tract, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated skin exposure can produce local skin destruction, or dermatitis. Repeated inhalation of dust can produce varying degree of respiratory irritation or lung damage.

4. First Aid Measures

www.rxmarine.com

Eye Contact Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minu

water may be used. Get medical attention immediately.

Skin Contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clo

shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean sho

reuse. Get medical attention immediately.

Serious Skin Contact Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical

immediately.

Serious Inhalation Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If broad to be a collar, tie, belt or waistband. If broad to be a collar, tie, belt or waistband.

difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. WARNING: It may be to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corros.

immediate medical attention.

Ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to anunconscious

large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie

waistband.

Serious Ingestion Not available.

5. Fire-fighting Measures

www.rxmarine.com

Flammability of the Product

Auto-Ignition Temperature

Not applicable.

Flash Points

Not applicable.

Flammable Limits

Not applicable.

Products of Combustion

Not available.

Fire Hazards in Presence of Various Substances

metals

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact

Not available.

Risks of explosion of the product in presence of static discharge

Not available.

Slightly explosive in presence of heat.

Fire Fighting Media and Instructions

Not available

Special Remarks on Fire Hazards:

sodium hydroxide + zinc metal dust causes ignition of the latter. Under proper conditions of temperature, pressure and state of division, it can ignite or react with acetaldehyde, ally alcohol, allyl chloride, benzene-1,4-diol, chlorine trifluoride, 1,2 dichlorethylene, nitroethane, nitromethane, nitroparaffins, nitro cinnamaldehyde, 2,2-dichloro-3,3-dimethylbutane. Sodium hydroxide in contact with water may generate enough heat to ignite adjacent combustible n Phosphorous boiled with NaOH yields mixed phosphines which may ignite spontanously in air. sodium hydroxide and cinnamaldehyde + heat may cause Reaction with certain metals releases flammable and explosive hydrogen gas.

Special Remarks on Explosion Hazards:

Sodium hydroxide reacts to form explosive products with ammonia + silver nitrate. Benzene extract of allyl benzenesulfonate prepared from allyl alcohol, and sulfonyl chloride in presence of aquesous sodium hydroxide, under vacuum distillation, residue darkened and exploded. Sodium Hydroxde + impure tetrahyd which can contain peroxides, can cause serious explosions. Dry mixtures of sodium hydroxide and sodium tetrahydroborate liberate hydrogen explosively at deg. C. Sodium Hydroxide reacts with sodium salt of trichlorophenol + methyl alcohol + trichlorobenzene + heat to cause an explosion.

6. Accidental Release Measures

www.rxmarine.com

Small Spill Use appropriate tools to put the spilled solid in a convenient waste disposal container. If necessary: Neutralize the residue with a dilute so

acetic acid.

Large Spill Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapors. Prevent

sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic

careful that the product is not presenty at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

7. Handling and Storage

www.rxmarine.com

Precautions Keep container dry. Do not breathe dust. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory eq

If you feel unwell, seek medical attention and show the label when possible. Avoid contact with skin and eyes. Keep away from incompa

such as oxidizing agents, reducing agents, metals, acids, alkalis, moisture.

Storage Keep container tightly closed. Keep container in a cool, well-ventilated area. Hygroscopic. Deliquescent.

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Controls

Use process enclosures, local exhaust ventilation, or other engineering co

keep airborne levels below recommended exposure limits. If user of generate dust, fume or mist, use ventilation to keep exposure to

contaminants below the exposure limit.

Personal Protection Splash goggles. Synthetic apron. Vapor and dust respirator. Be sure to

approved / certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor and dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product. Exposure Limits:

STEL: 2 (mg/m3) from ACGIH (TLV) [United States] TWA: 2 CEIL: 2 (mg/m3) from OSHA (PEL) [United States]

CEIL: 2 (mg/m3) from NIOSHConsult local authorities for acceptable exposure limits.

9. Physical and chemical properties

www.rxmarine.com

Physical state and appearance Solid. (Deliquescent solid.)

Odor Odorless.

Taste Not available.

Molecular Weight 40 g/mole

Color White.

pH (1% soln/water): 13.5 [Basic.]

Boiling Point 1388°C (2530.4°F) Melting Point 323°C (613.4°F) Critical Temperature Not available. 2.13 (Water = 1)Specific Gravity Vapor Pressure Not applicable. Not available. Vapor Density Not available. Volatility Not available. Odor Threshold Water/Oil Dist. Coeff. Not available. Ionicity (in Water) Not available.

Dispersion Properties See solubility in water.

Solubility Easily soluble in cold water

10. Stability and reactivity

www.rxmarine.com

Stability The product is stable.

Instability Temperature Not available.

Conditions of Instability Incompatible materials, moisture, moist air

Incompatibility with various substances:

Highly reactive with metals.Reactive with oxidizing agents, reducing agents, acids, alkalis, moisture.

Corrosivity

Not available.

Special Remarks on Reactivity:

Hygroscopic. Much heat is evolved when solid material is dissolved in water. Therefore cold water and caution must be used for this process. Sodium hysolution and octanol + diborane during a work-up of a reaction mixture of oxime and diborane in tetrahyrofuran is very exothermic, a mild explosion being one occassion. Reactive with water, acids (mineral, non-oxidizing, e.g. hydrochloric, hydrofluoric acid, muriatic acid, phosphoric), acids (mineral, oxidi chromic acid, hypochlorous acid, nitric acid, sulfuric acid), acids (organic e.g. acetic acid, benzoic acid, formic acid, methanoic acid, oxalic acid), aldehy acetaldehyde, acrolein, chloral hydrate, foraldehyde), carbamates (e.g. carbanolate, carbofuran), esters (e.g. butyl acetate, ethyl acetate, propyl formate), halo organics (dibromoethane, hexachlorobenzene, methyl chloride, trichloroethylene), isocyanates (e.g. methyl isocyanate), ketones (acetone, acetophenomous MIBK), acid chlorides, strong bases, strong oxidizing agents, strong reducing agents, flammable liquids, powdered metals and metals (i.e aluminum, tin, zinc, I raney nickel), metals (alkali and alkaline e.g. cesium, potassium, sodium), metal compounds (toxic e.g. berylium, lead acetate, nickel carbonyl, tetraeth

mitrides (e.g. potassium nitride, sodium nitride), nitriles (e.g. acetonitrile, methyl cyanide), nitro compounds (organic e.g. nitrobenzene, nitromethane anhydride, chlorohydrin, chlorosulfonic acid, ethylene cyanohydrin, glyoxal, hydrosulfuric acid, oleum, propiolactone, acylonitrile, phorosous pechloroethanol, chloroform-methanol, tetrahydroborate, cyanogen azide, 1,2,4,5 tetrachlorobenzene, cinnamaldehyde. Reacts with formaldehyde hydroxide formic acid, and hydrogen.

Special Remarks on Corrosivity

Very caustic to aluminum and other metals in presence of moisture.

Polymerization

Will not occur.

11. Toxicological information

www.rxmarine.com

Routes of Entry Absorbed through skin. Dermal contact. Eye contact. Inhalation. Ingestion.

Toxicity to Animals

LD50 Not available. LC50 Not available.

Chronic Effects on Humans:

Mutagenic Effects Mutagenic for mammalian somatic cells.Ma

damage to the following organs: mucous men

upper respiratory tract, skin, eyes.

Other Toxic Effects on Humans:

Extremely hazardous in case of inhalation (lung corrosive). Very hazardous in case of skin contact (corrosive, irritant, permeator), of eye contact (corroingestion, .

Special Remarks on Toxicity to Animals:

Lowest Published Lethal Dose:

LDL [Rabbit] - Route Oral; Dose: 500 mg/kg

Special Remarks on Chronic Effects on Humans: May affect genetic material. Investigation as a mutagen (cytogenetic analysis)

Special Remarks on other Toxic Effects on Humans:

12. Ecological information

www.rxmarine.com

Ecotoxicity Not available.
BOD5 and COD Not available.

Products of Biodegradation: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic

Special Remarks on the Products of Biodegradation: Not available.

13. Disposal considerations

www.rxmarine.com

Waste Disposal: Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14. Transport information

www.rxmarine.com

DOT Classification: Class 8: Corrosive material

Identification: : Sodium hydroxide, solid UNNA: 1823 PG: II

Special Provisions for Transport: Not available.

15. Regulatory information

www.rxmarine.com

Federal and State Regulations:

Illinois toxic substances disclosure to employee act
Illinois chemical safety act
New York release reporting list
Sodium hydroxide
Sodium hydroxide

Rhode Island RTK hazardous substances Sodium hydroxide Pennsylvania RTK Sodium hydroxide Sodium hydroxide Minnesota Massachusetts RTK Sodium hydroxide New Jersey Sodium hydroxide Louisiana spill reporting Sodium hydroxide California Director's List of Hazardous Substances Sodium hydroxide Sodium hydroxide TSCA 8(b) inventory CERCLA: Hazardous substances.: Sodium hydroxide: 1000 lbs. (453.6 kg)

Other Regulations:

OSHA Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

EINECS This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada): CLASS E: Corrosive solid.

DSCL (EEC):

R35- Causes severe burns.

S26- In case of contact with eyes, rinse mmediately with plenty of water and seek medical advice.

S37/39- Wear suitable gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard	3
Fire Hazard	0
Reactivity	2
Personal Protection	J
Health	3
Flammability	0
Reactivity	1

Specific hazard:

Protective Equipment: Gloves, Synthetic apron, Vapor and dust respirator. Be sure to use an approved/ certified respirator.

equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

16. Other information

www.rxmarine.com

References: Not available.

Other Special Considerations: Not available.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.