

1. Product and Company Identification

www.rxmarine.com

Product Name **Silver Nitrate**
Product Type **RXSOL-60-6106-001**

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333/ 5555 / 9999 / 27611360 / 27815540
Fax +91 22 2781 1318 :::AOH :0091 9322594669
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Name	CAS #	% by We
Silver nitrate	7761-88-8	100

3. Hazards Identification

www.rxmarine.com

Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of ingestion. Hazardous in case of skin contact (permeator), of eye contact (irritant), of inhalation. Slightly hazardous in case of skin contact (corrosive). The amount of tissue damage depends on length of contact. Eye contact can result in corneal damage or blindness. Skin contact can produce inflammation and blistering. Inhalation of dust will produce irritation to gastro-intestinal or respiratory tract, characterized by burning, sneezing and coughing. Severe over-exposure can produce lung damage, choking, unconsciousness or death. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL

TOXICITY: Not available. The substance is toxic to lungs. The substance may be toxic to mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated skin exposure can produce local skin destruction, or dermatitis. Repeated inhalation of dust can produce varying degree of respiratory irritation or lung damage.

4. First Aid Measures

www.rxmarine.com

Flammability of the Product	Non-flammable.
Auto-Ignition Temperature	Not applicable.
Flash Points	Not applicable.
Flammable Limits	Not applicable.
Products of Combustion	Not available.
Fire Hazards in Presence of Various Substances	organic materials, combustible materials
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical sparks Risks of explosion of the product in presence of static discharge
Fire Fighting Media and Instructions	Special Remarks on Fire Hazards: Contact with combustible materials may cause fire.
Special Remarks on Fire Hazards	Contact with combustible or organic materials may cause fire.
Special Remarks on Explosion Hazards	Silver nitrate mixed with dry powdered magnesium may form an explosive compound with a drop of water. An explosive fulminate may be formed with alcohols. Highly explosive is formed by the addition of silver nitrate solution.

5. Fire-fighting Measures

www.rxmarine.com

6. Accidental Release Measures

www.rxmarine.com

Small Spill	Use appropriate tools to put the spilled solid in a convenient waste disposal container.
Large Spill	Oxidizing material. Corrosive solid. Stop leak if without risk. Do not get water

inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

7. Handling and Storage

Precautions:

www.rxmarine.com

Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe dust. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes.

Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Sensitive to light. Store in light-resistant containers.

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection:

Splash goggles. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor and dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

TWA: 0.01 (mg/m Ag) from ACGIH (TLV) [United States] TWA: 0.01 (mg/m Ag) from OSHA (PEL) [United States]³ Consult local authorities for acceptable exposure limits.

9. Physical and chemical properties

www.rxmarine.com

Physical state and appearance	Solid. (Crystals solid.)
Odor	Not available.
Taste	Bitter. Metallic
Molecular Weight	169.87 g/mole
Color	Colorless. White.
pH (1% soln/water)	6 - 7 [slightly acidic to neutral]
Boiling Point:	Decomposition temperature
Melting Point	212°C (413.6°F)
Critical Temperature	Not available.
Specific Gravity	4.35 (Water = 1)
Vapor Pressure	Not applicable.
Vapor Density	5.8 (Air = 1)
Volatility	Not available.
Odor Threshold	Not available.
Water/Oil Dist. Coeff.	Not available.
Ionicity (in Water)	Not available.
Dispersion Properties	See solubility in water, diethyl ether.
Solubility	Easily soluble in cold water, diethyl ether. Very slightly soluble in water. 122 g/100 ml water @ 0 deg. C. 122 g/100 ml water @ 190 deg. C.

alcohol; 1g/ 6.5 ml boiling a
g/ 253 ml acetone

10. Stability and reactivity

www.rxmarine.com

Stability

The product is stable.

Instability Temperature

Not available.

Conditions of Instability

Reactive with reducing agents, organic materials, alkalis.

Incompatibility with various substances

Sensitive to light. Incompatible with arsenites, bromides, carbon disulfide, thiocyanates, ferrous salts, hydrocarbons, oils, creosote, phosphates, tannins, decoctions, and extracts, silver nitrate, thimerosal, benzalkonium chlorides, and their salts. alcohols. Silver nitrate in presence of ammonia to form silver fulminate, a powerful detonator when dried. Silver nitrate and chlorosulfonic acid are reduced by hydrogen sulfide. Silver nitrate easily reduces to metallic silver. Incompatible with hypophosphites, tartrates, sugars.

Corrosivity

Non-corrosive in presence of organic materials.

Special Remarks on Reactivity

Sensitive to light. Incompatible with arsenites, bromides, carbon disulfide, thiocyanates, ferrous salts, hydrocarbons, oils, creosote, phosphates, tannins, decoctions, and extracts, silver nitrate, thimerosal, benzalkonium chlorides, and their salts. alcohols. Silver nitrate in presence of ammonia to form silver fulminate, a powerful detonator when dried. Silver nitrate and chlorosulfonic acid are reduced by hydrogen sulfide. Silver nitrate easily reduces to metallic silver. Incompatible with hypophosphites, tartrates, sugars.

Special Remarks on Corrosivity
Polymerization

Not available.
Will not occur.

11. Toxicological information

www.rxmarine.com

Routes of Entry

Absorbed through skin. Dermal contact.
Inhalation. Ingestion.

Toxicity to Animals

Acute oral toxicity (LD50): 50 mg/kg

Chronic Effects on Humans

Causes damage to the following organs:
cause damage to the following organs:
membranes, skin, eyes.

Other Toxic Effects on Humans

Very hazardous in case of skin contact and
ingestion. Hazardous in case of skin contact
(permeator), of inhalation. Slightly hazardous
of skin contact (corrosive).

Special Remarks on Toxicity to Animals

Not available.

Special Remarks on Chronic Effects on Humans

May affect genetic material (mutagenicity),
cancer based on animal test data.
reproductive effects.

Special Remarks on other Toxic Effects on Humans

Acute Potential Health Effects: Severe skin
irritation and burns. It may cause severe
be absorbed through the skin. Eye irritation,
irritation, corneal opacification, blindness,
burns of conjunctiva, argyria, blindness.
Causes irritation of the respiratory tract
membranes with possible chemical burns.
may include burning sensation, coughing,
laryngitis, shortness of breath, vomiting.
Ingestion: Severe gastric irritation and
irritation and burns, pain and burning
violent abdominal pain, argyria -grayish
skin and mucous membranes, thirst, excessive
salivation, vomiting of black vomit,
hypermotility, ulcerative gingivitis,
kidneys (lesions of kidneys, anuria).

12. Ecological information

www.rxmarine.com

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products long term degradation products may arise.
Toxicity of the Products of Biodegradation	The products of degradation are less toxic than the
Special Remarks on the Products of Biodegradation	Not available.

13. Disposal considerations

www.rxmarine.com

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14. Transport information

www.rxmarine.com

DOT Classification	: CLASS 5.1: Oxidizing material.
Identification	: Silver nitrate UNNA: 1493 PG: II
Special Provisions for Transport	: Not available.

15. Regulatory information

www.rxmarine.com

Federal and State Regulations:

Connecticut hazardous material survey.: Silver nitrate Illinois chemical safety act: Silver nitrate New York acutely hazardous substances: Silver nitrate Rhode Island RTK hazardous substances: Silver nitrate Pennsylvania RTK: Silver nitrate Massachusetts RTK: Silver nitrate Massachusetts spill list: Silver nitrate New Jersey: Silver nitrate New Jersey spill list: Silver nitrate Louisiana spill reporting: Silver nitrate California Director's List of Hazardous Substances: Silver nitrate TSCA 8(b) inventory: Silver nitrate

Other Regulations:

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR

1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada):

CLASS C: Oxidizing material. CLASS E: Corrosive solid.

DSCL (EEC):

R8- Contact with combustible material may cause fire. R20/22- Harmful by inhalation and if swallowed. R34- Causes burns. R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S46- If swallowed, seek medical advice immediately and show this container or label. S60- This material and its container must be disposed of as hazardous waste. S61- Avoid release to the environment. Refer to special instructions/ Safety data sheets.

HMIS (U.S.A.):

Health Hazard	: 3
Fire Hazard	: 0
Reactivity	: 0
Personal Protection	: j

National Fire Protection Association (U.S.A.):

Health	: 2
Flammability	: 0
Reactivity	: 0
Specific hazard	:

Protective Equipment:

Gloves (impervious). Synthetic apron. Wear appropriate respirator when ventilation

is inadequate. Splash goggles.

16. Other information

www.rxmarine.com

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents. The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications; usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer.

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.