

## 1. Product and Company Identification

www.rxmarine.com

Product Name [Cupric Sulphate Pentahydrate](#)  
Part Number [RXSOL-95-9503-500](#)

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 27815540 -42  
Fax +91 22 2781 1318 :::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	Concentration	CAS Number
Cupric Sulphate Pentahydrate	99-100 %	7758-99-8

Chemical Formula :  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$   
Molecular weight : 249.69 g/mol

## 3. Hazards Identification

www.rxmarine.com

### Potential Acute Health Effects:

Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation.

### Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells.

TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance may be toxic to kidneys, liver. Repeated or prolonged exposure to the substance can produce target organs damage.

## 4. First Aid Measures

www.rxmarine.com

Contact with skin	In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
Contact with eyes	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Water may be used. Get medical attention.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, waistband.
Inhalation	<small>If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.</small>
General	<small>See MSDS.</small>

## 5. Fire-fighting Measures

www.rxmarine.com

Flammability of the Product: Non-flammable.

Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge:

Not available. Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards:

When heated to decomposition it emits toxic fumes. Solutions are acidic and can react with magnesium to evolve flammable hydrogen gas  
Special Remarks on Explosion Hazards: Nitromethanes and copper salts spontaneously form explosive materials.

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

Personal Precautions	Wear protective clothing as per section 8.
Environmental Precautions	No special precautions are required for this product.
Small Spill	Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading contaminated surface and dispose of according to local and regional authority requirements.
Large Spill	Use a shovel to put the material into a convenient waste disposal container. Be careful that the product is not present at a level above TLV. Check TLV on the MSDS and with local authorities.

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

Precaution	Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as metals, alkalis.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

Engineering Control	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below recommended limits.
Personal Protection	Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.
Occupational exposure controls	Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid exposure to dust. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
Exposure Limits	TWA: 1 (mg/m <sup>3</sup> ) from ACGIH (TLV) [United States] Inhalation TWA: 0.1 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] TWA: 1 (mg/m <sup>3</sup> ) from NIOSH Inhalation Consult local authorities for acceptable exposure limits.



Goggles

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

Odour	Odourless
Appearance	Crystalline granules solid. Powdered, Light Blue
pH	NA
Boiling point	150°C (302°F)
Melting Point	110°C (230°F)
Vapour pressure	Not known
Odor Threshold	NA
Specific Gravity	2.28 @ 15.6 deg. C(Water = 1)
Vapor Density	Not available.
Solubility	Easily soluble in cold water

## 10. Stability and reactivity

www.rxmarine.com

Stability	The product is stable.
Instability Temperature	Not available.
Conditions of Instability	Incompatibles
Incompatibility with various substances	Reactive with metals, alkalis.
Corrosivity	Highly corrosive in presence of steel.
Special Remarks on Reactivity:	Air Sensitive. Slowly efflorescent in air. Solutions of hyprobromite are decomposed by powerful catalytic action of cupric ions, even as impurities. Incompatible with finely powdered metals.
Polymerization	Will not occur.

## 11. Toxicological information

www.rxmarine.com

Routes of Entry: Inhalation. Ingestion.

Toxicity to Animal	Acute oral toxicity (LD50): 300 mg/kg [Rat.]. Acute dermal toxicity (LD50): >2000 mg/kg [Rat].
Chronic Effects on Humans	MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. May cause damage to the following organs: kidney
Other Toxic Effects on Humans	Hazardous in case of skin contact (irritant), of ingestion, of inhalation.
Special Remarks on Toxicity to Animal	Lowest Published Lethal Dose: LDL [Human] - Route: Oral; Dose: 1088 mg/kg
Special Remarks on Chronic Effects on Humans	<small>May affect people, animals based on available data</small>
Special Remarks on other Toxic Effects on Humans	Acute Potential Health Effects: Skin: Causes skin irritation. May cause skin burns. It may cause and itching allergy. Causes eye irritation. May cause eye burns. It may cause conjunctivitis, corneal discoloration, ulceration and turbid. Inhalation: Causes respiratory tract (nose, throat, lung) irritation with coughing and wheezing. May cause ulceration at the nasal septum if inhaled in excessive quantities. Burning copper sulfate may result in irritating and poisonous gases in the respiratory tract and lungs, and may cause fume metal fever which is characterized by flu-like symptoms such as muscle aches. Ingestion: Harmful if swallowed. May cause gastrointestinal tract irritation with nausea, vomiting, diarrhea, burning sensation in the stomach or epigastrium, abdominal pain, and possible gastrointestinal tract bleed. metabolism(metabolic acidosis), liver (liver damage, jaundice), blood (Methemoglobin, hemolytic anemia), urinal damage, hematuria, hemoglobinuria, albuminuria), behavior/nervous systems (somnia, tremor, psychosis, muscle weakness), cardiovascular system(lowering of blood pressure, dysthrythmia). Oral mucosa, vomitus, stools, and saliva may be stained following ingestion. Aspiration pneumonia may develop following emesis and CNS depression. Chronic Potential Health Effects: Repeated or prolonged skin contact may cause thickening of the skin.

## 12. Ecological information

www.rxmarine.com

Ecotoxicity	Ecotoxicity in water (LC50): 0.1 ppm 48 hours [Goldfish]. 0.1 mg/l 96 hours [Rainbow Trout]. 2.5 mg/l 96 hours [Rainbow Trout].
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation.	of The products of degradation are less toxic than the product itself.
Special Remarks on the Products of Biodegradation	of If released to soil, copper sulfate may leach to groundwater, be partly oxidized, or bind to humic materials, clay, or humic substances. In water, it will bind to carbonates as well as humic materials, clay and hydrous oxides of iron and manganese. In air, copper aerosols (in general) have a residence time of 2 to 10 days in an unpolluted area and 0.1 to >4 in a polluted, urban areas.

## 13. Disposal considerations

www.rxmarine.com

Classification	EU Waste class: -
Disposal considerations	Copper dusts or mist or copper compounds may be disposed of in Group III sealed containers in a secure sanitary landfill. Copper containing soluble wastes can be concentrated through the use of ion exchange, reverse osmosis, or evaporators to a solid residue.

copper can be electrolytically removed and sent to a reclaiming firm. If recovery is not feasible, the copper can be processed by the use of caustics and the sludge deposited in a chemical waste landfill. Be sure to consult with authorities (waste management) that must be disposed of in accordance with federal, state and local environmental control regulations.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

UN number

ADR/RID: 3077 IMDG: 3077 IATA: 3077

UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper sulphate pentahydrate)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper sulphate pentahydrate)

IATA: Environmentally hazardous substance, solid, n.o.s. (Copper sulphate pentahydrate)

Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

Packaging group

ADR/RID: III IMDG: III IATA: III

Environmental hazards

ADR/RID: yes IMDG Marine pollutant: no IATA: yes

Special precautions for user

No data available

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

### Federal and State Regulations:

SARA 313 toxic chemical notification and release reporting: Copper compounds CERCLA: Hazardous substances.: Copper sulfate pentahydrate: 10 lbs. (4.536 kg)

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

**WHMIS (Canada):** CLASS D-2B: Material causing other toxic effects (TOXIC).

DSCL (EEC):

R22- Harmful if swallowed. R36/38- Irritating to eyes and skin. R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. S22- Do not breathe dust. S60- This material and its container must be disposed of as hazardous waste. S61- Avoid release to the environment. Refer to special instructions/Safety data sheets.

### HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 0

Reactivity: 0

Personal Protection: E

### National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 0

### Specific hazard:

Protective Equipment:

Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Splash goggles.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall **Rx Marine International** be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if **Rx Marine International** has been advised of the possibility of such damages.*

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.