

1. Product and Company Identification

www.rxmarine.com

Product Name Potassium Hydroxide Electrolyte Solution
Product Type RXSOL-37-1024-300

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Kolkata, Chennai, Visakhapatnam, Fujairah, Muscat, Nairobi

Phone +91 22 65113333 / 5555 / 9999
Fax +91 22 2781 1318 ::::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

SARA 313 Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
Potassium Hydroxide	CAS# 1310-58-3	25-36%	W/V	OSHA PEL 2mg/m ³
Water, Deionized ASTM Type II	CAS# 7732-18-5	70-75%	V/V	None Established

3. Hazards Identification

www.rxmarine.com

Causes severe irritation and burns. May be harmful if swallowed. May be harmful if absorbed through the skin. Avoid breathing vapor or dust. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling.

Emergency Overview:POISON! DANGER! CORROSIVE. LIQUID AND MIST CAUSE SEVERE BURNS TO ALL BODY TISSUE. MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED. INHALATION MAY CAUSE LUNG AND TOOTH DAMAGE. FLAMMABLE LIQUID AND VAPOR. CORROSIVE!

Inhalation:Inhalation of Vapors can cause Coughing, Choking, Inflammation, of the Nose, Throat, and Upper Respiratory Tract, and in Severe Cases, Pulmonary Edema, Circulatory Failure, and Death.

Ingestion:CORROSIVE! Swallowing can cause Immediate Pain and Burns of the Mouth, Throat, Esophagus, and Gastrointestinal Tract. May cause Nausea, Vomiting, and Diarrhea, and in Severe Cases, Death.

Skin:CORROSIVE! Can cause Redness, Pain, and Severe Skin Burns. Concentrated Solutions Cause Deep Ulcers and Discolor of Skin.

CORROSIVE! Vapors are Irritating and May cause Damage to Eyes. Contact May cause Severe Burns and Permanent Eye Damage.

chronic Exposure:Eye Contact:Long-Term Exposure to Concentrated Vapors May cause Erosion of Teeth. Long-Term Exposures Seldom Occur due to the Corrosive Properties of the Acid.

Aggravated by Exposure:Persons with Pre-Existing skin Disorders or Eye Disease May be more Susceptible to the Effects of this Substance.

4. First Aid Measures

www.rxmarine.com

Causes severe irritation and burns. May be harmful if swallowed. May be harmful if absorbed through the skin. Avoid breathing vapor or dust. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling.

SKIN:	Remove contaminated clothing. Wash exposed area with soap and water. if irritation persists, seek medical attention.
EYES:	Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid.
INHALATION:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen
INGESTION:	Give several glasses of milk or water. Vomiting may occur spontaneously, but DO NOT INDUCE! Never give anything by mouth to an unconscious person

5. Fire-fighting Measures

www.rxmarine.com

Fire Extinguisher Type:

Fire / Explosion Hazards:

Fire Fighting Precautions:

Any means suitable for extinguishing surrounding fire
Negligible fire hazard when exposed to heat or flame.

Wear self-contained breathing apparatus and protective clothing to protect skin and clothing.

6. Accidental Release Measures

www.rxmarine.com

ventilate area of leak or spill. Take up with sand or other inert material and place in container for later disposal. Neutralize with weak acid.

Ventilate area or Leak or Spill. Remove all Sources of Ignition. Wear Appropriate Personal Protective Equipment as Specified in Section 8. Isolate Hazard Area. Keep Unnecessary and Unprotected Personnel from Entering. Contain and Recover Liquid when Possible. Use Non-Sparking Tools and Equipment. Neutralize with Soda Ash or Limb and Absorb with an Inert Material (e.g., Vermiculite, Dry Sand, Earth), and Place in a Chemical Waste Container. Do Not Use Combustible Materials, such as Saw Dust. Do Not Flush to Sewer! US Regulations (CERCLA) Require Reporting Spills and Releases to Soil, Water and Air in Excess of Reportable Quantities.

7. Handling and Storage

www.rxmarine.com

Store in a cool dry place. Store above 60 deg F to prevent freezing. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling. Keep.

8. Exposure controls and personal protection

www.rxmarine.com

Respiratory Protection	None required containers tightly closed
Ventilation	Local
OTHER	Mechanical
Protective Gloves	Neoprene or nitrile gloves are recommended.
EYE PROTECTION	Goggles and Face Shield
Other Protective Equipment	Wear appropriate clothing to prevent skin exposure as boots, gloves, and

9. Physical and chemical properties

www.rxmarine.com

BOILING POINT		213° F (101° C)
VAPOR PRESSURE	not available	
MELTING POINT	27° F (-3° C)	
VAPOR DENSITY	not available	
EVAPORATION RATE	information not available	
Appearance /Odors	Clearless liquid,odorless	
Flash Point	not applicable	

Specific Gravity information not available

Potential Volatile by ~75%

Equipment Needed

Anti-Static Strip

Not applicable

Lower Flamm. Limit to Air

Not applicable

Upper Flamm. Limit to Air

Not applicable

Solubility in Water Soluble

10. Stability and reactivity

www.rxmarine.com

STABILITY

CONDITIONS TO AVOID Moisture, may ignite combustibles.

MATERIALS TO AVOID Acids, Acrolein, alcohols, aluminum, Tin,zinc, Chlorine, Acetone

HAZARDOUS DECOMPOSITION PRODUCTS potassium oxide Not reported to occur under normal conditions

HAZARDOUS POLYMERIZATION will not occur

Conditions to Avoid None known

11. Toxicological information

www.rxmarine.com

Carcinogenic Reference: NTP Carcinogen - Known: No, IARC Category- None

12. Ecological information

www.rxmarine.com

Environmental Fate:No information found

Ecological Toxicity:Potassium Hydroxide: TL m: 80 ppm/Mosquito fish/ 24 hr./ Fresh water

13. Disposal considerations

www.rxmarine.com

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements..

14. Transport information

www.rxmarine.com

DOT Classification: UN1814, Potassium Hydroxide Solution,8, PG II

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

15. Regulatory information

www.rxmarine.com

Chemical Inventory Status

Part 1:Ingredient

Potassium Hydroxide (1310-58-3)

Water (7732-18-5)

TSCA Yes Yes

EC Yes Yes

Japan YES Yes

Australia Yes Yes

Chemical Inventory Status

Part 2:Ingredient

Potassium Hydroxide (1310-58-3)

Water (7732-18-5)

Korea Yes Yes

DSL Yes Yes

NDSL No No

Phil. Yes Yes

Federal, State & International Regulations

Part 1: Ingredient.

Potassium Hydroxide (1310-58-3)

Water (7732-18-5)

RQ NO No

TPQ No No

List NO No

Chemical Catg No No.

Federal, State &

International Regulations

Part 2:Ingredient

Potassium Hydroxide (1310-58-3)

Water (7732-18-5)

CERCLA 1000 No

261.33 No No

8(d) No No

Chemical Weapons Convention: No

TSCA 12 (b):No

CDTA:No MIXTURE/LIQUID

SARA 311/312: Acute: YES

Chronic: YES

Fire: No

Pressure: No

Reactivity: No

Australian Hazchem Code: 2R

Poison Schedule: S6

16. Other information

www.rxmarine.com

POISON! DANGER! CORROSIVE! Causes severe burns to skin, eyes, respiratory tract and gastrointestinal tract. Corrosive by skin contact, eye contact, inhalation, and ingestion. Toxic by ingestion. Corrosive to mucous membranes. May cause perforation of the esophagus and stomach. At increased risk from exposure are persons with preexisting skin and eye conditions. Chronic exposure: development of a defatting dermatitis on prolonged contact with potassium hydroxide has been reported. Continued irritation may

Flammability

Health

Reactivity

Revisions

NFPA

7/30/2010

0.1 updated msds to 16 section from 10 section msds. STN
0

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was

prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.