Product Name RXSOL-10-1726

Product Type Citrus Cleaner Degreaser Conc. Rino Degreaser

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Stock Point: Mumbai, Kolkata, Chennai, Kandla, Vizag, Fujairah, Muscat, Nairobi

Phone +91 22 65113333 / 5555 / 9999 / 27611360 Fax +91 22 2781 1318 :::AOH :0091 9821214367

Email <u>mail@rxmarine.com</u>

2. Composition / Information on ingredients

www.rxmarine.com

	CAS Number	SARA	Applicable PEL- OSHA	Exposure Limits TLVACGIH
COMPON E N T S - C H EMI C A L N		III LIST		
AME S A N D COMMON N AME S				

(Hazardous Components 1% or greater;

Carcinogens 0.1% or greater)

MONOCYCLIC TERPENE	5989-27-5	No	N/E	N/E
BUTYL CELLOSOLVE	111-76-2	Yes	25	25
ALIPHATIC HYDROCARBONS	-	-	-	-
BLEND				
PROPRIETARY BLEND OF	-	-	-	-
DEGREASERS AND CLEANSERS				

3. Hazards Identification

www.rxmarine.com

PRIMARY ROUTES OF ENTRY: [] INHALATION [X] INGESTION [X] SKIN ABSORPTION [X] EYE [] NOT HAZARDOUS

ACUTE EFFECTS

Inhalation: Not considered harmful. Eye Contact: Corrosive to eyes.

Skin Contact: Irritant.

Ingestion: May cause nausea, vomiting or diarrhea.

CHRONIC EFFECTS: None identified.

Medical Conditions Generally None identified.

Aggravated by Exposure:

4. First Aid Measures

www.rxmarine.com

Eye Contact: Flush with cool water for 15 minutes. If irritation persists, get medical attention.

Skin Contact: Wash with soap and water for 15 minutes if irritation develops.

Inhalation: Remove to fresh air

Ingestion: DO NOT INDUCE VOMI T ING. Drink large volume of milk or water. Get immediate medical attention.

5. Fire-fighting Measures

www.rxmarine.com

FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols)

N/Auto Ignition TemperatureE

N/A

Auto Ignition Temperature N/A

Flammability Limits in Air by % in

Volume:

% LEL: .7 % UEL: 6.1 FLASH POINT AND METHOD 115° F

USED (non-aerosols):

SPECIAL FIRE FIGHTING Avoid use of water as it may spread flame. Class B fire procedures.

PROCEDURES:

EXTINGUISHER MEDIA: Dry powder, foam, carbon dioxide.
Unusual Fire & Explosion Hazards: Keep away from sparks and open flame.

6. Accidental Release Measures

www.rxmarine.com

SMALL SPILL: Absorb liquid on inert material such as vermiculite, and dry sand.

LARGE SPILL: Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source, contain area of spill to prevent spreading, pump liquid to salvage tank. Remaining liquid may be absorbed with inert material such as dry sand, vermiculite, and shoveled into containers. Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify the proper authorities as required that a spill has occurred.SECTION 7: PRECAUTIONS

7. Handling and Storage

www.rxmarine.com

Steps To Be Taken If Material Is

Spilled Or Released:

sewers.

sewi

Waste Disposal Methods:

Dispose of in accordance with all local, state and federal regulations.

Precautions To Be Taken In

Handling & Storage:

•••

Other Precautions &/or Special

Hazards:

KEEP OUT OF REACH OF CHI LDREN. Read & follow label directions. Do not allow fish or other wildlife to be directionally undiluted product. Dilute 1:20 or more with water before flushing to fish bearing waterways.

Store in original shipping containers. Keep closed when not in use. Shelf life 1 year. Protect from extreme heat and cold.

Absorb on inert material & collect in suitable containers for disposal. Spills may be diluted 1:20 with water & wasl

8. Exposure controls and personal protection

Usually not needed.

www.rxmarine.com

Respiratory Protection (specify

Not normally required. If vapor level becomes high, use self-contained breathing mask.

type):

Protective Gloves: Chemical resistant

Eye Protection: Splash goggles or faceshield.

Ventilation Requirements: Local exhaust should be adequate.

Other Protective Clothing &

Equipment:

Hygienic Work Practices:

Do not eat, drink or smoke in work area. Wash hands after handling.

9. Physical and chemical properties

www.rxmarine.com

Boiling Point: >100 deg C Specific Gravity (H2O=1): 0.88 (less than 1) Vapor Pressure: PSIG @ 70°F (Aerosols): N/A

Vapor Pressure (Non-Aerosols)(mm $\,$ 5@ 100° C

Hg and Temperature):

Vapor Density (Air = 1): 4.7

Evaporation Rate (BUAC = 1):