

1. Product and Company Identification

www.rxmarine.com

Product Name Chloro Benzene
Part Number RXSOL-19-1268-025

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400
Fax +91 22 27612100 ::AOH :0091 9821214367
Email mail@rxmarine.com
Website www.rxmraine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	CAS	EC number	Weight	Formula
Chloro Benzene	108-90-7	203-628-5	90 - 100 %	C ₆ H ₅ Cl

3. Hazards Identification

www.rxmarine.com

Signal Word	Warning.
Hazard Statements	H226 Flammable liquid and vapour. H315 Causes skin irritation. H332 Harmful if inhaled. H411 Toxic to aquatic life with long lasting effects.
P280 Wear protective gloves.P305 + P351 + P338	Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary statements	P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P391 Collect spillage. P403 + P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/ container to an approved waste disposal plant.
Classification of the substance or mixture	Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.
Supplemental Hazard Statements	None
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
Eye Contact	Flush eyes with water as a precaution.
Swallowed	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
Skin Contact	Wash off with soap and plenty of water. Consult a physician.
Inhalation	Remove patient to fresh air, keep warm and at rest and get medical assistance in necessary.
Ingestion	Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.
Most important symptoms and effects, both acute and delaye	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

5. Fire-fighting Measures

www.rxmarine.com

Flammability	May be combustible at high temperature.
Flash Point	Higher than 93.3°C (200°F).
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given.
Special hazards arising from the substance or mixture	Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.
Further information	Use water spray to cool unopened containers.
Hazardous combustion products	Fire may cause the evolution of Sulphur oxides, nitrogen oxides.
Advice for firefighters	Wear self-contained breathing apparatus for firefighting if necessary.
Protective Equipment	Use personal protective equipment.
Specific Hazards Arising from the Chemical	Has a fire-promoting effect due to the release of oxygen. Ambient fire may liberate hazardous vapours.

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8
Spillage	Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition sources. Call for assistance on disposal.
Personal Protection	Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.
Enviromental Precaution	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

Methods and materials for containment and cleaning

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. Handling and Storage

www.rxmarine.com

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Keep away from alkalis, strong oxidizing agents and metals. Provide containment walls of adequate capacity to hold any accidental spills.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage conditions

Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Handling

Keep away from heat. Keep away from sources of ignition. Keep away from combustible material. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals

Advice on general occupational hygiene

Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

Requirements for storage

Keep in cool and store under shade.

8. Exposure controls and personal protection

www.rxmarine.com

Components with workplace control parameters.

Compartment	CAS-No.	Value	Control parameters	Basis
Chlorobenzene	108-90-7	TWA	10.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Liver damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans		
Exposure controls		No specific additional engineering controls are required. Provide good natural or artificial ventilation.		
Engineering Control		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Eye/face protection		Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).		
Body Protection		Complete suit protecting against chemicals, Flame retardant antistatic		

Skin protection

protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M) Splash contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Other Protection Measure

Handle in accordance with good industrial hygiene and safety practice.

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Thermal hazards

No data available

9. Physical and chemical properties

www.rxmarine.com

Physical state

Liquid, clear

Colour

Colourless

Odour

No data available

Odor Threshold

Not Applicable

pH

No data available

Melting Point

45 °C (-49 °F)

Boiling Point

132 °C (270 °F)

Flash Point

27.0 °C (80.6 °F)

Evaporation Rate

Not Applicable

Flammability (solid, gas)

No data available

Explosive limits

No Data Available

Upper/lower flammability or explosive limits

7.1 %(V)/1.3 %(V)

Autoignition temperature

637.0 °C (1,178.6 °F)

Decomposition temperature

No data available

Vapour pressure

15.7 hPa (11.8 mmHg) at 25.0 °C (77.0 °F)

Relative Density

1.106 g/cm³ at 25 °C (77 °F)

Vapour Density

No Data Available

Freezing point

No data available

Specific Gravity

No data available

Partition coefficient

log Pow: 2.89

Explosive properties

No data available

Solubility

0.207 g/l at 20 °C (68 °F)

Ignition temperature

No information available.

10. Stability and reactivity

www.rxmarine.com

Reactivity

No data available

Stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. -
Carbon oxides, Hydrogen chloride gas Other decomposition products -
No data available In the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

Acute toxicity

Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. - 4 h (OECD Test Guideline 404)
Remarks: No data available

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

No data available

Toxic Effects on Human

May cause damage to the following organs: upper respiratory tract. Other
Toxic Effects on Humans: Hazardous in case of skin contact (irritant,
sensitizer), of ingestion, of inhalation (lung irritant, lung sensitizer).

Carcinogenicity

Carcinogenicity - No carcinogenic properties suspected. (IUCALD)

Germ cell mutagenicity

No data available

Reproductive toxicity

Presumed human reproductive toxicant

Specific target organ toxicity - single exposure

No data available

Special Remarks on other Toxic Effects on Humans

Acute Potential Health Effects: Skin: Causes skin irritation. May cause
skin sensitization, an allergic reaction, which becomes evident upon re-
exposure to this material. Eyes: Causes eye irritation. Ingestion: Causes
gastrointestinal (digestive) tract irritation with nausea, vomiting, and
diarrhea. May be harmful if swallowed. Inhalation: Causes respiratory
tract irritation. May cause chemical pneumonitis and pulmonary edema,
inflammation, edema of bronchi and larynx. Chronic Potential Health
Effects: Repeated or prolonged skin exposure may cause allergic reactions
in sensitive individuals. Repeated or prolonged exposure by inhalation
may affect respiration and metabolism.

Additional Information

RTECS: AF3675000 Gastrointestinal disturbance To the best of our
knowledge, the chemical, physical, and toxicological properties have not
been thoroughly investigated. After uptake of large quantities: muscular
symptoms agitation Convulsions Headache Tremors Nausea psychoses

Endocrine disrupting properties

The substance/mixture does not contain components considered to have
endocrine disrupting properties according to REACH Article 57(f) or
Commission Delegated regulation (EU) 2017/2100 or Commission
Regulation (EU) 2018/605 at levels of 0.1% or higher. Repeated dose
toxicity - Rat - male - Oral - 2 yr - NOAEL (No observed adverse effect
level) - 600 mg/kg RTECS: LS9625000 Gastrointestinal disturbance To
the best of our knowledge, the chemical, physical, and toxicological
properties have not been thoroughly investigated.

12. Ecological information

www.rxmarine.com

Persistence and degradability

Bioaccumulation *Leuciscus idus* (Golden orfe) - 3 d - 0.05 mg/l
Bioconcentration factor (BCF): 75

Toxicity to fish

LC100 - *Leuciscus idus* (Golden orfe) - 0.03 - 28 mg/l - 48.0 h LC50 -
Cyprinodon variegatus (sheepshead minnow) - 10 mg/l - 96.0 h LC50 -

Toxicity to daphnia and other aquatic invertebrates	Lepomis macrochirus (Bluegill) - 4.5 - 7.4 mg/l - 76.0 h NOEC - Cyprinodon variegatus (sheepshead minnow) - 6.2 mg/l - 96.0 h EC50 - Daphnia magna (Water flea) - 4.30 - 16.00 mg/l - 24 h EC50 - No information available. - 7.60 mg/l - 24 h NOEC - Daphnia magna (Water flea) - < 1.4 mg/l - 11 d LC50 - Daphnia magna (Water flea) - 10.7 mg/l - 48 h
Toxicity to algae	EC50 - No information available. - 235.00 mg/l - 48 h EC50 - Pseudokirchneriella subcapitata (green algae) - 12.50 mg/l - 96 h
Products Biodegradation	The methods for determining the biological degradability are not applicable to inorganic substances.
Mobility in soil	No Information available
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects. No data available.

13. Disposal considerations

www.rxmarine.com

Disposal methods	Dispose of as unused product.
Contaminated packaging	Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
Waste treatment Method	Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

14. Transport information

www.rxmarine.com

UN number	ADR/RID: 1134 IMDG: 1134 IATA: 1134
UN proper shipping name	ADR/RID: CHLOROBENZENE IMDG: CHLOROBENZENE IATA: CHLOROBENZENE
Transport hazard class(es)	ADR/RID: 3 IMDG: 3 IATA: 3
Packaging group	ADR/RID: III IMDG: III IATA: III
Environmental hazards	ADR/RID: No IMDG: No IATA: No
Special precautions for user	Tunnel restriction code : (C/E)
Further information	Not classified as dangerous in the meaning of transport regulations.
Transport in bulk according to IMO instruments	No data available

15. Regulatory information

www.rxmarine.com

Inventory status	Components are on the following inventories: Polymaleic acid: - US TSCA, Canadian DSL, EU EINECS, Australian AICS, Korean, Philippine PICCS and Chinese Xi irritant R 36/38 Irritant to eyes & skin R 41 Risk of serious damage to eyes S24/25 Avoid contact with skin and eyes
------------------	---

S26/28 In case of contact eyes & skin, rinse with plenty water and seek medical advice Section 312/313: Not listed. Not listed under California proposition 65.

Safety, health and environmental regulations/legislation specific for the substance or mixture This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Safety, health and environmental regulations specific for the product in question European Inventory of Existing Commercial Chemical Substances (EINECS) -Listed. EC Inventory Listed. United States Toxic Substances Control Act (TSCA) Inventory- Listed. China Catalog of Hazardous chemicals 2015 Not- Listed. New Zealand Inventory of Chemicals (NZIoC) Listed. PICCS -Listed. Vietnam National Chemical Inventory -Listed. IECSC Listed. Korea Existing Chemicals List (KECL) -Listed.

Other regulations Take note of Dir 94/33/EC on the protection of young people at work.

Chemical Safety Assessment For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.