

## 1. Product and Company Identification

www.rxmarine.com

Product Name Piperidine  
Part Number RXSOL-95-3206-200

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400  
Fax +91 22 27612100 ::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)  
Website [www.rxmarine.com](http://www.rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Product name	Cas No	EC No	Weight	Formula
Piperidine for analysis EMSURE®	110-89-4	203-813-0	85,15 g/mo	C <sub>5</sub> H <sub>11</sub> N

## 3. Hazards Identification

www.rxmarine.com

Signal Word	Danger
Hazard Statements	H225 Highly flammable liquid and vapor. H302 Harmful if swallowed. H311 + H331 Toxic in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage.
Precautionary statements	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Classification of the substance or mixture	No data available
Supplemental Hazard Statements	No data available
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 4. First Aid Measures

www.rxmarine.com

General advice	Show this material safety data sheet to the doctor in attendance
If inhaled	After inhalation fresh air. Immediately call in physician. If breathing stops immediately apply artificial respiration, if necessary also oxygen.
Eye Contact	After eye contact: rinse out with plenty of water. Remove contact lenses.

Swallowed	If swallowed give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise
Skin Contact	In case of skin contact Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately
Inhalation	No data available
Ingestion	No data available
Most important symptoms and effects, both acute and delaye	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

Flammability	No data available
Suitable extinguishing media	Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given.
Special hazards arising from the substance or mixture	Carbon oxides Nitrogen oxides (NOx) Combustible. Fire may cause evolution of: nitrous gases Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperature
Further information	Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Hazardous combustion products	No data available
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Protective Equipment	No data available
Specific Hazards Arising from the Chemical	No data available

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Spillage	No data available
Personal Protection	No data available
Environmental Precaution	Do not let product enter drains. Risk of explosion.
Methods and materials for containment and cleaning	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
Reference to other sections	For disposal see section 13.

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

Advice on protection against fire and explosion	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
---	---

Incompatible materials	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.
Hygiene measures	No data available
Advice on safe handling	Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Conditions for safe storage including any incompatibilities	No data available
Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Recommended storage temperature see product label.
Storage class	Storage class (TRGS 510)3 Flammable liquids
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
Advice on general occupational hygiene	No data available

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

Exposure controls	Personal protective equipment
Engineering Control	No data available
Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Body Protection	Flame retardant antistatic protective clothing.
Skin protection	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Full contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 120 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)
Respiratory protection	Recommended Filter type Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.
Other Protection Measure	No data available

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

Physical state	Liquid
Colour	Colorless
Odour	Amine-like
Odor Threshold	No data available
pH	12,6 at 100 g/l at 20 °C
Melting Point	-7 °C
Boiling Point	107,15 °C at 1.013,25 hPa
Flash Point	16 °C - closed cup
Evaporation Rate	No data available

Flammability (solid, gas)	No data available
Explosive limits	No data Available
Upper/lower flammability or explosive limits	Upper explosion limit 10,3 %(V) Lower explosion limit 1,5 %(V)
Autoignition temperature	No data available
Decomposition temperature	> 100 °C
Vapour pressure	19,58 hPa at 20 °C - OECD Test Guideline 104
Viscosity	Kinematic 1,77 mm <sup>2</sup> /s at 20 °C - OECD Test Guideline 1141,23 mm <sup>2</sup> /s at 40 °C - OECD Test Guideline 114 dynamic 1,52 mPa.s at 20 °C - OECD Test Guideline 1141,03 mPa.s at 40 °C - OECD Test Guideline 114
Density	0,86 g/cm <sup>3</sup> at 20 °C - OECD Test Guideline 109
Relative Density	No data available
Specific Gravity	No data available
Partition coefficient	Log Pow 0,64 - 0,7 at 20 °C - - Bioaccumulation is not expected.
Explosive properties	No data available
Solubility	at 20 °C miscible
Ignition temperature	No data available
Particle characteristics	No data available

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

Reactivity	Vapors may form explosive mixture with air
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature)
Possibility of hazardous reactions	Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines! Risk of explosion with: dicyanofurazan N-nitrosoacetanilide N-perchlorylpiperidine Exothermic reaction with: Strong oxidizing agents fire-promoting substances
Conditions to avoid	Warming.
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	In the event of fire: see section 5

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

Acute toxicity	LD50 Oral - Rat - male and female - 740 mg/kg (US-EPA) LC50 Inhalation - Rat - male and female - 4 h - 4,8 mg/l - vapor (OECD Test Guideline 403) LD50 Dermal - Rabbit - male - 275 mg/kg (ECHA)
Skin corrosion/irritation	Skin - Rabbit Result: Corrosive - 4 h (OECD Test Guideline 404) (Regulation (EC) No 1272/2008, Annex VI)
Serious eye damage/irritation	Eyes - Rabbit (OECD Test Guideline 405) Remarks: Causes serious eye damage. Irreversible effects on the eye
Respiratory or skin sensitization	Buehler Test - Guinea pig negative (US-E)
Carcinogenicity	No data available
Germ cell mutagenicity	Test Type In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 474
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Additional Information	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Material is extremely destructive to tissue of the mucous membranes and upper

respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Persistence and degradability	Biodegradability aerobic - Exposure time 14 d Result: 100 % - Readily biodegradable. (OECD Test Guideline 301C)
Toxicity to fish	Static test LC50 - <i>Leuciscus idus</i> (Golden orfe) - 68,12 mg/l - 96 h (DIN 38412)
Toxicity to daphnia and other aquatic invertebrates	Static test EC50 - <i>Daphnia magna</i> (Water flea) - 19 mg/l - 48 h (OECD Test Guideline 202)
Toxicity	No data available
Toxicity to bacteria	Static test EC50 - activated sludge - > 1.000 mg/l - 0,5 h (OECD Test Guideline 209)
Toxicity to algae	Static test ErC50 - <i>Desmodesmus subspicatus</i> (green algae) - 106 mg/l - 72 h (Regulation (EC) No. 440/2008, Annex, C.3)
Products Biodegradation	No data available
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
Other adverse effects	Hazard for drinking water supplies. Harmful effect due to pH shift. Discharge into the environment must be avoided.

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Product	No data available
Contaminated packaging	No data available
Waste treatment Method	No data available

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

UN number	ADR/RID: 2401	IMDG: 2401	IATA:2401
UN proper shipping name	ADR/RID:PIPERIDINE	IMDG:PIPERIDINE	IATA:PIPERIDINE
Transport hazard class(es)	ADR/RID:8 (3)	IMDG: 8 (3)	IATA: 8 (3)
Packaging group	ADR/RID:I	IMDG: 1	IATA:I
Environmental hazards	ADR/RID:No	IMDG:No	IATA:No
Special precautions for user	Tunnel restriction code (D/E)		
Further information	No data available		

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

Safety, health and environmental regulations/legislation specific for substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Other regulations	Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.
Chemical Safety Assessment	A Chemical Safety Assessment has been carried out for this substance.

## Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.