

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-13-1750-005
Product Type White Phenyl Viscous PASTE

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kolkata, Chennai, Gandhidham, Visakhapatnam, Fujairah, Muscat

Phone +91 22 27815541 / 42
Fax +91 22 2781 1318 ::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Ingredient	Percent	exposure limit
Pineoil	10 - 40	not available
Camphor oil	2 - 5	not available
Binary surfactants anionic	10 - 25	not available

3. Hazards Identification

www.rxmarine.com

Classification : Non-dangerous according to the classification systems of the relevant EC guidelines.

Hazards for man and the environment : void

Classification system :The classification complies with current EC regulations on dangerous substances and preparations

Potential Acute Health Effects :

Eyes : None known.

Skin : None known.

Inhalation : None known.

Ingestion : None known

Medical Conditions Aggravated by Overexposure None known

4. First Aid Measures

www.rxmarine.com

Eye Contact	Rinse with plenty of running water
Skin Contact	Rinse with plenty of running water.
Inhalation	No specific first aid measures are required.
Ingestion	Rinse out mouth and then drink one or two glasses of water (or milk). In case of persistent symptoms obtain medical a

5. Fire-fighting Measures

www.rxmarine.com

Flammability of the Product: None known.

Products of Combustion : None known.

Fire Fighting Media and Instructions: Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedures may be used.

Special Remarks on Fire and Explosion Hazards : None known.

6. Accidental Release Measures

www.rxmarine.com

Personal Precautions	Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment. Avoid skin, eyes and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Prevent further releases. Eliminate all sources of ignition. All equipment used when handling the product must be grounded. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Prevent entry into waterways, sewers, collection systems or confined areas.

7. Handling and Storage

www.rxmarine.com

Handling	Use appropriate personal protective equipment FOR INDUSTRIAL USE ONLY
Storage :	Requirements for storage rooms and containers : Store in a dry, cool and well-ventilated area. Protect from freezing.
Further information about storage conditions :	KEEP OUT OF REACH OF CHILDREN

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Controls	No special ventilation requirements General room ventilation is adequate
Personal Protection	Eyes- No special protective clothing is required. Hands- No special protective clothing is required. Respiratory- No special protective clothing is required. Feet - No special protective clothing is required. Body - No special protective clothing is required

9. Physical and chemical properties

www.rxmarine.com

Physical State	:
Colour	:
Odour	:
pH	:
Viscosity	:
Boiling Point	:
Vapor Pressure	:

10. Stability and reactivity

www.rxmarine.com

Stability and Reactivity : The product is stable.

Conditions of Instability : None known.

