

## 1. Product and Company Identification

www.rxmarine.com

Product Name Hexamethyldisilazane  
Part Number RXSOL-60-6645-160

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400  
Fax +91 22 27612100 ::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)  
Website [www.rxmarine.com](http://www.rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Product name	Cas No	EC No	Weight	Formula
Hexamethyldisilazane	999-97-3	213-668-5	133,49 g/mol	C <sub>6</sub> H <sub>19</sub> NSi <sub>2</sub>

## 3. Hazards Identification

www.rxmarine.com

Signal Word	Danger
Hazard Statements	H225 Highly flammable liquid and vapor. H302 + H332 Harmful if swallowed or if inhaled. H311 Toxic in contact with skin. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
Classification of the substance or mixture	No data available
Supplemental Hazard Statements	No data available
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 4. First Aid Measures

www.rxmarine.com

General advice	First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance
If inhaled	After inhalation fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.
Eye Contact	After eye contact rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

Swallowed	After swallowing immediately make victim drink water (two glasses at most). Consult a physician.
Skin Contact	In case of skin contact Take off immediately all contaminated clothing. Rinse skin with water/ shower
Inhalation	No data available
Ingestion	No data available
Most important symptoms and effects, both acute and delay	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

Flammability	No data available
Suitable extinguishing media	Carbon dioxide (CO <sub>2</sub> ) Dry powder
Unsuitable extinguishing media	Foam Water
Special hazards arising from the substance or mixture	Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) silicon oxides Combustible. Fire may cause evolution of: nitrogen oxides Caution! in contact with water product releases: Ammonia, formaldehyde vapours Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.
Further information	Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Hazardous combustion products	No data available
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing
Protective Equipment	No data available
Specific Hazards Arising from the Chemical	No data available

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Spillage	No data available
Personal Protection	No data available
Environmental Precaution	Do not let product enter drains. Risk of explosion.
Methods and materials for containment and cleaning	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
Reference to other sections	For disposal see section 13.

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

Advice on protection against fire and explosion	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Incompatible materials	No data available
Hygiene measures	Immediately change contaminated clothing. Apply preventive skin

Advice on safe handling	protection. Wash hands and face after working with substance. For precautions see section 2.2.
Conditions for safe storage including any incompatibilities	Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Storage conditions	No data available
Storage class	Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Recommended storage temperature see product label.
Specific end use(s)	No data available
Advice on general occupational hygiene	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
	No data available

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

Exposure controls	Personal protective equipment
Engineering Control	No data available
Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Body Protection	Flame retardant antistatic protective clothing.
Skin protection	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Full contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Splash contact Material: Chloroprene Minimum layer thickness: 0,65 mm Break through time: 240 min Material tested:KCL 720 Camapren®
Respiratory protection	Recommended Filter type Filter type K The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.
Other Protection Measure	No data available

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

Physical state	Liquid
Colour	Colorless
Odour	No data available
Odor Threshold	No data available
pH	> 7,0
Melting Point	-76,2 °C at 1.013 hPa
Boiling Point	125 °C at 1.013 hPa
Flash Point	11,4 °C - closed cup
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Explosive limits	No data available

Upper/lower flammability or explosive limits	Upper explosion limit 16,3 %(V) Lower explosion limit 0,8 %(V)
Autoignition temperature	380,0 °C
Decomposition temperature	No data available
Vapour pressure	19 hPa at 20 °C
Viscosity	Kinematic 0,9 mm <sup>2</sup> /s at 20 °C
Density	No data available
Relative Density	0,77 at 20 °C
Specific Gravity	No data available
Partition coefficient	log Pow 2,62
Explosive properties	No data available
Solubility	insoluble
Ignition temperature	No data available
Particle characteristics	No data available

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

Reactivity	Vapors may form explosive mixture with air.
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature)
Possibility of hazardous reactions	Risk of explosion with Nitric acid Oxidizing agents can decompose violently in contact with: Amines mercaptans Exothermic reaction with: Alcohols nitrates strong reducing agents hydrides bases acids Water Release of: Ammonia formaldehyde
Conditions to avoid	Warming.
Incompatible materials	No data available
Hazardous decomposition products	In the event of fire: see section 5

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

Acute toxicity	LD50 Oral - Rat - male and female - 851 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 6 h - 10 mg/l (OECD Test Guideline 403) LD50 Dermal - Rabbit - male and female - 547 - 589 mg/kg (OECD Test Guideline 402)
Skin corrosion/irritation	Causes skin irritation. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Serious eye damage/irritation	Eyes - Rabbit No eye irritation (OECD Test Guideline 405)
Respiratory or skin sensitization	No data available
Carcinogenicity	No data available
Germ cell mutagenicity	Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 47
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Additional Information	Repeated dose toxicity - Rat - male and female - inhalation (vapor) Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Persistence and degradability	Biodegradability aerobic - Exposure time 28 d Result: 15,3 % - Not
-------------------------------	--

Toxicity to fish	readily biodegradable. (Directive 67/548/EEC Annex V, C.4.E.) Semi-static test LC50 - Danio rerio (zebra fish) - 88 mg/l - 96 h (Directive 67/548/EEC, Annex V, C.1.)
Toxicity to daphnia and other aquatic invertebrates	Static test EC50 - Daphnia magna (Water flea) - 80 mg/l - 48 h (Directive 67/548/EEC, Annex V, C.2.)
Toxicity	No data available
Toxicity to bacteria	No data available
Toxicity to algae	EC50 - Desmodesmus subspicatus (green algae) - 19,00 mg/l - 72 h
Products Biodegradation	No data available
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	No data available
Other adverse effects	Biological effects Harmful effect due to pH shift. Discharge into the environment must be avoided.

### 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Product	See <a href="http://www.retrologistik.com">www.retrologistik.com</a> for processes regarding the return of chemicals and containers, or contact us there if you have further questions.
Contaminated packaging	No data available
Waste treatment Method	No data available

### 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

UN number	ADR/RID:3286	IMDG:3286	IATA:3286
UN proper shipping name	ADR/RID:FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (1,1,1,3,3,3- hexamethyldisilazane	IMDG:FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (1,1,1,3,3,3- hexamethyldisilazane	IATA:FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (1,1,1,3,3,3- hexamethyldisilazane)
Transport hazard class(es)	ADR/RID:3 (6.1, 8)	IMDG:3 (6.1, 8)	IATA:3 (6.1, 8)
Packaging group	ADR/RID: II	IMDG:II	IATA:II
Environmental hazards	ADR/RID:No	IMDG:No	IATA:No
Special precautions for user	No data available		
Further information	No data available		

### 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Other regulations	Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.
Chemical Safety Assessment	A Chemical Safety Assessment was not carried out for this substance.

### 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

Other Information	The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine
-------------------	---

---

the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.