1. Product and Company Identifaction

www.rxmarine.com

Porduct Name Part Number Aluminum Chlorohydrate solution 50 % RXSOL-60-6600-060

Company Details:

If inhaled

Eye Contact

Swallowed

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

 $Branch: Kandla, Mumbai \ , Chennai, Vizag, Kolkata, UAE \ , OMAN \ , CANADA \ and KENYA$

Phone	+91 22 20871200 - 1400
Fax	+91 22 27612100 ::::AOH :0091 9821214367
Email	mail@rxmarine.com
Website	www.rxmraine.com

2. Composition / Information on ingredients			www.rxmarine.com	
Product name Aluminum Chlorohydrate solution	Cas No 1242-91-0	EC No	Weight 50%	Formula AlCl ₃ H ₂ O

3. Hazards Identification	www.rxmarine.com
Signal Word	Warrning
Hazard Statements	Causes skin irritaiton.causes serious eye irritation.may be corrosive to metals
Precautionary statements	Wash face, hand and any exposed skin throughly after handling.wear protective gloves protective clothing/eye protection/skin protection/face protection.keep only in original container.
Classification of the substance or mixture	No data available
Supplemental Hazard Statements	No data available
Other hazards	May be harmful in contact with skin.
4. First Aid Measures	www.rxmarine.com
General advice	First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

After inhalationfresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

Immidiately flush with plenty of water at least 20 minutes, holding eyelids apart to ensure flushing of entire surface. Washing within one minute is essential to acheive maximum effectiveness.seek immidiate medical attention.

If swallowed give water to drink (two gasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

Skin Contact	Immidiatley wash throughly with soap and water, remove contaminated clothing and footwear.wash clothing before reuse get medical attention if irritation should develop.
Inhalation	Remove to fresh air
Ingestion	Seek medical attention immidiately.give large amount of water to drink. if vomating should occour spontaneously. keep airway clear.Never give anything by mouth to unconsious person.
Most important symptoms and effects, both acute and delaye	Possible eye, skin and respiratory tract irritation.May aggravative exsting skin, eye and lung conditions.person with kidney disorders have increased risk from exposure based on general information found on aluminium salts.
Indication of any immediate medical attention and special treatment needed	Aluminium soluble salts may cause gastroentertis if ingested.treatment include the use of demulcents. consideration should be given to the possibility that overexposure to materials other than this product may have occoured.

5. Fire-fighting Measures

Flammability	No data available
Suitable extinguishing media	Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	No data available
Special hazards arising from the substance or mixture	May produce hazardus fumes or hazardus decomposition product.
Further information	No data available
Hazardous combustion products	No data available
Advice for firefighters	Product is water soluble and non-flammable. In fire this product may build up pressure and rupture sealed container.cool exposed container with water spray.use self contained breathing apparatus in confined areas avoid breathing mist or spray.
Protective Equipment	No data available
Specific Hazards Arising from the Chemical	No data available

www.rxmarine.com

www.rxmarine.com

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Spillage Personal Protection	Wear suitable protective clothing and gloves. No data available No data available
Enviromental Precaution	Do not permmit run-off to get into sewers or surface waterways
Methods and materials for containment and cleaning	Prevent further spillage and lekage if safe to do so.dike collect large liquid spills.clear spill immidiately.contain large spill and remove using a vaccum truck. soak up small spills with innert abosorbent material and placed in labeled waste container for disposal.ventillate area of leaks and spills.spill of solution are extremely slippery so all residue must be removed promptly.
Reference to other sections	For disposal see section 13.

7. Handling and Storage	www.rxmarine.com
Advice on protection against fire and explosion	Keep away from open flames, hot surfaces and sources of ignition.
Incompatible materials	Oxidizing agent
Hygiene measures	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.
Advice on safe handling	Keep container closed when not in use.keep away from open heat and flame.avoid contact with eye,skin and clothing.wash throughly after

	handling.wear chemical splash goggles,gloves and protective clothing when handling.avoid breathing vapoures and mist.use with adequate ventillation and employ respiratiory protection where mist or vapours may be generated.
Conditions for safe storage including any incompatibilities	No data available
Storage conditions	Do not store in unlined metal containers.product may slowly corride iron, brass, copper,aluminium, mild steel,and stainless steel. store in a cool dry place away from direct heat. keep in tightly closed container.
Storage class	No data available
Specific end use(s)	No data available
Advice on general occupational hygiene	No data available

8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls	Personal protective equipment
Engineering Control	Local exaust ventillation as necessary to maintian exposure to within applicable limit.Please refer to the ACGIH documet," Industrial ventillation, a manual of recommended practices", most recent edition, for details. if there are no applicable or established exposure limit requirement or guidelines, general ventillation should be sufficient
Eye/face protection	Wear chemical splash goggles and face shield
Body Protection	Protective clothing.
Skin protection	Appropriate chemical resistant gloves should worn.standerd work clothing and shoes.
Respiratory protection	If exposure exceed the PEL or TLV, use NIOSHA/MSHA approved respiration in accordance with OSHA Respiratory protection in accordance with OSHA
Other Protection Measure	Eyewash founntains and safety showers must be easily accessible.

9. Physical and chemical properties

Physical state Colour Odour Odor Threshold pН Melting Point **Boiling Point** Flash Point **Evaporation Rate** Flammability (solid, gas) Explosive limits Upper/lower flammability or explosive limits Autoignition temperature Decomposition temperature Vapour pressure Viscosity Density Relative Density Specific Gravity Partition coefficient Explosive properties Solubility Ignition temperature

Liquid Colorless to yellow No data available No data available 3.5 -7°c / 19 °F No data available 11.0-11.3 lb/gal No data available 1.33-1.35 No data available No data available Soluble No data available

www.rxmarine.com

10. Stability and reactivity

Reactivity Chemical stability

Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous decomposition products

11. Toxicological information

Acute toxicity

Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Carcinogenicity Reproductive toxicity Specific target organ toxicity - single exposure Additional Information Other information

12. Ecological information

Persistence and degradability
Toxicity to fish
Toxicity to daphnia and other aquatic invertebrates
Toxicity
Toxicity to bacteria
Toxicity to algae
Bioaccumulation potential
Mobility in soil
Results of PBT and vPvB assessment
Endocrine disrupting properties
Other adverse effects

13. Disposal considerations

Disposal Waste Do not mix with other chemical waste.do not put solution containing this product into sewer systems.dispose of product in an approved chemical waste landfill or incenreate in accordance with applicable fedreal, state and local regulations.do not reuse with empty containers. Since empty container retain product residue, fallow lablel warnings even Contaminated packaging after container is emptied Waste treatment Method No data available

N

No data available The product is chemically stable under standard ambient conditions (room temperature) No data available No data available Oxidizing agent Thermal decomposition may release toxic and hazardus gaseous such as Cl2, HCl

Aluminium chlorohydrate Oral LD50 9187 mg/kg Dermal LD50 >2000 mg/kg No data available No data available No data available No data available No data available

No data available

No data available

No data available

No data available No data available No data available No data available No data available No data available No data available No data availalble No data available No data available No data availalble www.rxmarine.com

www.rxmarine.com

www.rxmarine.com

www.rxmarine.com

14. Transport information

UN number UN proper shipping name Transport hazard class(es) Packaging group Environmental hazards Special precautions for user Further information ADR/RID:3264 ADR/RID:Aluminum Chlorohydrate solution ADR/RID:8 ADR/RID:111 ADR/RID:No No data available No data available IMDG:3264 IMDG:Aluminum Chlorohydrate solution IMDG:8 IMDG:lll IMDG:No

IATA:3264 IATA:Aluminum Chlorohydrate solution IATA:8 IATA:III IATA:No

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the
substance or mixtureThis material safety data sheet complies with the requirements of
Regulation (EC) No. 1907/2006.Other regulationsTake note of Dir 94/33/EC on the protection of young people at work
A Chemical Safety Assessment was not carried out for this substance.

16. Other information

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

www.rxmarine.com

www.rxmarine.com

www.rxmarine.com