

## 1. Product and Company Identification

www.rxmarine.com

Product Name SODIUM PERBORATE TRIHYDRATE PURE  
Part Number RXSOL-60-6605-548

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400  
Fax +91 22 27612100 ::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)  
Website [www.rxmarine.com](http://www.rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	CAS	EC number	Weight
SODIUM PERBORATE TRIHYDRATE PURE	10486-00-7	231-556-4	96%

## 3. Hazards Identification

www.rxmarine.com

Hazard statement(s)	H272 May intensify fire; oxidizer.  H302 Harmful if swallowed.  H318 Causes serious eye damage.
Precautionary statement(s)	P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard Statements	None
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 4. First Aid Measures

www.rxmarine.com

General advice	Show this material safety data sheet to the doctor in attendance.
First-aid measures after skin contact	Immediately call a POISON CENTER or doctor/physician. Specific measures (see ... on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse.
If inhaled	After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen
In case of skin contact	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.
In case of eye contact	After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
If swallowed	After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

## 5. Fire-fighting Measures

www.rxmarine.com

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given.
Special hazards arising from the substance or mixture	Borane/boron oxides Sodium oxides Not combustible. Ambient fire may liberate hazardous vapours.
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Further information	Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## 6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Environmental precautions	Do not let product enter drains.
Methods and materials for containment and cleaning up	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
Protective equipment	Equip cleanup crew with proper protection.
Reference to other sections	For disposal see section 13.

## 7. Handling and Storage

www.rxmarine.com

Advice on safe handling	Work under hood. Do not inhale substance/mixture.
Hygiene measures	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.
Storage conditions	Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.
	hazardous materialsStorage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic
	hazardous materials
Storage class	Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles
Skin protection equipment:	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatrill® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatrill® L
Body Protection	Protective clothing
Respiratory protection	Required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P3 The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.
Control of environmental exposure	Do not let product enter drains.

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

Physical state	Powder, finecrystalline
Color	White
Odor	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	Not Applicable
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Flash Point	No data available
Decomposition temperature	No data available

pH	10,0 - 10,4 at 10 g/l at 25 °C
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Water solubility	0,1 g/l at 20 °C
Partition coefficient: n-octanol/water	No data available
Vapour pressure	No Data Available
Density	No Data Available
Relative vapor density	No Data Available
Particle characteristics	No Data Available
Explosive properties	No data available
Oxidizing properties	None
Bulk density	Ca.800 kg/m3

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

Reactivity	No data available
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature)
Possibility of hazardous reactions	Violent reactions possible with: organic combustible substances Metals Alkali metals metal catalysts Heavy metal salts bases Reducing agents Acids
Conditions to avoid	No information available
Incompatible materials	No data available
Hazardous decomposition products	In the event of fire: see section 5

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

Acute toxicity	LD50 Oral - Rat - 1.200 mg/kg Remarks: Behavioral:Convulsions or effect on seizure threshold. Behavioral:Muscle weakness. (RTECS) Acute toxicity estimate Oral - 1.200 mg/kg (Calculation method) Acute toxicity estimate Inhalation - 1,6 mg/l - dust/mist (Expert judgment) Remarks: (Regulation (EC) No 1272/2008, Annex VI) Dermal: No data available
Skin corrosion/irritation	Remarks: No data available
Serious eye damage/eye irritation	Remarks: Causes serious eye damage. (Regulation (EC) No 1272/2008, Annex VI)
Respiratory or skin sensitization	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	May damage the unborn child. Presumed human reproductive toxicant May damage the unborn child. Suspected of damaging fertility. Suspected of damaging fertility.
Specific target organ toxicity-single exposure	May cause respiratory irritation. Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Specific target organ toxicity-repeated exposure	No data available
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. The following applies to boron compounds in general: resorption is followed by nausea and vomiting, agitation, spasms, CNS disorders, cardiovascular disorders. Handle in accordance with good industrial hygiene and safety practice.

## 12. Ecological information

www.rxmarine.com

Toxicity	No data available
Persistence and degradability	Biodegradability Biotic/Aerobic Result: 85 % - Readily biodegradable.
Bioaccumulative potential	No data available
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	Discharge into the environment must be avoided.

## 13. Disposal considerations

www.rxmarine.com

Waste treatment methods	See <a href="http://www.retrologistik.com">www.retrologistik.com</a> for processes regarding the return of chemicals and containers, or contact us there if you have further questions.
-------------------------	---

## 14. Transport information

www.rxmarine.com

UN number	ADR/RID: -  IMDG: -  IATA: -
UN proper shipping name	ADR/RID: Not dangerous goods  IMDG: Not dangerous goods  IATA: Not dangerous goods
Packaging group	ADR/RID: -  IMDG: -  IATA: -
Transport hazard class(es)	ADR/RID: -  IMDG: -  IATA: -
Environmental hazards	ADR/RID: No  IMDG Marine pollutant: No  IATA: No
Special precautions for user	No data available
Further information	Not classified as dangerous in the meaning of transport regulations.

## 15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the This material safety data sheet complies with the requirements of

substance or mixture	Regulation (EC) No. 1907/2006.
Authorisations and/or restrictions on use	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Sodium peroxometaborate tetrahydrate This product contains a substance listed on Annex XIV of the REACH Regulation (EC) Nr. 1907/2006. Listed substance / Sunset Date : Sodium peroxometaborate tetrahydrate / 27.05.2023 After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.
Other regulations	RObserve work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.Take note of Dir 94/33/EC on the protection of young people at work.
Chemical Safety Assessment	For this product a chemical safety assessment was not carried out

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

### Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

PALLADIUM ACETATE RXSOL-60-6605-160

PALLADIUM HYDROXIDE 20% ON CHARCOAL RXSOL-60-6605-163

PALLADIUM NITRATE 44% PD content RXSOL-60-6605-164

PALLADIUM SPONGE 99.9% POWDER RXSOL-60-6605-165

PALLADIUM CALCIUM CARBONATE 10% pd RXSOL-60-6605-166

PARAFFIN WAX 58 60C BLOCK BRICKS RXSOL-60-6605-180

P DIMETHYL AMINO BENZALDEHYDE AR RXSOL-60-6605-192

P DIMETHYL AMINO CINNAMALDEHYDE AR RXSOL-60-6605-193

PEPTONE BACTERIOLOGICAL GRANULAR RXSOL-60-6605-197

PETROLEUM ETHER 100-2000 C FOR SYNTHESIS RXSOL-60-6605-205

PHENOL RED INDICATOR SOLUTION RXSOL-60-6605-215

PHENOLDISULPHONIC ACID SOLUTION 25% RXSOL-60-6605-216

---

PHENOLPHTHALEIN INDICATOR RXSOL-60-6605-218

PHENYL CHLOROFORMATE FOR SYNTHESIS RXSOL-60-6605-219

PHENYL HYDRAZINE AR RXSOL-60-6605-220

PHENYL HYDRAZINE FOR SYNTHESIS RXSOL-60-6605-221

PHENYL HYDRAZINE HYDROCHLORIDE AR RXSOL-60-6605-223

PHENYL MERCURY ACETATE FOR SYNTHESIS RXSOL-60-6605-224

PHENYL PHOSPHATE DISODIUM SALT AR RXSOL-60-6605-226

PHENYL TRIMETHYL AMMONIUM CHLORIDE RXSOL-60-6605-227

PHLOXIN B FOR MICROSCOPY RXSOL-60-6605-229

PHTHALAMIDE FOR SYNTHESIS RXSOL-60-6605-237

PHTHALIC ACID AR RXSOL-60-6605-238

PHTHALIC ACID FOR SYNTHESIS RXSOL-60-6605-239

PHTHALIC ANHYDRIDE FOR SYNTHESIS RXSOL-60-6605-249

PHTHALIDE FOR SYNTHESIS RXSOL-60-6605-250

PHTHALIMIDE FOR SYNTHESIS RXSOL-60-6605-251

PICRIC ACID SOLUTION AR 1.2% RXSOL-60-6605-256

PIPERAZINE Anhydrous 98% RXSOL-60-6605-257

PIPERAZINE Anhydrous 98% RXSOL-60-6605-257

PIPES BUFFER piperazine NN-Bis-2-Ethene Sulfonic acid RXSOL-60-6605-260

PLATINIUM OXIDE Pt 80% RXSOL-60-6605-261

POLYETHYLENE GLYCOL 600 RXSOL-60-6605-269

POLYVINYL PYRROLIDONE PVP RXSOL-60-6605-241

PONCEAU S FOR ELECTROPHORESIS RXSOL-60-6605-242

POPOP Scintillation Grade 1 4-bis(5-phenyloxaza-2-yl) benzene RXSOL-60-6605-243

POPSO BUFFER FOR BIOCHEMISTRY RXSOL-60-6605-244

POTASSIUM ACETATE AR RXSOL-60-6605-245

POTASSIUM ACETATE LR RXSOL-60-6605-246

SODAMIDE RXSOL-60-6605-451

SODIUM ACETATE TRIHYDRATE AR RXSOL-60-6605-462

SODIUM ARSENITE SOLUTION AR 0.1N N10 RXSOL-60-6605-468

SODIUM BENZOATE AR RXSOL-60-6605-472

SODIUM BISELENITE Sodium Hydrogen Selenite RXSOL-60-6605-473

SODIUM BROMATE LR RXSOL-60-6605-481

SODIUM BROMIDE AR RXSOL-60-6605-482

---

SODIUM BROMIDE LR RXSOL-60-6605-483

SODIUM CHLORIDE SOLUTION 0.85% w/v RXSOL-60-6605-488

SODIUM CHROMATE TETRAHYDRATE LR RXSOL-60-6605-490

SODIUM DI CHLOROISOCYANURATE RXSOL-60-6605-495

SODIUM HYDROXIDE SOLUTION IN 1M N1 RXSOL-60-6605-519

SODIUM LAURYL SULPHATE AR 99% RXSOL-60-6605-529

SODIUM LAURYL SULPHATE POWDER LR RXSOL-60-6605-531

SODIUM META BORATE TETRAHYDRATE LR RXSOL-60-6605-534

SODIUM METHOXIDE AR RXSOL-60-6605-535

SODIUM METHOXIDE POWDER LR RXSOL-60-6605-536

SODIUM MOLYBDATE AR DIHYDRATE RXSOL-60-6605-537

SODIUM NITRITE AR RXSOL-60-6605-541

SODIUM NITRITE LR RXSOL-60-6605-542

SODIUM NITRO PRUSIDE AR RXSOL-60-6605-543

SODIUM NITRO PRUSIDE LR RXSOL-60-6605-544

SODIUM OXALATE AR RXSOL-60-6605-545

SODIUM PERBORATE TRIHYDRATE PURE RXSOL-60-6605-548

SODIUM PER CARBONATE GRANULAR RXSOL-60-6605-549

SODIUM PER CARBONATE TABLET RXSOL-60-6605-550

SODIUM PERSULPHATE AR RXSOL-60-6605-553

SODIUM PERSULPHATE LR RXSOL-60-6605-554

SODIUM PHOSPHATE DI BASIC DIHYDRATE RXSOL-60-6605-559

SODIUM PYRUVATE RXSOL-60-6605-562

SODIUM SALICYLATE AR RXSOL-60-6605-563

SODIUM SELENITE AR ANHYDROUS RXSOL-60-6605-566

SODIUM SELENITE LR ANHYDROUS RXSOL-60-6605-567

SODIUM SELENITE PENTAHYDRATE LR RXSOL-60-6605-568

SODIUM SILICATE POWDER META HYDRATED RXSOL-60-6605-569

SODIUM SILICATE SOLUTION RXSOL-60-6605-570

SODIUM SILICO FLUORIDE 99% RXSOL-60-6605-571

SODIUM STANNATE LR RXSOL-60-6605-572

SODIUM SULPHATE ANHYDROUS AR RXSOL-60-6605-573

SODIUM SULPHIDE FLAKES AR RXSOL-60-6605-576

SODIUM SULPHITE ANHYDROUS AR RXSOL-60-6605-577

---

---

SODIUM SULPHITE ANHYDROUS LR RXSOL-60-6605-578

SODIUM TELLURITE 96% RXSOL-60-6605-579

SODIUM Tert BUTOXIDE 98% RXSOL-60-6605-580

SODIUM THIOCYANATE AR RXSOL-60-6605-581

SODIUM THIOSULPHATE AR PENTAHYDRATE RXSOL-60-6605-583

SODIUM TRI POLYPHOSPHATE ANHYDROUS STPP RXSOL-60-6605-585

SODIUM TUNGSTATE DIHYDRATE RXSOL-60-6605-586

SODIUM TUNGSTATE DIHYDRATE AR RXSOL-60-6605-587

SODIUM B GLYCERO PHOSPHATE AR RXSOL-60-6605-588

SOYA LECITHIN 30% RXSOL-60-6605-592

SOYA PEPTONE SOYATONE RXSOL-60-6605-593

SPADNS AR RXSOL-60-6605-595

SPAN 20 Sorbitan Monolaurate RXSOL-60-6605-596

SPAN 60 Sorbitane Monostearate RXSOL-60-6605-598

SPAN 80 SORBITANE MONOOLEATE RXSOL-60-6605-599

STANNIC OXIDE AR RXSOL-60-6605-601

STANNIC OXIDE LR RXSOL-60-6605-602

No Data Available