

1. Product and Company Identification

www.rxmarine.com

Product Name Nut Shell Coarse
Part Number RXSOL-32-3202-028

Company Details:....

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400
Fax +91 22 27612100 ::AOH :0091 9821214367
Email mail@rxmarine.com
Website www.rxmraine.com

2. Composition / Information on ingredients

www.rxmarine.com

Substances

Name	CAS no.	Content	Classification
Contains no hazardous substances	-	60-100%	-

3. Hazards Identification

www.rxmarine.com

Classification of the substance or mixture	NONE.
Label elements	NONE
Signal Word	Not Classified
Hazard Statement	Not Hazardous
Precautionary Statement	
Prevention	None
Response	None
Disposal	None
OTHER HAZARDS	Dust can form an explosive mixture in air. This substance is not considered to be persistent, bioaccumulating nor toxic. This substance is not considered to be very persistent nor very bioaccumulating.

4. First Aid Measures

www.rxmarine.com

INHALATION	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
INGESTION	Rinse mouth with water many times
SKIN CONTACT	Wash with soap and water.
EYE CONTACT	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persis

5. Fire-fighting Measures

www.rxmarine.com

EXTINGUISHING MEDIA

SPECIAL FIRE FIGHTING PROCEDURES

Water fog, carbon dioxide, foam, dry chemical

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Organic dust in the presence of an ignition source can be explosive in high concentrations. Good housekeeping practices are required to minimize this potential.

PROTECTIVE MEASURES IN FIRE

Full protective clothing and approved self-contained breathing apparatus required for fire fighting person.

6. Accidental Release Measures

www.rxmarine.com

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

ENVIRONMENTAL PRECAUTIONS

Do not allow to enter drains, sewers or watercourses.

SPILL CLEAN UP METHODS

Scoop up and remove.

7. Handling and Storage

www.rxmarine.com

USAGE PRECAUTIONS

Avoid creating or inhaling dust. Avoid contact with eyes, skin, or clothing. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment

STORAGE PRECAUTIONS

Store away from oxidizers. Store in a dry location.

8. Exposure controls and personal protection

www.rxmarine.com

ENGINEERING MEASURES

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

RESPIRATORY EQUIPMENT

Respiratory protection must be used if air contamination exceeds acceptable level. Dust filter P3 (for especially fine dust/powder).

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. Rubber or plastic.

EYE PROTECTION

Wear approved chemical safety goggles where eye exposure is reasonably probable.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station

9. Physical and chemical properties

www.rxmarine.com

APPEARANCE

Crumbles

COLOUR

Brown

ODOUR

Odourless or No characteristic odour

SPECIFIC GRAVITY

1.1

FLASH POINT (°C)

193

10. Stability and reactivity

www.rxmarine.com

STABILITY

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid wet and humid conditions

11. Toxicological information

www.rxmarine.com

INHALATION

Dust in high concentrations may irritate the respiratory system.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

None Known

EYE CONTACT

Particles in the eyes may cause irritation and smarting.

12. Ecological information

www.rxmarine.com

ENVIRONMENTAL FATE

No information available

ENVIRONMENT TOXICITY

No information available

13. Disposal considerations

www.rxmarine.com

14. Transport informationwww.rxmarine.com

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID)

15. Regulatory informationwww.rxmarine.com

RISK PHRASES

Not classified.

SAFETY PHRASES

Not classified.

16. Other informationwww.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.