Product Name Paint Remover
Part Number RXSOL-18-1013-001

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

Emailmail@rxmarine.comWebsitewww.rxmraine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name Cas No EC No Weight Formula
Dichloromethane 75-09-2 200-838-9 84,93 g/mol CH2Cl2
Proprietory Bled of Solvent with Pigment Emulsifier --- --- ---

3. Hazards Identification

www.rxmarine.com

tatement(s)

Signal Word Danger

Hazard Statements (s)

H315

Causes skin irritation.

H319

Causes serious eye irritation

H336

May cause drowsiness or dizziness

H351

Suspected of causing cancer.

Precautionary statement(s)

Toxic in contact with skin.

P202 Do not handle until all safety precautions have

been read and understood.

P261 Avoid breathing mist or vapors.

P264 Wash skin thoroughly after handling

P302 + P352 IF ON SKIN: Wash with plenty of water

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Supplemental Hazard Statements none.

4. First Aid Measures

www.rxmarine.com

General advice Show this material safety data sheet to the doctor in attendance.

If inhaled After inhalation: fresh air

Swallowed After swallowing: immediately make victim drink water (two glasses at

most). Consult a physician.

Skin Contact In case of skin contact: Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

Eye contact: rinse out with plenty of water. Call in ophthalmologist.

Remove contact lenses.

Ingestion

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment

needed

No data available

No data available

5. Fire-fighting Measures

www.rxmarine.com

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are

given.

Special hazards arising from the substance or mixture Carbon oxides Hydrogen chloride gas Combustible. Development of

hazardous combustion gases or vapours possible in the event of fire.

Further information Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent

fire extinguishing water from contaminating surface water or the ground

water system. No data available

Hazardous combustion

products

Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent

skin contact by keeping a safe distance or by wearing suitable protective

clothing. .

Protective Equipment

Specific Hazards Arising from the Chemical

No data available No data available

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Personal Protection No data available

Environmental Precaution Do not let product enter drains.

Methods and materials for Cover drains. Collect, bind, and pump off spills. Observe possible containment and cleaning material restrictions (see sections 7 and 10). Take up with liquid-

absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up

affected area.

vapours/aerosols

Reference to other sections For disposal see section 13.

7. Handling and Storage

www.rxmarine.com

Advice on safe handling Work under hood. Do not inhale substance/mixture. Avoid generation of

Incompatible materials No data available

Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Dry.

Storage conditions Tightly closed. Keep in a well-ventilated place. Keep locked up or in an

area accessible only to qualified or authorized persons. Heat sensitive.

Handle and store under inert gas.

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 /

toxic hazardous materials or hazardous materials causing chronic effects

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are

stipulated

Advice on general occupational hygiene No data available

8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls Personal protective equipment

Engineering Control Personal protective equipmen

Eye/face protection Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU). Safety

glasses

Body Protection protective clothing.

Skin protection TThis recommendation applies only to the product stated in the safety

data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Viton® Minimum layer thickness: 0,7 mm Break through time: 120 min Material tested:Vitoject® (KCL 890 / Aldrich

Z677698, Size M)

Respiratory protection Recommended Filter type: Filter AX (EN 371) The entrepeneur has to

ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Other Protection Measure No Data available

Control of environmental exposure Do not let product enter drains.

9. Physical and chemical properties

www.rxmarine.com

Physical state liquid
Colour colorless
Odour ether-like
Odor Threshold Not Applicable
pH No data availabl

Melting Point Melting point/range: -97 °C

Boiling Point 39,8 - 40 °C
Flash Point does not flash
Evaporation Rate Not Applicable
Flammability (solid, gas) No data available
Explosive limits No Data Available

Upper/lower flammability or explosive limits

Upper explosion limit: 22 %(V) Lower explosion limit: 13 %(V)

Autoignition temperature 605 °C

Decomposition temperature No data available Vapour pressure 584 hPa at 25 °C

Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: 0,42 mPa.s at

25 °C

Density 1,325 g/mL at 25 °C Relative Density No data available Specific Gravity No data available

Partition coefficient log Pow: 1,25 at 20 °C - Bioaccumulation is not expected

Explosive properties No data available

Solubility No data available

Ignition temperature No information available.

Particle characteristics No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity

Chemical stability

Skin corrosion/irritation

Serious eye damage/irritation

Respiratory or skin sensitization

Carcinogenicity

Germ cell mutagenicity

Reproductive toxicity

Specific target organ toxicity - single exposure

Additional Information

No data available

Sensitivity to light The product is chemically stable under standard ambient conditions (room temperature) . Contains the following stabilizer(s): 2-methyl-2-butene (>0,005 - 2.000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Mouse - 4 h - 86 mg/l - vapor Remarks: (ECHA) Symptoms: Possible damages:, mucosal irritations LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

LD50 Oral - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Mouse - 4 h - 86 mg/l - vapor Remarks: (ECHA) Symptoms: Possible damages:, mucosal irritations LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

Eyes - Rabbit Result: Eye irritation Remarks: (ECHA) Remarks: Risk of corneal clouding

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

Suspected of causing cancer

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Sigma-Aldrich- 270997 Page 9 of 14 The life science business of Merck operates as MilliporeSigma in the US and Canada Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: positive Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: positive Test Type: In vivo micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Gavage Method: OECD Test Guideline 474 Result: negative

No data available

Inhalation - May cause drowsiness or dizziness. - Central nervous systemInhalation - May cause drowsiness or dizziness. - Central nervous system

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Repeated dose toxicity - Rat - male and female - Oral - 104 Weeks - NOAEL (No observed adverse effect level) - 6 mg/kg Repeated dose toxicity - Rat male and female - Inhalation - 104 Weeks RTECS: PA8050000 Dizziness, Nausea, Vomiting, narcosis, Cough, irritant effects, Unconsciousness, Shortness of breath, respiratory paralysis, somnolence, depressed respiration, CNS disorders, inebriation Risk of corneal clouding. Sigma-Aldrich- 270997 Page 10 of 14 The life science business of Merck operates as MilliporeSigma in the US and Canada The following applies to aliphatic halogenated hydrocarbons in general: systemic effect: narcosis, cardiovascular disorders. Toxic effect on liver, kidneys. Dichloromethane is metabolized in the body producing carbon monoxide which increases and sustains carboxyhemoglobin levels in the blood, reducing the oxygen-carrying capacity of the blood. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: After absorption of large quantities: CNS disorders Drowsiness Dizziness drop in blood pressure Cardiac irregularities depressed respiration inebriation Unconsciousness narcosis Swallowing may result in damage to the following: Liver Kidney The following applies to aliphatic halogenated hydrocarbons in general: systemic effect: narcosis, cardiovascular disorders. Toxic effect on liver, kidneys. Other dangerous properties can not be excluded. This substance should be handled with particular care.

12. Ecological information

www.rxmarine.com

Persistence and degradability Biodegradability aerobic - Exposure time 28 d Result: 68 % - Readily

biodegradable. (OECD Test Guideline 301D)

Toxicity to fish No data available

Toxicity to daphnia and other aquatic invertebrates static test LC50 - Daphnia magna (Water flea) - 27 mg/l - 48 h (US-EPA)

Toxicity No data available

Toxicity to bacteria static test EC50 - activated sludge - 2.590 mg/l - 40 min (OECD Test

Guideline 209)

Toxicity to algae ErC50 - Pseudokirchneriella subcapitata (green algae) - 0,02 - 0,364 mg/l

- 72 h Remarks: (ECHA)

Products Biodegradation The methods for determining the biological degradability are not

applicable to inorganic substances.

Mobility in soil No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties

The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other adverse effects

No data available

Waste treatment methods

No data available

14. Transport information

www.rxmarine.com

UN number ADR/RID: 1593 IMDG:1593 IATA:1593
UN proper shipping name ADR/RID: : DICHLOROMETHANE

IMDG:: DICHLOROMETHANE

IATA:Dichloromethane

Transport hazard class(es)

ADR/RID:6.1 IMDG:6.1 IATA:6.1

Packaging group

ADR/RID:III IMDG: III IATA:III

Environmental hazards ADR/RID: No IMDG: No Marine pollutant: No IATA: No

Special precautions for user Tunnel restriction code (E)

Further information No data available

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations and/or restrictions on use

Chemical Safety Assessment

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at wor

A Chemical Safety Assessment has been carried out for this substance

16. Other information

www.rxmarine.com

Other Information

Other regulations

The information above is believed to be accurate and represents the

best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.