

## 1. Product and Company Identification

www.rxmarine.com

Product Name Power Cleaner  
Part Number RXSOL-15-2680-005

Company Details:....

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400  
Fax +91 22 27612100 ::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)  
Website [www.rxmarine.com](http://www.rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

### Substances

Chemical name	CAS Number	Concentration (%)	Hazardous
Water	7732-18-5	20-40	No
Alcohols, C12-16, ethoxylated	68551-12-2	15-30	Yes

Index-No. CAS-No.

EC-No.

Index-No.			
PSRN57948000-5082P	Trade Secret	10-25	No
Citrus Terpenes	94266-47-4	5-15	Yes
Dipropylene glycol monomethyl ether	34590-94-8	5-15	Yes
Tetrasodium ethylenediamine tetraacetate	64-02-8	0-10	Yes
PSRN57948000-5065P	Trade Secret	0-10	No

## 3. Hazards Identification

www.rxmarine.com

### Classification of the substance or mixture

Physical hazards	H226 Flammable liquid and vapour.
Health hazards	
Acute toxicity	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity,	Category 3
Single exposure; Respiratory tract irritation	

---

**Label elements**

Signal word	Danger
Hazard Statements	H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.  H314 Causes severe skin burns and eye damage.  H317 May cause an allergic skin reaction.  H318 Causes serious eye damage.  H335 May cause respiratory irritation.  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.
Precautionary Statements	
Prevention	P101 If medical advice is needed, have product container or label at hand.  P102 Keep out of reach of children.  P103 Read label before use.  P210 Keep away from heat/spark/open flames/hot surfaces. No smoking.  P233 Keep container tightly closed.  P235 Keep cool.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical/ventilating/lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P260 Do not breathe dust/fumes/gas/mist/vapours/spray.  P264 Wash hands, arms, face and exposed skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this products.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/protective clothing/eye protection/face protection.
Response	P301+312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+378 In case of fire: Use carbon dioxide, foam, extinguishing powder to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/ international Regulations.

Not classified

Storage

Disposal

Hazard(s) not otherwise Classified (HNOC)

## 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

### Description of first aid measures

General advice

Remove victims from the danger zone without endangering your own safety. Remove contaminated clothing (including underwear and shoes) immediately.

Inhalation

Bring accident victims out into the fresh air. If patient has difficulty breathing, administer oxygen, keep the patient calm and warm. In case of unconsciousness place patient stably in side position for transportation. Call a physician immediately.

Skin contact

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before re-use. After contact with small amounts get medical attention if any discomfort or irritation continues. For large amounts, obtain medical attention.

Eye contact

Immediately flush eyes with gentle but large stream of water or eye wash solution for at least 15 minutes, lifting lower and upper eyelids occasionally. If possible remove any contact lenses and continue to wash. Call a physician, immediately.

Ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Never give anything by mouth to an unconscious person. **DO NOT** induce vomiting, medical advice is required. Call a physician, immediately.

Most important symptoms/effects, acute and delayed

Notes to physician

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

Irritation of nose, throat and airway.

Ingestion

May cause nausea and/or vomiting. Irritation of the mouth, throat, esophagus and gastrointestinal tract.

Skin contact/Skin irritation

Redness or rash may occur.

Eye contact

Causes irritation and burns of the eyes. Possible corneal damage. May cause conjunctivitis Lachrymation.

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

Suitable extinguishing media

In case of fire use dry chemical, carbon dioxide, alcohol-resistant foam, extinguishing powder. In cases of larger fires, water spray should be used. Use any means suitable for extinguishing surrounding fire. Water spray may be used to keep fire-exposed containers cool. If water is used, use in abundance to control heat.

Unsuitable extinguishing media

Do not use water jet as this can spread the fire. Do not use carbon dioxide in enclosed spaces with insufficient ventilation.

Specific hazards arising from the chemical

Highly flammable liquid and vapor. Runoff to sewer may create fire or

---

explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Flammable liquid and vapor. Vapors are heavier than air and will travel along surfaces to remove ignition sources and flash back. Vapors may be ignited by static spark. Product containers can melt in the heat of a fire. Packaging materials will be combustible and provide fuel for the fire. In the event of fire and/or explosion do not breathe fumes.

Special protective equipment and precautions for fire-fighters

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode. During fire-fighting respirator with independent air supply and airtight garment is required. Fight fire in early stages if safe to do so. Containers at risk of fire should be cooled with water and, if possible removed from the danger area. Do not allow contaminated extinguishing water to enter the soil, ground-water or surface waters.

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

**Personal precautions, protective equipment and emergency procedures**

Ventilate area of leak or spill. Ensure adequate ventilation/exhaust extraction. Put on protective equipment (see Section 8). Have emergency procedures in place for treating spillages, evacuating the area and

informing the emergency services if necessary. Restrict access to the area until the spillage is treated, if large amounts of vapors are produced that will be hazardous to others, evacuate the area. When any other effects of spillages will affect the safety of others the area should be evacuated. Avoid ingestion, inhalation of vapors and contact with skin and eyes. Non-emergency personnel should be kept away from the area of spillage.

#### Environmental precautions

Do not flush into surface water or sanitary sewers system. Avoid unauthorized discharge to the environment. Clean up any spillages immediately; prevent material from spreading and entering drains or sewage systems. Large spillages or uncontrolled discharge to water systems must be alerted to the Environmental Agency or other regulatory body. If spillages to land cannot be treated safely or if contamination will occur the Environment Agency must be alerted immediately. If the product has entered a foul drain or sewage system in significant amounts to cause a hazard then the local water treatment company must be informed.

#### Methods and materials for containment and cleaning up

Contain and recover liquid when possible. Small spillages should be absorbed with an inert, non-combustible absorbent. Large Spillages: Dam and absorb spillages with sand, earth or other inert material. Small quantities (< 1 gallons) can be flushed to drain with lots of water. Fit drain covers where they are available if the spillage is likely to enter the drainage system. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Containers with collected spillage must be properly labeled with correct contents and hazard symbol. Flush area clean with lots of water. Be aware of potential for surfaces to become slippery. Ventilate area and allow drying before allowing access. Wash thoroughly after dealing with a spillage.

#### Reference to other sections

Refer to sections 8 and 13 for additional information.

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

#### Precautions for safe handling

Keep in a tightly closed container and protect from physical damage. Store in a cool, dry, and ventilated area. Keep away from sources of heat, moisture, incompatibilities, and away from direct sunlight. Do not mix with incompatible substances or mixtures. Avoid spilling the product. Do not wash out container and use it for other purposes. Avoid ingestion of the product, inhalation of any vapors/mists when produced and contact with skin and eyes. Do not eat, drink or smoke when handling. Wash at the end of each work shift, before eating, drinking, smoking and using the toilet. Remove contaminated clothing/footwear/equipment before entering eating areas or places that would expose others to the product. Do not use in areas close to drainage systems unless measures are in place to prevent access of product. Ensure emergency procedures are in place to treat spillages and cope with other situations such as evacuation. Provide eye washing and skin washing facilities, when handling large amounts a safety shower is recommended. Observe all warnings and precautions listed for the product.

#### Conditions for safe storage, including any incompatibilities

Store in closed original container at temperatures between 40°F and 80°F. If the product is transferred to another container, this should be made of a compatible material to the original container. Store away from heat, direct sunlight and moisture. Store in a stable situation to avoid spillages. It is advisable to store in a bunded area or use other protective measures such as a sump pallet or storage tray.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

#### Control parameters

##### Eye protection

Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

Skin protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Hand protection	Wear protective gloves. Butyl rubber, rubber (natural, latex), nitrile, polyvinyl chloride (PVC). Be aware that latex gloves can produce an allergic reaction in sensitive individuals. Gloves should have a breakthrough time sufficient for the amount of handling but allow dexterity for safe movement and handling. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Gloves showing signs of degradation should be changed to avoid skin contamination. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. When removing used gloves apply proper technique by avoiding skin contact with the outer surface. When packages of the product are being handled during storage or transport it is advisable to wear protective gloves to prevent damage to the skin
Personal Respirators (NIOSH Approved)	If the exposure limit is exceeded, a full face piece respirator with high efficiency dust/mist filter may be worn up to 50 times the exposure limit. Wear suitable respiratory protection when vapors or mists are produced if the Workplace Exposure Limit is exceeded and there is insufficient ventilation or extraction. For emergencies or instances where the exposure levels are not known, use a full face piece positive-pressure, air-supplied respirator. Respirator must be fitted with a cartridge suitable for the chemical of concern. Consult with the supplier as to the compatibility of the equipment with the chemical of concern. CAUTION: Air purifying respirators do not protect the user in oxygen deficient atmospheres, use air supplied system.
Thermal Hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Wash hands, change out of clothes as soon as possible. Wash Clothes. Shower or bathe as soon as possible
Other protective measures	Have an eye bath and safety shower close by.

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

Appearance	Liquid
Colour	Light amber liquid
Odor	Citrus fragrance
Odour Threshold	No data available
pH	11± 0.5
Melting point/range	No data available
Boiling point/range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability of explosive limits	No data available
Vapour pressure (mm Hg)	No data available
Vapour density (Air=1)	No data available
Relative density	No data available
Solubility(ies)	Excellent in warm water
Partition coefficient (n-octanol/water)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity, dynamic	125
Other Information	This product contains no phosphates.

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

Reactivity and/or chemical stability	No specific reactivity hazards associated with this product. Product is very stable under normal conditions.
Possibility of hazardous reactions	Reaction with strong oxidizers will generate heat and may cause fire.
Conditions to avoid	Avoid heat, sparks, flames, and all other sources of ignition. Avoid heat, direct sunlight, and moisture. Avoid storage with incompatible materials. Avoid storage in freezing conditions. Avoid storage near to unprotected drainage systems. It is advisable to store the product within some form of containment to prevent spillages reaching drainage systems. Do not allow the storage container to be left exposed to the atmosphere. Avoid storage in an unstable manner or in a situation that would result in exposure to the product.
Incompatible materials	Strong bases, strong oxidizing agents and strong acids, including acidic clays, peroxides, halogens, vinyl chlorides and iodine pentafluoride.
Hazardous decomposition products	Mild decomposition can result giving off hydrogen. Oxides of citrus terpenes, which can result from improper storage and handling, are known to cause skin sensitization.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - 207,0 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Olfaction:Other

changes.

Behavioral:Convulsions or effect on seizure threshold.

Gastrointestinal:Ulceration or bleeding from stomach.

(ECHA)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of

perforation of the esophagus and the stomach.

Acute toxicity estimate Oral - 207 mg/kg

(ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - 1 h - > 710 mg/m3

Remarks: (RTECS)

LD50 Dermal - Rabbit - 301,0 mg/kg

Remarks: Behavioral:Tremor.

Gastrointestinal:Changes in structure or function of salivary glands.

Kidney, Ureter, Bladder:Other changes.

(ECHA)

Acute toxicity estimate Dermal - 301 mg/kg

(ATE value derived from LD50/LC50 value)

<b>Skin corrosion/irritation</b>	Skin - Rabbit
	Result: Causes burns.
	Remarks: (ECHA)
<b>sensitization</b>	Not available
<b>mutagenicity</b>	Not available
<b>Carcinogenicity</b>	Not available
<b>Reproductive toxicity</b>	Not available
<b>Teratogenicity</b>	Not available
<b>Specific target organ toxicity (single exposure)</b>	Not available.
<b>Specific target organ toxicity (repeated exposure)</b>	Not available.
<b>Aspiration hazard</b>	Not available.
<b>Information on the likely routes of exposure</b>	Not available.

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Persistence and degradability	No data available
Toxicity to fish	Static test LC50 - Oncorhynchus mykiss (rainbow trout) - 75 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	Static test EC50 - Daphnia magna (Water flea) - 42,81 mg/l - 48 h (OECD Test Guideline 202) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: maleic acid
Toxicity	Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.520 mg/l - 96 h
Toxicity to bacteria	EC10 - Bacteria - 14 mg/l - 72 h Remarks: (Lit.) EC5 - E.coli - 15.000 mg/l Remarks: (Lit.) (maximum permissible toxic concentration)
Toxicity to algae	Static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 74,35 mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: maleic acid
Products Biodegradation	The methods for determining the biological degradability are not applicable to inorganic substances.
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	No data available
Other adverse effects	No data available .

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Product	Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.
Contaminated packaging	Dispose of as unused product.
Waste treatment Method	See <a href="http://www.retrologistik.com">www.retrologistik.com</a> for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

UN number	Not Available
-----------	---------------

UN proper shipping name	Not Available
Transport hazard class(es)	Not Available
Packaging group	Not Available
Environmental hazards	Not Available
Special precautions for user	No data available
Further information	Not classified as dangerous in the meaning of transport regulations.

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

### Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

### Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

### Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.