

4. First Aid Measures

www.rxmarine.com

Description of first aid measures

Inhalation	Move to fresh air in case of accidental inhalation of vapors or decomposition products.
Skin contact	Wash off with soap and plenty of water.
Eye contact	Flush eyes with water or special eyewash solution.
If swallowed	Never give anything by mouth to an unconscious person. Rinse mouth with water. Ingestion of edible vegetable oil is nontoxic and should pass through system. Do not induce vomiting.

5. Fire-fighting Measures

www.rxmarine.com

Conditions of flammability	Materials may pose fire hazard because it is dispersed or spread by water.
Suitable extinguishing media	Alcohol resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding area.
Special protective equipment for firefighters	Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.
	In a fire or if heated, a pressure increase will occur and the container may burst, with the
	risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along
	the ground. Vapors may accumulate in low or confined areas or travel a considerable
	distance to a source of ignition and flash back.
	Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.
	In a fire or if heated, a pressure increase will occur and the container may burst, with the
	risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along
	the ground. Vapors may accumulate in low or confined areas or travel a considerable
	distance to a source of ignition and flash back.
	Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.
	In a fire or if heated, a pressure increase will occur and the container may burst, with the
	risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Wear self-contained breathing apparatus for firefighting if necessary.

Specific hazards arising from the Chemical Oil

Risk of ignition. Rags and other materials containing this product may heat up and spontaneously ignite if exposed to air. Store wiping rags and similar materials in metal cans with tightly fitting lids. Cool closed containers exposed to fire with water spray. Avoid hot oil; if smoking occurs during application reduce or remove from heat.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. Nature of decomposition products not known.

spray to keep fire-exposed containers cool. Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire. No action shall be taken involving any personal risk or without suitable

training. Move containers from fire area if this can be done without risk. Use water

spray to keep fire-exposed containers cool.

6. Accidental Release Measures

www.rxmarine.com

Personal Protection

Avoid breathing vapors, mist or gas. Recommend exhaust fans over grills and deep fryers.

Environmental Precautions

Prevent further leakage or spillage. Do not allow product to reach soil, sewage or any water sources. Dispose per local, state, and federal regulations.

Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal. Dispose of rags used in clean up. Remember oil soaked rags or partially cleaned materials may spontaneously combust.

7. Handling and Storage

www.rxmarine.com

Conditions for safe storage