

1. Product and Company Identification

www.rxmarine.com

Product Name Black Streak Remover
Part Number RXSOL-16-1648-010

Company Details:....

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400
Fax +91 22 27612100 ::AOH :0091 9821214367
Email mail@rxmarine.com
Website www.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Substances

EC-name	Concentration (w/w) (%)	CAS-number	EC-number	Symbols	R-phrases
Tetra sodium Ethylenediaminetetraacetate	1 % 5	64-02-8	200-573-9	Xn	22-36-52/53
Alcohols, C9-11, ethoxylated (6 EO)	1 % 5	68439-46-3	Polymer	Xn	22-41
(2-Methoxymethylethoxy)-propanol 1	1 % 5	34590-94-8	252-104-2	-	-

Reference is made to chapter 16 for full text of each relevant R phrase. Occupational exposure limit(s), if relevant, are listed in section 8

3. Hazards Identification

www.rxmarine.com

Classification	Irritant
Human health hazards	Irritating to eyes and skin.
Physical/chemical hazards	Not classified as dangerous on the basis of statutory EC-Directives.
Environmental hazards	Not classified as dangerous on the basis of statutory EC-Directives. See also section 12.
Other hazards	Keep out of reach of children. If swallowed, seek medical advice immediately and show this container or label

4. First Aid Measures

www.rxmarine.com

Effects and symptoms

Inhalation	May cause headache, dizziness and a feeling of sickness.
Skin contact	Irritant. May cause dry skin and redness.
Eye contact	Irritant. May cause redness and pain.
Ingestion	May cause a feeling of sickness, vomiting, stomachache and diarrhoea.

First aid measures

Inhalation

Move victim into fresh air. Seek medical advice if victim feels unwell.

Skin contact

Immediately take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor if irritation persists.

Eye contact

Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor

Ingestion

Do not induce vomiting. Rinse the mouth, drink 1 glass of water at most. Do not give milk. Never give anything by mouth to an unconscious person. Consult a doctor immediately.

5. Fire-fighting Measures

www.rxmarine.com

Extinguishing media

Suitable

CO₂, foam, water fog or dry chemical.

Not Suitable

None known

Special exposure hazards

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

None known

Hazardous thermal (de)composition products
Special protective equipment for fire-fighters

Carbon monoxide may be evolved if incomplete combustion occurs
Use adequate respiratory equipment in case of insufficient ventilation.

spray to keep fire-exposed containers cool.Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire. No action shall be taken involving any personal risk or without suitable

training. Move containers from fire area if this can be done without risk.
Use water

spray to keep fire-exposed containers cool.

6. Accidental Release Measures

www.rxmarine.com

Personal precautions

Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. See also section 8

Environmental precautions

Avoid release of product into sewers, surface water and/or ground water.

Methods for cleaning up

Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

7. Handling and Storage

www.rxmarine.com

Handling

For precautions see section 2.2.

Storage