

1. Product and Company Identification

www.rxmarine.com

Product Name Sodium Chloride Crystal 3 to 6 mm
Part Number RXSOL-12-1306-026

Company Details:....

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400
Fax +91 22 27612100 ::AOH :0091 9821214367
Email mail@rxmarine.com
Website www.rxmraine.com

2. Composition / Information on ingredients

www.rxmarine.com

Substances

Formula ClNa
Molecular weight 58,44 g/mol
CAS-No 7647-14-5
EC-No. 231-598-3

No components need to be disclosed according to the applicable regulations.

3. Hazards Identification

www.rxmarine.com

Classification of the substance or mixture Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.
Label elements No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.
Other hazards This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

Description of first aid measures

If inhaled After inhalation: fresh air.
In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower
In case of eye contact After eye contact: rinse out with plenty of water. Remove contact lenses.
If swallowed After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.
Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment No data available

5. Fire-fighting Measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Nitrogen oxides (NO_x)

Molybdenum oxides

Not combustible.

Fire may cause evolution of:

nitrogen oxides

Ambient fire may liberate hazardous vapours.

Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

spray to keep fire-exposed containers cool.Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire. No action shall be taken involving any personal risk or without suitable

training. Move containers from fire area if this can be done without risk. Use water

spray to keep fire-exposed containers cool.

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Environmental precautions

For personal protection see section 8.

Methods and materials for containment and cleaning up

Do not let product enter drains.

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

7. Handling and Storage

www.rxmarine.com

Precautions for safe handling

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Recommended storage temperature see product label.

Recommended storage temperature see product label.Tightly closed.

Specific end use(s)

Recommended storage temperature see product label.

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure controls and personal protection

www.rxmarine.com

Control parameters

Ingredients with workplace control parameters

Exposure controls

Personal protective equipment

Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Skin protection	<p>This recommendation applies only to the product stated in the safety data sheet,</p> <p>supplied by us and for the designated use. When dissolving in or mixing with other</p> <p>substances and under conditions deviating from those stated in EN374 please</p> <p>contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,</p> <p>Internet: www.kcl.de).</p> <p>Full contact</p> <p>Material: Nitrile rubber</p> <p>Minimum layer thickness: 0,11 mm</p> <p>Break through time: 480 min</p> <p>Material tested:KCL 741 Dermatril® L</p> <p>This recommendation applies only to the product stated in the safety data sheet,</p> <p>supplied by us and for the designated use. When dissolving in or mixing with other</p> <p>substances and under conditions deviating from those stated in EN374 please</p> <p>contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,</p> <p>Internet: www.kcl.de).</p> <p>Splash contact</p> <p>Material: Nitrile rubber</p> <p>Minimum layer thickness: 0,11 mm</p> <p>Break through time: 480 min</p> <p>Material tested:KCL 741 Dermatril® L</p>
Respiratory protection	<p>Required when dusts are generated.</p> <p>Our recommendations on filtering respiratory protection are based on the following</p> <p>standards: DIN EN 143, DIN 14387 and other accompanying standards relating to</p> <p>the used respiratory protection system.</p> <p>Recommended Filter type: Filter type P1</p>

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory

protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Do not let product enter drains..

Control of environmental exposure

9. Physical and chemical properties

www.rxmarine.com

Information on basic physical and chemical properties

Physical state

Crystalline solid

Color

Colorless

Odor

Odorless

Melting point/freezing point

Melting point/range: 801 °C

Initial boiling point and boiling range

1.413 °C

Flammability (solid, gas)

The product is not flammable.

Upper/lower flammability or explosive limits

No data available

Flash point

Not applicable

Autoignition temperature

No data available

Decomposition temperature

1.000 °C

materials. Extremely flammable in the presence of the following materials or conditions: oxidizing

materials.

pH

7

Viscosity

Viscosity, kinematic: No data available

Water solubility

Viscosity, dynamic: No data available

Partition coefficient: n-octanol/water

317 g/l at 20 °C - completely soluble

Vapor pressure

Not applicable for inorganic substances

Density

No data available

Relative density

2,16 g/cm³ at 25 °C

Relative vapor density

2,16 at 25 °C

Particle characteristics

No data available

Explosive properties

No data available

Oxidizing properties

Not classified as explosive.

Other safety information

None

Surface tension

73,03 mN/m at 14,5g/l at 23 °C

10. Stability and reactivity

www.rxmarine.com

Reactivity

No data available

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Risk of explosion/exothermic reaction with:

Alkali metals

Exothermic reaction with:

Lithium

No information available

No data available

In the event of fire: see section 5

Conditions to avoid

Incompatible materials

Hazardous decomposition products

11. Toxicological information

www.rxmarine.com

Information on toxicological effects

Acute toxicity

Oral: No data available

Inhalation: No data available

LD50 Dermal - Rabbit - > 10.000 mg/kg

Remarks: (RTECS)

Skin - Rabbit

Result: No skin irritation

Remarks: (ECHA)

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

No data available

Animal testing did not show any mutagenic effects.

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Did not show carcinogenic effects in animal experiments.

Did not show teratogenic effects in animal experiments.

No impairment of reproductive performance suspected.

No data available

No data available

No data available

Carcinogenicity

Reproductive toxicity

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Aspiration hazard

12. Ecological information

www.rxmarine.com

Persistence and degradability

No data available

Toxicity to fish

Static test LC50 - Oncorhynchus mykiss (rainbow trout) - 75 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

Static test EC50 - Daphnia magna (Water flea) - 42,81 mg/l - 48 h (OECD Test Guideline 202) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: maleic acid

Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.520 mg/l - 96 h

Toxicity to bacteria	EC10 - Bacteria - 14 mg/l - 72 h Remarks: (Lit.) EC5 - E.coli - 15.000 mg/l Remarks: (Lit.) (maximum permissible toxic concentration)
Toxicity to algae	Static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 74,35 mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: maleic acid
Products Biodegradation	The methods for determining the biological degradability are not applicable to inorganic substances.
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	No data available
Other adverse effects	No data available .

13. Disposal considerations

www.rxmarine.com

Product	Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.
Contaminated packaging	Dispose of as unused product.
Waste treatment Method	See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

www.rxmarine.com

UN number	ADR/RID:2404 IMDG:2404 IATA: 2404
UN proper shipping name	ADR/RID:PROPIONITRILE IMDG:PROPIONITRILE IATA:PROPIONITRILE
Transport hazard class(es)	ADR/RID: 3 (6.1) IMDG: 3 (6.1) IATA:3 (6.1)
Packaging group	ADR/RID: II IMDG: II IATA:II
Environmental hazards	ADR/RID: No IMDG: No IATA: No
Special precautions for user	No data available
Further information	Not classified as dangerous in the meaning of transport regulations.

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Other regulations	Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.
Chemical Safety Assessment	For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Other Information	The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine
-------------------	---

the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.