1. Product and Company Identifaction

Product Name Part Number

Company Details:....

RX MARINE INTERNATIONAL 105, A wing, BSEL, TECH PARK. VASHI, NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400 Fax +91 22 27612100 ::::AOH :0091 9821214367 Email mail@rxmarine.com Website www.rxmraine.com

2. Composition / Information on ingredients

Substances

Formula	NaCl
Molecular weight	58,44 g/mol
CAS-No	7647-14-5
EC-No.	231-598-3

No components need to be disclosed according to the applicable regulations.


3. Hazards Identification

Classification of the substance or mixture

Label elements

Other hazards

Sodium Chloride Solution RXSOL-60-6243-125



www.rxmarine.com

disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

www.rxmarine.com

Description of first aid measures

If inhaled	After inhalation: fresh air.
In case of skin contact	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower
In case of eye contact	After eye contact: rinse out with plenty of water. Remove contact lenses.
If swallowed	After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment	No data available

5. Fire-fighting Measures

Extinguishing media

needed

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given.
Special hazards arising from the substance or mixture	Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.
	In a fire or if heated, a pressure increase will occur and the container may burst, with the
	risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along
	the ground. Vapors may accumulate in low or confined areas or travel a considerable
	distance to a source of ignition and flash back.
	Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.
	In a fire or if heated, a pressure increase will occur and the container may burst, with the
	risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along
	the ground. Vapors may accumulate in low or confined areas or travel a considerable
	distance to a source of ignition and flash back.
	Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

	In a fire or if heated, a pressure increase will occur and the container may burst, with the
	risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along
	the ground. Vapors may accumulate in low or confined areas or travel a considerable
	distance to a source of ignition and flash back.
	Nitrogen oxides (NOx)
	Molybdenum oxides
	Not combustible.
	Fire may cause evolution of:
	nitrogen oxides
	Ambient fire may liberate hazardous vapours.
Advice for firefighters	In the event of fire, wear self-contained breathing apparatus.
Further information	Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
	spray to keep fire-exposed containers cool.Promptly isolate the scene by removing all persons from the vicinity of the incident if
	there is a fire. No action shall be taken involving any personal risk or without suitable
	training. Move containers from fire area if this can be done without risk. Use water
	spray to keep fire-exposed containers cool.
6. Accidental Release Measures	www.rxmarine.com
Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate

	For personal protection see section 8.
Environmental precautions	Do not let product enter drains.
Methods and materials for containment and cleaning up	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
Reference to other sections	For disposal see section 13.

7. Handling and Storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities For precautions see section 2.2.

Recommended storage temperature see product label.

Recommended storage temperature see product label. Tightly closed.

www.rxmarine.com

the danger area, observe emergency procedures, consult an expert.

Specific end use(s)

Recommended storage temperature see product label. Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure controls and personal protection

www.rxmarine.com

Control parameters

Ingredients with workplace control parameters

Exposure controls

Personal protective equipment

Eye/face protection

Skin protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

This recommendation applies only to the product stated in the safety data sheet,

supplied by us and for the designated use. When dissolving in or mixing with other

substances and under conditions deviating from those stated in EN374 please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet,

supplied by us and for the designated use. When dissolving in or mixing with other

substances and under conditions deviating from those stated in EN374 please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

	Material: Nitrile rubber
	Minimum layer thickness: 0,11 mm
	Break through time: 480 min
	Material tested:KCL 741 Dermatril® L
Respiratory protection	Required when dusts are generated.
	Our recommendations on filtering respiratory protection are based on the following
	standards: DIN EN 143, DIN 14387 and other accompanying standards relating to
	the used respiratory protection system.
	Recommended Filter type: Filter type P1
	The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory
	protective devices are carried out according to the instructions of the producer.
	These measures have to be properly documented.
Control of environmental exposure	Do not let product enter drains

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Color Odor Melting point/freezing point Initial boiling point and boiling range Flammability (solid, gas) Upper/lower flammability or explosive limits Flash point Autoignition temperature Decomposition temperature

pH Viscosity

Water solubility Partition coefficient: n-octanol/water Vapor pressure Density Relative density Relative vapor density Crystalline solid Colorless Odorless Melting point/range: 801 °C 1.413 °C The product is not flammable. No data available Not applicable No data available 1.000 °C

materials.Extremely flammable in the presence of the following materials or conditions: oxidizing

materials. 7 Viscosity, kinematic: No data available

Viscosity, dynamic: No data available 317 g/l at 20 °C - completely soluble Not applicable for inorganic substances No data available 2,16 g/cm3 at 25 °C 2,16 at 25 °C No data available www.rxmarine.com

Particle characteristics Explosive properties Oxidizing properties Other safety information Surface tension

10. Stability and reactivity

No data available No data available None

73,03 mN/m at 14,5g/l at 23 $^{\circ}\mathrm{C}$

No data available The product is chemically stable under standard ambient conditions (room temperature) No data available No information available Strong acids In the event of fire: see section 5

11. Toxicological information

Information on toxicological effects

Possibility of hazardous reactions

Hazardous decomposition products

Reactivity

Chemical stability

Conditions to avoid

Incompatible materials

Acute toxicity	LD50 Oral - Rat - male and female - > 2.000 mg/kg
	(OECD Test Guideline 420)
	LC50 Inhalation - Rat - male and female - $4 h - 5,05 mg/l$
	(OECD Test Guideline 403)
	Remarks: (in analogy to similar products)
	LDS0 Dermal Det male and famale > 2,000 mg/kg
	LD50 Dermal - Rat - male and female - > 2.000 mg/kg
	(OECD Test Guideline 402)
	Remarks: (in analogy to similar products)
	The value is given in analogy to the following substances: disodium molybdate
Skin corrosion/irritation	Skin - Rabbit
	Result: No skin irritation - 4 h
	(OECD Test Guideline 404)
	Remarks: (in analogy to similar products)
	The value is given in analogy to the following substances: Molybdenum dioxide
Serious eye damage/eye irritation	Eyes - Rabbit
	Result: No eye irritation
	(OECD Test Guideline 405)

www.rxmarine.com

www.rxmarine.com

Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Molybdenum dioxide Respiratory or skin sensitization Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products) Germ cell mutagenicity Test Type: Micronucleus test Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 487 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Disodium molybdate dihydrate Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Disodium molybdate dihydrate

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Disodium molybdate dihydrate No data available No data available No data available No data available No data available

Carcinogenicity Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard

12. Ecological information

~	
Persistence and degradability	No data available
Toxicity to fish	Static test LC50 - Oncorhynchus mykiss (rainbow trout) - 75 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	Static test EC50 - Daphnia magna (Water flea) - 42,81 mg/l - 48 h (OECD Test Guideline 202) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: maleic acid
Toxicity	Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.520 mg/l - 96 h
Toxicity to bacteria	EC10 - Bacteria - 14 mg/l - 72 h Remarks: (Lit.) EC5 - E.coli - 15.000 mg/l Remarks: (Lit.) (maximum permissible toxic concentration)
Toxicity to algae	Static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 74,35 mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: maleic acid
Products Biodegradation	The methods for determining the biological degradability are not applicable to inorganic substances.
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	No data available
Other adverse effects	No data available.

13. Disposal considerations

Product

Contaminated packaging Waste treatment Method

www.rxmarine.com

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Dispose of as unused product.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

www.rxmarine.com

www.rxmarine.com

UN number	ADR/RID:2404 IMDG:2404 IATA: 2404
UN proper shipping name	ADR/RID:PROPIONITRILE IMDG:PROPIONITRILE IATA:PROPIONITRILE
Transport hazard class(es)	ADR/RID: 3 (6.1) IMDG: 3 (6.1) IATA:3 (6.1)
Packaging group	ADR/RID: II IMDG: II IATA:II
Environmental hazards	ADR/RID: No IMDG: No IATA: No
Special precautions for user	No data available
Further information	Not classified as dangerous in the meaning of transport regulations.

15. Regulatory information

	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Other regulations	Observe work restrictions regarding maternity protection in accordance to

Chemical Safety Assessment

16. Other information

Other Information

Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work. For this product a chemical safety assessment was not carried out

www.rxmarine.com

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.