## 1. Product and Company Identifaction

www.rxmarine.com

Porduct Name Cyclopentanone
Part Number RXSOL-60-1042-025

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

 Email
 mail@rxmarine.com

 Website
 www.rxmraine.com

# 2. Composition / Information on ingredients

www.rxmarine.com

Product name Cas No EC No Weight Formula Cyclopentanone for 120-92-3 204-435-9 84,12 g/mol  $C_5H_8O$ 

synthesis

### 3. Hazards Identification

www.rxmarine.com

Signal Word Warning

Hazard Statements H226 Flammable liquid and vapor. H315 Causes skin irritation. H319

Causes serious eye irritation

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240

Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Classification of the substance or mixture

No data available

Supplemental Hazard Statements No data available

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher. The

substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 4. First Aid Measures

www.rxmarine.com

General advice Show this material safety data sheet to the doctor in attendance

If inhaled After inhalation fresh air.

Eye Contact After eye contact: rinse out with plenty of water. Remove contact lenses.

Swallowed After swallowing: immediately make victim drink water (two glasses at

most). Consult a physician. 4.2 Most import

Skin Contact In case of skin contact Take off immediately all contaminated clothing.

Rinse skin with water/ shower. Call a physician immediately

Inhalation No data available
Ingestion No data available

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment

needed

No data available

### 5. Fire-fighting Measures

www.rxmarine.com

Flammability No data available

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are

given.

Special hazards arising from the substance or mixture Carbon oxides Combustible. Vapors are heavier than air and may spread

along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the

event of fire

Further information Remove container from danger zone and cool with water. Prevent fire

extinguishing water from contaminating surface water or the ground water

system.

Hazardous combustion No data available

products

Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent

skin contact by keeping a safe distance or by wearing suitable protective

clothing.

Protective Equipment No data available
Specific Hazards Arising from the Chemical No data available

#### 6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures Adv

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For

personal protection see section 8.

Spillage No data available
Personal Protection No data available

Environmental Precaution Do not let product enter drains. Risk of explosion.

Methods and materials for Cover drains. Collect, bind, and pump off spills. Observe possible containment and cleaning material restrictions (see sections 7 and 10). Take up dry. Dispose of

properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections For disposal see section 13.

### 7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take

precautionary measures against static discharge.

Incompatible materials No data available

Hygiene measures Immediately change contaminated clothing. Apply preventive skin

protection. Wash hands and face after working with substance. For

precautions see section 2.2.

Advice on safe handling For precautions see section 2.2.

Conditions for safe storage including any incompatibilities

No data available

Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep

away from heat and sources of ignition. Recommended storage

temperature see product label.

Storage class Storage class (TRGS 510) 3 Flammable liquids

Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are

stipulated

Advice on general occupational hygiene No data available

## 8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls Personal protective equipment

Engineering Control No data available

Eye/face protection

Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU). Safety

glasses

Body Protection Flame retardant antistatic protective clothing.

Skin protection This recommendation applies only to the product stated in the safety data

sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 120 min Material tested:Camatril® (KCL 730 / Aldrich

Z677442, Size M)

Respiratory protection Recommended Filter type Filter A (acc. to DIN 3181) for vapours of

organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be

properly documented.

No data available

Other Protection Measure No data available

# 9. Physical and chemical properties

рH

www.rxmarine.com

Physical state Liquid
Colour Colorless

Odour Characteristic
Odor Threshold No data available

Melting Point -51 °C

Boiling Point 127 - 131 °C at 1.013 hPa

Flash Point 30 °C - closed cup
Evaporation Rate No data available
Flammability (solid, gas) No data available

Explosive limits Upper explosion limit 1,6 %(V) Lower explosion limit 1,6 %(V)

Upper/lower flammability or explosive limits

Autoignition temperature

Autoignition temperature

Decomposition temperature

No data available

Vapour pressure

No data available

Kinematic 1,32 mm2/s at 25 °C - OECD Test Guideline 114 Viscosity

Density 0,951 g/cm3 at 20 °C Relative Density No data available Specific Gravity No data available

Partition coefficient Log Pow 0,7 at 25 °C - Bioaccumulation is not expected.

Explosive properties No data available

Solubility 301 g/l at 20 °C - OECD Test Guideline 105- completely soluble

Ignition temperature No data available No data available Particle characteristics

### 10. Stability and reactivity

www.rxmarine.com

Reactivity Vapor/air-mixtures are explosive at intense warming.

The product is chemically stable under standard ambient conditions (room Chemical stability

temperature)

Possibility of hazardous reactions Exothermic reaction with Oxidizing agents polymerisation initiators

> Strong bases acids Risk of explosion with Nitric acid hydrogen peroxide hydrazine and derivatives hydroxylamine Violent reactions possible with:

Strong oxidizing agents

Conditions to avoid Heating.

Incompatible materials No data available

In the event of fire: see section 5 Hazardous decomposition products

### 11. Toxicological information

www.rxmarine.com

Acute toxicity LD50 Oral - Rat - male and female - > 2.000 mg/kg (OECD Test

> Guideline 401) LC50 Inhalation - Rat - male - 4 h - > 19,5 mg/l vapor(OECD Test Guideline 403) LD50 Dermal - Rat - male and female -

> 2.000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation Skin - Rabbit Irritating to skin. - 4 h (OECD Test Guideline 404) Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

Eves - Rabbit Irritating to eyes. (OECD Test Guideline 405)Classified Serious eye damage/irritation

according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Maximization Test - Guinea pignegative (OECD Test Guideline 406)

No data available

Test Type Ames test Test system Escherichia coli/Salmonella

typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471 Result: negative Test Type:

Chromosome aberration test in vitro Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method:

OECD Test Guideline 473 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells

Metabolic activation with and without metabolic activation Method:

OECD Test Guideline 476

No data available

No data available

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Repeated dose toxicity - Rat - male and female - Oral - 25 Weeks - NOAEL (No observed adverse effect level) - 723 mg/kg - LOAEL (Lowest observed adverse effect level) - 1.000 mg/kg Remarks: (ECHA) To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: After absorption: Dizziness Drowsiness Convulsions Damage to: Liver Kidney Other

Reproductive toxicity

Carcinogenicity Germ cell mutagenicity

Respiratory or skin sensitization

Specific target organ toxicity - single exposure

Additional Information

dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

### 12. Ecological information

www.rxmarine.com

Persistence and degradability Biodegradability aerobic - Exposure time 28 d Result: > 99 % - Readily

biodegradable. (OECD Test Guideline 301F)

Semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 Toxicity to fish

mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates Static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity No data available

Toxicity to bacteria Static test EC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test

Guideline 209)

Toxicity to algae Static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l -

72 h (OECD Test Guideline 20

Products Biodegradation No data available Mobility in soil No data availalble

Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties The substance/mixture does not contain components considered to have

> endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher

Other adverse effects When discharged properly, no impairments in the function of adapted

biological wastewater treatment plants are to be expected. Discharge into

the environment must be avoided.

### 13. Disposal considerations

www.rxmarine.com

Product No data available Contaminated packaging No data available Waste treatment Method No data available

#### 14. Transport information

www.rxmarine.com

ADR/RID:2245 IMDG:2245 IATA:2245 UN number

ADR/RID:CYCLOPENTANONE IMDG:CYCLOPENTANONE IATA:CYCLOPENTANONE UN proper shipping name

IMDG:3 Transport hazard class(es) ADR/RID:3 IATA:3 Packaging group ADR/RID:lll IMDG:lll IATA:lll ADR/RID:No IMDG:No IATA:No Environmental hazards

Tunnel restriction code (D/E) Special precautions for user

Further information No data available

# 15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the This material safety data sheet complies with the requirements of

substance or mixture

Other regulations

Chemical Safety Assessment

Regulation (EC) No. 1907/2006.

Take note of Dir 94/33/EC on the protection of young people at work. A Chemical Safety Assessment was not carried out for this substance.

### 16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.