## 1. Product and Company Identifaction

Porduct Name Part Number

Company Details:....

### RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone	+91 22 20871200 - 1400
Fax	+91 22 27612100 ::::AOH :0091 9821214367
Email	mail@rxmarine.com
Website	www.rxmraine.com

2. Composition / Information on ingredients				www.rxmarine.com
Chemical Name	Cas No	EC No	Whight	Formula
Chlorogenic Acid	327-97-9	206-325-6	354.31 g/mol	C <sub>16</sub> H <sub>18</sub> O <sub>9</sub>

Chlorogenic Acid

RXSOL-60-6099-005

3. Hazards Identification	www.rxmarine.com
GHS Classification	Not a hazardous substance or mixture.
GHS Label elements, including precautionary statements	No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required
Physical and chemical hazards	Referring to current information, no physical or chemical hazard.
Health hazards	Referring to current information, no health hazard.
Environmental hazards	Referring to current information, no environmental hazard.
Other hazards	None

#### 4. First Aid Measures www.rxmarine.com If inhaled After inhalation: fresh air. In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower After eye contact: rinse out with plenty of water. Remove In case of eye contact contact lenses. If swallowed After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell. Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 Indication of any immediate medical attention and special No data available

### treatment needed

Notes to physician

No data available

www.rxmarine.com

www.rxmarine.com

## 5. Fire-fighting Measures

Flammability	May be combustible at high temperature.
Suitable extinguishing media	Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	Do NOT use water jet.
Special hazards arising from the substance or mixture	Carbon oxides Nitrogen oxides (NOx) Combustible.
Further information	Use water spray to cool unopened containers.
Hazardous combustion products	Fire may cause the evolution of Sulphur oxides, nitrogen oxides.
Advice for firefighters	Wear self-contained breathing apparatus for firefighting if necessary.
Protective Equipment	Use personal protective equipment.
Specific Hazards Arising from the Chemical	Has a fire-promoting effect due to the release of oxygen. Ambient fire may liberate hazardous vapours.

## 6. Accidental Release Measures

Personal precautions, protective equipment and emergency Wear respiratory protection. Avoid breathing vapors, mist or procedures gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8. Spillage Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition sources. Call for assistance on disposal. Personal Protection Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8. **Environmental Precaution** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Methods and materials for Contain spillage, and then collect with non-combustible containment and cleaning absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Reference to other sections For disposal see section 13.

7. Handling and Storage	www.rxmarine.com
Advice on protection against fire and explosion	Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.
Incompatible materials	Keep away from alkalis, strong oxidizing agents and metals.

Provide containment walls of adequate capacity to hold any accidental spills.

Hygiene measures	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. For precautions see section 2.2.
Advice on safe handling	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.
Conditions for safe storage, including any incompatibilities	Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Moisture sensitive.
Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.
Storage class	Storage class (TRGS 510): 3: Flammable liquids
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
Advice on general occupational hygiene	Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

### 8. Exposure controls and personal protection

Exposure controls No specific additional engineering controls are required. Provide good natural or artificial ventilation. **Engineering Control** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Eye/face protection Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). **Body Protection** Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Full contact Material: butyl-rubber Minimum laver thickness: 0,3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M) Splash contact Material: Chloroprene Minimum layer thickness: 0,6 mm Break through time: 30 min Material tested:Camapren® (KCL 722 / Aldrich Z677493, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full? face respirator with multi-purpose

combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Handle in accordance with good industrial hygiene and safety practice.

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. Physical and chemical properties

Physical state Colour Odour Odor Threshold pН Melting Point **Boiling Point** Flash Point **Evaporation Rate** Flammability (solid, gas) **Explosive limits** Upper/lower flammability or explosive limits Autoignition temperature Decomposition temperature Vapour pressure Viscosity Density **Relative Density** Specific Gravity Partition coefficient Explosive properties Solubility Ignition temperature Particle characteristics No data available

## 10. Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reactions Conditions to avoid Incompatible materials

Hazardous decomposition products

No data available Stable under recommended storage conditions. No data available Heat, flames and sparks. Strong acids, Strong bases, Strong oxidizing agents, Strong reducing agents In the event of fire: see section 5

www.rxmarine.com

# Clear, Liquid Colorless No data available Not Applicable No data available -93 °C - lit. 97 °C - lit. 6 °C - closed cup Not Applicable No data available 0,772 g/mL at 25 °C - lit. No data available No information available.

Other Protection Measure

Control of environmental exposure

## 11. Toxicological information

Acute toxicity	LD50 Oral - Rat - 39 mg/kg LC50 Inhalation - 4 h - 11 mg/l LD50 Dermal - 51 mg/kg
Skin corrosion/irritation	Skin - Rabbit Result: Mild skin irritation - 24 h
Serious eye damage/irritation	Eyes - Rabbit Result: Moderate eye irritation - 24 h
Respiratory or skin sensitization	No data available
Carcinogenicity	No data available
Germ cell mutagenicity	No data available
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Additional Information	RTECS: UF9625000 Lung irritation, Cyanosis, Central nervous system depression To the best of our knowledge, the chemical, physical, and toxicological properties have not been

thoroughly investigated.

## 12. Ecological information

www.rxmarine.com

Persistence and degradability	No data available
Toxicity to fish	Static test LC50 - Oncorhynchus mykiss (rainbow trout) - 75 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	Static test EC50 - Daphnia magna (Water flea) - 42,81 mg/l - 48 h (OECD Test Guideline 202) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: maleic acid
Toxicity	Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.520 mg/l - 96 h
Toxicity to bacteria	EC10 - Bacteria - 14 mg/l - 72 h Remarks: (Lit.) EC5 - E.coli - 15.000 mg/l Remarks: (Lit.) (maximum permissible toxic concentration)
Toxicity to algae	Static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 74,35 mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: maleic acid
Products Biodegradation	The methods for determining the biological degradability are not applicable to inorganic substances.
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	No data available
Other adverse effects	No data available .

# 13. Disposal considerations

www.rxmarine.com

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in

Contaminated packaging Waste treatment Method original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Dispose of as unused product.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### 14. Transport information

UN number UN proper shipping name

Transport hazard class(es) Packaging group Environmental hazards Special precautions for user Further information

ADR/RID:2404 IMDG:2404 IATA: 2404 ADR/RID:PROPIONITRILE IMDG:PROPIONITRILE IATA:PROPIONITRILE ADR/RID: 3 (6.1) IMDG: 3 (6.1) IATA:3 (6.1) ADR/RID: II IMDG: II IATA:II ADR/RID: No IMDG: No IATA: No No data available Not classified as dangerous in the meaning of transport regulations.

#### 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Other regulations

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

Chemical Safety Assessment

### 16. Other information

Other Information

For this product a chemical safety assessment was not carried out

#### www.rxmarine.com

www.rxmarine.com

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For

this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.