### 1. Product and Company Identifaction

www.rxmarine.com

Product Name Tri Methyl Benzene 1,3,5
Part Number RXSOL-19-1476-210

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

 Email
 mail@rxmarine.com

 Website
 www.rxmraine.comA

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name CAS EC number Weight Formula 1,3,5-Trimethylbenzene 108-67-8 203-604-4 >= 100% C9H12

### 3. Hazards Identification

www.rxmarine.com

Signal Word Danger

Hazard Statements H226 Flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P273 Avoid release to the environment.

P301 + P310 + P331 IF SWALLOWED: Immediately call a POISON

CENTER/doctor. Do NOT induce vomiting.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel

unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Not a hazardous substance or mixture according to Regulation (EC) No

Classification of the substance or mixture

Precautionary statements

1272/2008.

Supplemental Hazard Statements

Other hazards

None.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 4. First Aid Measures

www.rxmarine.com

General advice Consult a physician. Show this material safety data sheet to the doctor in

attendance.

If inhaled If breathed in, move person into fresh air. If not breathing, give artificial

respiration. Consult a physician.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult

a physician.

Swallowed Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Rinse mouth with water. Consult a physician.

Skin Contact Wash off with soap and plenty of water. Consult a physician.

Inhalation Remove patient to fresh air, keep warm and at rest and get medical

assistance in necessary.

Ingestion Rinse mouth with water. Do not induce vomiting. Never give anything by

mouth to an unconscious person. Call a doctor or Poison Control Center

immediately.

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment No data available

needed

### 5. Fire-fighting Measures

www.rxmarine.com

Flammability Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Suitable extinguishing media Dry powder Dry sand
Unsuitable extinguishing media Do NOT use water jet.

Special hazards arising from the substance or mixture Carbon oxides

Further information Use water spray to cool unopened containers.

Hazardous combustion Fire may cause the evolution of Sulphur oxides, nitrogen oxides.

products

Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

Protective Equipment Use personal protective equipment.

Specific Hazards Arising from the Chemical

Oxides of phosphorus Sodium oxides Not combustible. Fire may cause

evolution of: Oxides of phosphorus Ambient fire may liberate hazardous

vapours.

#### 6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal

protection see section 8.

Spillage Oxidizing material. Stop leak if without risk. Avoid contact with a

combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition

sources. Call for assistance on disposal.

Environmental Precaution Prevent further leakage or spillage if safe to do so. Do not let product

Methods and materials for containment and cleaning

enter drains. Discharge into the environment must be avoided.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion

Incompatible materials

Hygiene measures

Precautions for safe handling

Storage conditions

Storage class

Specific end use(s)

Advice on general occupational hygiene

Requirements for storage

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Keep away from alkalis, strong oxidizing agents and metals. Provide containment walls of adequate capacity to hold any accidental spills.

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. For precautions see section 2.2.

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

Storage class (TRGS 510): 3: Flammable liquids

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

Keep in cool and store under shade.

## 8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls

Control parameters

**Engineering Control** 

Eye/face protection

**Body Protection** 

Skin protection

Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Full contact Material: Fluorinated rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 30 min Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, email sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It

Respiratory protection

Other Protection Measure Control of environmental exposure




Gloves Suit

should not be construed as offering an approval for any specific use scenario.

Where risk assessment shows air-purifying respirators are appropriate use a full@face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Handle in accordance with good industrial hygiene and safety practice.

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.



www.rxmarine.com

Physical state Liquid, clear Colour Colorless

Odour No data available Odor Threshold No data available No data available

Melting Point 43.7 °C

**Boiling Point** 168,0 - 169,0 °C Flash Point 48,0 °C - closed cup Not Applicable **Evaporation Rate** Flammability (solid, gas) No data available Explosive limits No Data Available Upper/lower flammability or explosive limits 6,4 %(V) / 0,9 %(V)

515.0 °C Autoignition temperature

Decomposition temperature No data available 2,3 hPa at 20,0 °C Vapour pressure Density 0,88 g/cm3

Relative Density No data available Relative vapor density No data available Freezing point No data available Viscosity No data available Partition coefficient No data available No data available Explosive properties Solubility 0,057 g/l at 25 °C

No information available. Ignition temperature No data available

Particle characteristics

# 10. Stability and reactivity

www.rxmarine.com

No data available Reactivity

Stability

Possibility of hazardous reactions

Conditions to avoid Incompatible materials

Hazardous decomposition products

Stable under recommended storage conditions.

No data available

Heat, flames and sparks.
Strong oxidizing agents

In the event of fire: see section 5

### 11. Toxicological information

www.rxmarine.com

Acute toxicity

Skin corrosion/irritation

Serious eye damage/eye irritation Respiratory or skin sensitization

Toxic Effects on Human

Carcinogenicity

Germ cell mutagenicity

Reproductive toxicity

Specific target organ toxicity - single exposure Special Remarks on other Toxi Effects on Humans

Endocrine disrupting properties

LD50 Oral - Rat - male - 6.000 mg/kg LC50 Inhalation - 4 h - 11 mg/l -

vapor Dermal: No data available

Remarks: No data available Remarks: No data available

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals. in vivo assay - Mouse Result: Did not cause

sensitization on laboratory animals.

May cause damage to the following organs: upper respiratory tract. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant, sensitizer), of ingestion, of inhalation (lung irritant, lung sensitizer).

No data available

Test Type: in vitro test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vivo micronucleus test Species: Rat Cell type: Bone marrow Application Route: Intraperitoneal Method: Mutagenicity (micronucleus test) Result: negative

No data available

No data available

Skin: Causes skin irritation. May cause skin sensitization, an allergic reation, which becomes evident upon re-exposure to this material.

Eyes: Causes eye irritation.

Ingestion: Causes gastrointestinal (digestive) tract irritation with nausea, vomiting, and diarrhea. May be harmful if swallowed.

Inhalation: Causes respiratory tract irritation. May cause chemical pneumonitis and pulmonary edema, inflammation, edema of bronchi and larvnx.

#### Chronic

Potential Health Effects: Repeated or prolonged skin exposure may cause allergic reactions in sensitive individuals. Repeated or prolonged exposure by inhalation may affect respiration and metabolism.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: DC3325000 prolonged or repeated exposure can cause:, narcosis, Bronchitis., Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Central nervous system .

# 12. Ecological information

www.rxmarine.com

Bioaccumulative potential Persistence and degradability No data available No data available Toxicity to fish Flow-through test LC50 - Pimephales promelas (fathead minnow) - 7,72

mg/l - 96,0 h

Toxicity to daphnia and other aquatic invertebrates Static test EC50 - Daphnia magna (Water flea) - 3,6 mg/l - 48 h (OECD

Test Guideline 202)

Static test EC50 - Pseudokirchneriella subcapitata - 1,13 mg/l - 72 h Toxicity to algae

(OECD Test Guideline 201)

Static test EC50 - activated sludge - 563 mg/l - 3 h (OECD Test Guideline Toxicity to bacteria

209) Remarks: (in analogy to similar products) The value is given in

analogy to the following substances: sodium hypochlorite solution

Mobility in soil No Information available

Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have Endocrine disrupting properties

> endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other adverse effects Toxic to aquatic life with long lasting effects.

### 13. Disposal considerations

www.rxmarine.com

Disposal methods The material can be disposed of by removal to a licensed chemical

destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do

not discharge to sewer systems.

Contaminated packaging Dispose of as unused product.

Waste treatment Method Offer surplus and non-recyclable solutions to a licensed disposal

company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other

waste. Handle uncleaned containers like the product itself.

# 14. Transport information

www.rxmarine.com

ADR/RID: 3295 IMDG: 3295 IATA: 3295 UN number

ADR/RID:Hydrocarbons, liquid, n.o.s. IMDG:Hydrocarbons, liquid, UN proper shipping name

n.o.s. IATA:Hydrocarbons, liquid, n.o.s.

ADR/RID: 3 IMDG: 3 IATA: 3 Transport hazard class(es) Packaging group ADR/RID: III IMDG: III IATA: III Environmental hazards ADR/RID: NO IMDG: NO IATA: NO

Further information No data available

### 15. Regulatory information

www.rxmarine.com

Inventory status

Components are on the following inventories: Polymaleic acid: - US TSCA, Canadian DSL, EU EINECS, Australian AICS, Korean, Philippine PICCS and Chinese Xi irritant R 36/38 Irritant to eyes & skin R 41 Risk of serious damage to eyes S24/25 Avoid contact with skin and eyes S26/28 In case of contact eyes & skin, rinse with plenty water and seek medical advice Section 312/313: Not listed. Not listed under California proposition 65.

substance or mixture

National legislation

Safety, health and environmental regulations/legislation specific for the This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

> Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : FLAMMABLE LIQUIDS : ENVIRONMENTAL

**HAZARDS** 

Other regulations Chemical Safety Assessment Take note of Dir 94/33/EC on the protection of young people at work. For this product a chemical safety assessment was not carried out.

### 16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchant ability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, how so ever arising, even if Rx Marine International has been advised of the possibility of such damages.