1. Product and Company Identifaction

www.rxmarine.com

Product Name CorroSOL 26 Neutralised Sulphite

Product Number RXSOL-42-1524-035

Product Type

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Stock Point ::: Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat

Phone +91 22 27815541 / 42

Fax +91 22 2781 1318+91 22 2781 1318 :::AOH :0091 9821214367

Email <u>mail@rxmarine.com</u>

2. Composition / Information on ingredients

www.rxmarine.com

CAS # Chemical Name w/w
763-90-5 Sodium BisulfIte 20%
3710-84-7 N,N-Diethylhydroxylamine 10%
- Proprietary Blend of Stabilizers and Amine > 60%

derived organic products

3. Hazards Identification

www.rxmarine.com

Eye Contact Irritant skin contact Irritant

inhalation It inhaled remove to fresh air, if not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Get medical attention.

Ingestion DO NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person

Carcinogenic effect

MUTAGENIC EFFECTS: Mutagenic for bacteria and / or yearst

4. First Aid Measures

www.rxmarine.com

Eye Contact Check for and remove any contact lenses. In case of contact, immediately

flush eyes with plenty of water for at teast 15 minutes. Cold water may be

used.Get medical attention.

Skin Contact In case of contact, immediately flush skin with plenty of water.Cover the

irritated skin with an emallent. Remove contamineted clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention.

Serious Skin Contact Wash with a disinfectant soap and cover the contaminated skin with an

anti-bacterial cream. Seek immediate medial attention.

Inhalation It inhaled remove to fresh air,if not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Get medical attention.

Not available.

Ingestion DO NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen light

clothing such as a collar, tie belt or waistband.

Serious Ingestion: Not available.

5. Fire-fighting Measures

Serious Inhalation

www.rxmarine.com

Flammability of the Product Non-flammable Auto-Ignition Temperature Not applicable.

Flash Points Not applicable.

Products of Combustion Not available.

Fire Hazards in Presence of Various Substances Not applicable.

Explosion Hazards in Presence of Various Substances Risks of explosion of the product in presence of mechanical impact : Not

available.

Risks of explosion of the product in presence of static discharge: Not

available

Fire Fighting Media and Instructions

Not applicable.

Special Remarks on Explosion Hazards:

Not available.

6. Accidental Release Measures

www.rxmarine.com

Small Spill Use appropriate tools to put the spilled solid in a covenient waste disposal

container. Finish cleaning by spreading water on the contaminated surface and dispose of accroding to local and regional authority requirements.

Large Spill

Use a stovel to put the material into a convenient waste disposal container.

Finish cleaning by spreading water on the contaminated surface and allow to available the springer through the springer and that the product is not

to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and

with local authorities.

7. Handling and Storage

www.rxmarine.com

Precautions Do not ingest. Do not breathe dust. Wear suitable protective clothing. In

case of insufficient ventilation, wear suitable respiratory eqipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes, keep away from incompatibles

such as oxidizing agents, alkalis.

Storage Keep container tightly closed. Keep Container in a cool, well-ventilated

area.

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airbome levels below recommended exposure limits. If

Personal Protection

Personal Protection in case of a Large Spill"

Exposure Limits

user operations generate dust, fume or mist , use ventilation to keep exposure to airborne contaminants below the exposure limit.

Splash goggles. Lab coat, Dust respirator. Be sure to use an approved /

certifiled respirator or equivalent Gloves.

Splash goggles. Full suit. Dust respirator. Boots Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

TWA 5 (mg/m3) from OSHA (PEL) [united states] Inhalation

TWA 5 (mg/m3) from ACGIH (TLV) [united states] Inhalation

TWA 5 (mg/m3) from [united states] Inhalation

TWA 5 (mg/m3) from [United Kingdom(UK)] Inhalation

TWA 5 (mg/m3) from [Canada] inhalation Consult local authorities for acceptable exposure limits.

9. Physical and chemical properties

www.rxmarine.com

Solubility (10 % Aquous Soln)	V. S. Hazy to clear solution.
pH Value of 5% Solution	3.5 to 4.5
Specific Gravity @ 25° C	1.310 🖸 1.370
Density, lbs/gal @ 25° C	10.9 - 11.3
Appearance	Clear Liquid
Odour	Pungent Odour
Standard Packing	30 Kg / 50 Kg. / 250 kg HM HDPE Barrel

10. Stability and reactivity

www.rxmarine.com

Stability

Instability Temperature Conditions of Instability

Incompatibility with various substances

Corrosivity

Special Remarks on Reactivity Special Remarks on Corrosivity

Polymerization

The product is stable.

Not available.

Incompatible materials

Reactive with oxidizing agents, acids. Non - corrosive in presence of glass.

Slowly oxidized to sulfate on exposure to air.

Not available. Will not occur.

11. Toxicological information

www.rxmarine.com

Routes of Entry

Toxicity to Animals

Chronic Effects on Humans

Inhalation, Ingestion.

Acute oral toxicity (LD50): 2000 mg/kg [Rat].

CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC.

MUTAGENIC EFFECTS : Mutagenic for bacteria and/or yeast.

Other Toxic Effects on Humans Special Remarks on Toxicity to Animals Special Remarks on Chronic Effects on Humans

Special Remarks on other Toxic Effects on Humans

May cause damage to the following organs: lungs, skin.

Hazardous in case of skin contact (irritant), of ingestion, of inhalation.

Not available

May affect genetic material (mutagenic).

May cause cancer based on animal test data. No human data found. Acute Potential Health Effects:

Skin Causes skin irritation.

Eyes. Causes eye irritation.

Inhalation: Can cause respiratory tract irritation with cough, Wheezing, and Shortness of breath. It can produce anaphylaxis or other hypersensivity reactions in some sensitized individuals.

Ingestion: May be harmful if swallowed. It may cause nausea, vomiting ,diarrhea, abdominal pain, gastric. Extremely large amounts may affect behavior / central nervous system and may produce central nervous system stimulation, irritation, seizures and may also cause, cyanosis, respiratory depression, apnea, circulatory disturbances, hypotension and cardlovascular collapse. May cause asthmatic reaction in sensitized individuals.

Chronic Potential Health Effects:

Inhalation: Prolonged or repeated inhalation may cause bronchitis to develop with cough, phlegm, and/or shortness of breath. It can cause an asthma-like allergy or other hypersensivity reactions such as anaphylaxis, angloedema, bronchoconstriction, flushing, diaphoresis, urtiacaria, tachycardia, and hypotension in sensitized individuals. Futures exposures may cause shortness of breath. Wheezing, cough, and/or chest tightness.

Skin:Protonged or repeated skin contact can cause dermatitis.

Ingestion: Prolonged or repeated ingestion may affect the liver, and blood

12. Ecological information

www.rxmarine.com

Ecotoxicity BOD5 and COD

Products of Biodegradation

Toxicity of the Products of Biodegradation Special Remarks on the Products of Biodegradation Not available. Not available.

Possibly hazardous short term degradation product are not likely. However, long term degradation products may arise.

The products of degradation are less toxic than the product itself. Not available.

13. Disposal considerations

www.rxmarine.com

Waste Disposal

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14. Transport information

www.rxmarine.com

DOT Classification Identification Special Provisions for Transport Not a DOT controlled material (United States). Not applicable. Not applicable. Federal and state Regulations:

Connecticut hazardous material survey: Sodium bisulfite

Illinoistoxic substances disclosure to employee act: Sodium bisulfite

Illinois chemical safety act: Sodium bisulfite

New York release reporting list: Sodium bisulfite

Pennsylvania RTK: Sodium bisulfite

Minnesota: Sodium bisulfite

Massachuselts RTK: Sodium bisulfite

Massachuseltts spill list : Sodium bisulfite

New Jersey: Sodium bisulfite

New Jersey spill list: Sodium bisulfite

Louisianp spill reporting: Sodium bisulfite

California Director's List of Hazardous Substances: Sodium bisulfite

TSCA 8(b) inventory Sodium bisulfite

TSCA 8(a) PAIR: Sodium bisulfite

TSCA 8(d) H and S data reporting : Sodium bisulfite: Effective date :1/26/94; Sunset date : 6/30/98

CERCLA: Hazardous substances: Sodium bisulfite: 5000 lbs. (2268 kg)

Other Regulations:

OSHA Hazardous by definition of Hazard Communication Standard (29 CFR 1910,1200).

EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada): CLASS D-2B: Material causing other toxic effects (TOXIC)

DSCL (EEC):

R22- Harmful if swallowed.

R31- Contact with acids liberates toxic gas.

S25- Avoid contact with eyes.

S46- If swallowed, seek medical advice immediately and show this container or label.

HMIS (U.S.A.):

Health Hazard:2

Fire Hazard:0

Reactivity:0

Personal Protection :E

National Fire Protection ASsociation (U.S.A.):
Health: 2
Flammability :0
Reactivity:0
Specific hazard:
Protective Equipment:
Gloves
Lab coat
Dust respirator. Be sure to use an approved/certified respirator or equivaient. Wear appropriate respirator when ventilation is inadequate.
Splash goggles.

16. Other information

www.rxmarine.com

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall rxmarine.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if RXMARINE has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.