

## 1. Product and Company Identification

www.rxmarine.com

Product Name Ammonia Aqueous 10 Percent  
Part Number RXSOL-19-1227-215

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400  
Fax +91 22 27612100 ::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)  
Website [www.rxmarine.com](http://www.rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	Cas No	EC No	Weight %	Formula
Ammonia solution	1336-21-6	215-647-6	10-12	NH <sub>4</sub> OH

## 3. Hazards Identification

www.rxmarine.com

Signal Word	Danger
Hazard Statements	H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	P261 Avoid breathing mist or vapors. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Classification of the substance or mixture	Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.
Supplemental Hazard Statements	None
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 4. First Aid Measures

www.rxmarine.com

General advice	First aiders need to protect themselves.
If inhaled	After inhalation fresh air. Call in physician
Eye Contact	After eye contact rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
Swallowed	After swallowing make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

Skin Contact	In case of skin contact Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.
Inhalation	No data available
Ingestion	No data available
Most important symptoms and effects, both acute and delaye	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

Flammability	No data available
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given.
Special hazards arising from the substance or mixture	Nitrogen oxides (NOx) Not combustible. Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing. Ambient fire may liberate hazardous vapours. Fire may cause evolution of: nitrogen oxides
Further information	Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Hazardous combustion products	No data available
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Protective Equipment	No data available
Specific Hazards Arising from the Chemical	No data available

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Spillage	No data available
Personal Protection	No data available
Environmental Precaution	Do not let product enter drains.
Methods and materials for containment and cleaning	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
Reference to other sections	For disposal see section 13.

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

Advice on protection against fire and explosion	No data available
Incompatible materials	No data available
Hygiene measures	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.
Advice on safe handling	Observe label precautions
Conditions for safe storage, including any incompatibilities	No data available

Storage conditions	No metal or light-weight-metal containers. Tightly closed. Recommended storage temperature see product label.
Storage class	Storage class (TRGS 510) 8B Non-combustible, corrosive hazardous materials
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
Advice on general occupational hygiene	No data available

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

Eye/face protection	Tightly fitting safety goggles
Exposure control	Personal protective equipment
Skin protection	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Full contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested: Butoject® (KCL 898) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Splash contact
Body Protection	Protective clothing
Respiratory protection	Recommended Filter type Filter type K The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.
Control of environmental exposure	Do not let product enter drains.

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

PARAMETER	VALUE
Physical State	Liquid
Colour	