

## 1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-19-1622-025

Product Type Sodium Sulfide

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Kolkata, Chennai, Fujairah, Muscat, Kenya, Canada

Phone +91 22 27815541

Fax +91 22 2781 1318 ::::AOH :0091 9821214367

Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

SARA 313 Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
Sodium Sulfide	1313-38-4	55-60%	W/V	TXDS: orl-rat LD: 200 mg/Kg

## 3. Hazards Identification

www.rxmarine.com

May be harmful if swallowed. May cause irritation. Avoid breathing vapours, or dust. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling.

Emergency Overview: Caution Liquid May Be Hazardous. Avoid Ingestion, And Contact With Skin, Eyes Or Clothing. If Ingested, Do Not Induce Vomiting. Drink With Water. Or Milk, And Get Medical Attention. Contact With Acid Produces Hydrogen Sulfide Gas.

Irritation: May cause mild irritation of the respiratory tract. Symptoms may include coughing, distress, nausea and headache.

Ingestion: May cause a sore throat, vomiting, diarrhoea, stomach upset and effects of irritation.

Skin: May cause irritation, redness, and pain.

Eye Contact: May cause irritation, redness, pain, and tearing.

Chronic Exposure: No Information Found.

Aggravated by Exposure: No Information Found.

## 4. First Aid Measures

www.rxmarine.com

May be harmful if swallowed. May cause irritation. Avoid breathing vapours, or dust. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling.

SKIN:

Remove contaminated clothing. Wash exposed area with soap and water. If irritation persists, seek medical attention.

EYES:

Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally.

INHALATION:

Seek Medical Aid.  
Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen

INGESTION

If swallowed, induce vomiting immediately after giving two glasses of water. Never give anything by mouth to an unconscious person.

## 5. Fire-fighting Measures

www.rxmarine.com

Fire Extinguisher Type	Any water suitable for extinguishing surrounding fire
Fire / Explosion Hazards	Contact with acids will liberate poisonous flammable hydrogen Sulfide Gas.
Fire Fighting Procedures	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and clothing

## 6. Accidental Release Measures

www.rxmarine.com

Absorb spill with inert material, then place in a chemical waste container. Dispose of in a manner consistent with federal, local law.

Ventilate Area of Leak or Spill. Wear Appropriate Personal Protective Equipment as Specified in Section 8. Contain and Recover Liquid when Possible. Collect Liquid in an Appropriate Container or Absorb with an Inert Material (e.g., Vermiculite, Dry Sand, Earth), and Place in a Chemical Waste Container. Do Not Use Combustible Materials, such as Saw

## 7. Handling and Storage

www.rxmarine.com

Store in a cool dry place. Do not get in eyes, on the skin, on clothing. Wash thoroughly after handling

## 8. Exposure controls and personal protection

www.rxmarine.com

Respiratory Protection	None required
Ventilation	Local
OTHER	Mechanical
Protective Gloves	Gloves to prevent skin exposure to sulfur or vinyl
EYE PROTECTION	Splash Goggles
Other Protective Equipment	Wear appropriate clothing to prevent skin exposure

## 9. Physical and chemical properties

www.rxmarine.com

BOILING POINT	-109° C
Vapour PRESSURE	Information not available
MELTING POINT	-41° C
Vapour DENSITY	Information not available
EVAPORATION RATE	N/A
Appearance /Odors	Clear yellow-green liquid with a Sulfur odor
Flash Point	Does. May be combustible at high temp
Specific Gravity	-1.1
Pressure Volatile by	-495
Refractive Index	
Auto Ignition Temp	Not applicable
Lower Flamm. Limit in Air	Not applicable
Upper Flamm. Limit in Air	Not applicable
	Soluble

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

### STABILITY

#### CONDITIONS TO AVOID

Avoid contact with incompatible materials.

#### MATERIALS TO AVOID

Strong oxidizers, acids, metals  
(Aluminum, Copper, Zinc and Steel)

#### HAZARDOUS DECOMPOSITION

See section 09

#### PRODUCTS

#### HAZARDOUS POLYMERIZATION

not expected to occur

#### Conditions to Avoid

None known

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

Carcinogenic References: NTP Carcinogen - Known: No, IARC Category- None

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Environmental Fate: No Information Found.

Environmental Toxicity: No Information Found.

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Dilute with Water and Flush to Sewer if Local Ordinances allow, Otherwise, Whatever Cannot be saved for recovery or recycling should be managed in an appropriate and approved waste Disposal Facility. Processing, use or Contamination of this product may change the waste management options. State and Local Disposal Regulations may Differ from Federal Disposal Regulations. Dispose of Container and Unused Contents in Accordance with Federal, State and Local Requirements.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

DOT Classification: Not Regulated

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

CAS# 1313-84-4 is not on the TSCA Inventory. It is a hydrate and exempt from TSCA Inventory requirements (40CFR720.3(u)(2)).

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

Contact with acids will liberate poisonous flammable hydrogen sulfide gas. Effects of overexposure / Target organs: Nerves, Cardiovascular system. Inhalation may cause irritation of mucous membranes and respiratory tract. Skin contact may cause irritation and burn to the eyes and skin. The material may be absorbed through the skin causing toxicity similar to hydrogen sulfide poisoning. Ingestion of this material may be toxic. Hydrogen sulfide may be produced in the intestinal tract. The material is corrosive and may produce intestinal and oesophageal burns. First Aid: Inhalation: remove to fresh air. If ingested, seek medical attention,

Flammability

Health

Reactivity

---

Revisions

7/30/2010

NFPA

0.1 updated msds to 16 section from 10 section msds. STN  
0

The information herein is believed to be accurate and is offered in good faith for the user' consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above-mentioned company or not. Users of this material should satisfy themselves by an independent investigation of current scientific and medical knowledge that the material

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable