1. Product and Company Identifaction

www.rxmarine.com

Product Name Diesel Exhaust Fluid Blue DEF
Part Number RXSOL-149-1920-025

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

STOCK POINT ::: Mumbai, Kandla, Chennai, Kolkata, Visakhapatnam, Fujairah, Muscat - Oman

Phone +91 22 27815542 / 43

Fax +91 22 2781 1318 :::AOH :0091 9821214367

Email123@rxmarine.comWebsitewww.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Ingrident Cas Number

Troclosene sodium, dihydrate 51580-86-0
Sodium Carbonate 497-19-8
Urea 57-13-6
DI water 7732-18-5

3. Hazards Identification

www.rxmarine.com

Signal Word Caution

Hazard Statements Harmful if swallowed or in contact with skin. May cause an allergic skin reaction. Causes eye irritation.

Label Elements Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke

product. Contaminated work clothing should not be allowed out of the

workplace. Mixing this product with acid or ammonia releases chlorine gas.

Classification Not classified as Dangerous Goods by the criteria of the product for the Transport of Dangerous Goods by Road, Sea, 1

4. First Aid Measures

www.rxmarine.com

Eye Contact Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 1:

water may be used. Get medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing

Thoroughly clean shoes before reuse. Get medical attention if irritation develops and persists.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get med

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unco

Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear. Serious

available.

5. Fire-fighting Measures

www.rxmarine.com

Flammability Non-flammable.
Flash Point Not applicable.

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Decomposition products may include the following materials:

Hazardous combustion

products

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

Protective Equipment Use personal protective equipment.

Specific extinguishing

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the specific extinguishing water must be disposed of in accordance with local regulations.

methods and/or explosion do not breathe fumes.

6. Accidental Release Measures

www.rxmarine.com

Small Spillage Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal contained

up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental Precaution Methods and materials for containment and cleaning Do not allow contact with soil, surface or ground water. Sweep up and shovel into suitable containers for disposal.

7. Handling and Storage

www.rxmarine.com

Handling Do not get in eyes, on skin, or on clothing. Mixing this product with acid or ammonia releases chlorine gas. Wash ha

after handling.

Storage Keep out of reach of children. Store in suitable labeled containers.

Storage temperature $: 0 \, ^{\circ}\text{C}$ to $40 \, ^{\circ}\text{C}$

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Controls: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal Protection Eye protection: No special protective equipment required.

Hand protection: No special protective equipment required. Skin protection: No special protective equipment required.

Respiratory protection: No personal respiratory protective equipment normally required.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and ar

thoroughly after handling.

Hygene Measure Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eat

smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of

aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.



Gloves Suit

9. Physical and chemical properties

www.rxmarine.com

Form Liquid

Colour Clearl
Odour Odourless
Solubility Soluble in water

Soluble in water Infinite
Specific Gravity (20 °C 1.002

Density: N Av

Relative Vapour Density (air=1): >1 Vapour Pressure (20 °C): N Av Flash Point (°C): N App Flammability Limits (%): N Av Autoignition Temperature (°C): N App Melting Point/Range (°C): N Av

Boiling Point/Range (°C): Approx 100°C (@ 101.3 kPa)

pH: 10.5 - 11.5 Viscosity: N Av

Total VOC (g/Litre): N Av

(Typical values only - consult specification sheet) N Av = Not available, N App = Not applicab

:	Liquid
:	Clear Liquid
:	NA
:	No information available.
:	Acidic
:	-41.6°C (-42.9°F)
:	121°C (249.8°F)
:	NA
:	No information available.
:	No data available.
:	No data available.
	No data available.
:	1.0 - 1.25
:	Complete
:	No data available
:	Not available.
:	No data available
:	Not applicable
:	Not applicable

10. Stability and reactivity

www.rxmarine.com

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatible materials Incompatibility with various substances:

Highly reactive with alkalis. Reactive with reducing agents, combustible materials, organic materials, metals, acids.

Corrosivity:

Extremely corrosive in presence of aluminum, of copper. Non-corrosive in presence of glass, of stainless steel (304), of stainless steel (316), of brass.

Special Remarks on Reactivity:

A strong oxidizer. Reacts violently with alcohol, organic material, turpene, charcoal. Violent reaction with Nitric acid + Acetone and Sulfuric acid. Nitric Acid will react with water or steam to produce heat and toxic, corrosive and flammable vapors. (Nitric

acid, fuming)

Special Remarks on Corrosivity:

In presence of traces of oxides, it attacks all base metals except aluminum and special chromium steels. It will attack some forms of plastics, rubber, and coatings. No corrosive effect on bronze. No corrosivity data for zinc, and steel

Polymerization: Will not occur.

11. Toxicological information

www.rxmarine.com

Routes of Entry: Inhalation. Ingestion.

Toxicity to Animals: Acute oral toxicity (LD50): 2970 mg/kg [Mouse].

Chronic Effects on Humans: MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast.

Other Toxic Effects on Humans:

Hazardous in case of skin contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator).

Special Remarks on Toxicity to Animals:

Lowest Published Lethal Dose: LDL [Rat] - route: Oral; Dose: 1600 mg/kg **Special Remarks on Chronic Effects on Humans:** May affect genetic material.

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects: Skin: May cause skin irritation. Eyes: May cause eye irritation. Inhalation: May cause respiratory tract irritation with coughing and shortness of breath. Ingestion: May cause gastrointestinal tract irritation with nausea, vomiting, diarrhea, and possible abdominal cramping. Chronic Potential Health: Inhalation: Prolonged or repeated inhalation may affect blood and urinary system. The toxicological properties of this substance have not been fully investigated.

12. Ecological information

www.rxmarine.com

Ecotoxicity: Not available. **BOD5 and COD:** Not available. **Products of Biodegradation:**

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise. Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic. Special Remarks on the Products of Biodegradation: Not available.

13. Disposal considerations

www.rxmarine.com

Waste Disposal: Waste must be disposed of in accordance with federal, state and local environmental control regulations

14. Transport information

www.rxmarine.com

DOT Classification: CLASS 9: UREA mixture with proprietory Blend

Special Provisions for Transport: Not Required

In Accordance with DOT
In Accordance with IMDG
In Accordance with IMDG
In Accordance with IATA
In Accordance with TDG
Not regulated for transport
Not regulated for transport
Not regulated for transport
Not regulated for transport
No

15. Regulatory information

www.rxmarine.com

Federal and State Regulations: TSCA 8(b) inventory: Potassium ferricyanide and Nitric Acid

Other Regulations: EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (EEC)

R36/38- Irritating to eyes and skin. S2- Keep out of the reach of children. S46- If swallowed, seek medical advice immediately and show this container or label.

HMIS (U.S.A.):

Health Hazard: 2 Fire Hazard: 0 Reactivity: 0

Personal Protection: E

National Fire Protection Association (U.S.A.):

Health: 2 Flammability: 0 Reactivity: 0 Specific hazard:

Protective Equipment:

Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Splash goggles.

16. Other information

www.rxmarine.com

Full text of R-Phrases

R22: Harmful if swallowed.

R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

R34: Causes burns.

R35: Causes severe burns.

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

R43: May cause sensitization by skin contact.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if RX Marine International has been advised of the possibility of such damages.