	Produc	t Name			RXSOL-62-5524-00 ⁻
Product Type			Hydraziı	ne Test KIT Method: photometric (
Company Details:					
RX MARINE INTE 105, A wing , BSE VASHI ,NEW BOI					
Stock Point : Mum	nbai, Kandla, Chennai, Vizag, I	Kolkata, Fu	ujairah		
Phone	+91 22 27815540 / 41	Fax	+91 22 2781 1318 :::AOH :0091 98212	14367 Email	mail@rxmarine.com
Chemica Name	3				
Concentration					
CAS Number					
EC Number					
R Phrases*					
Symbols					

Formulatory Powder

2.5-5 %	
Not Applicable	
Not Applicable	
Not Applicable	
Sodium Hydrogen Sulfate	
Sociali Hydrogen Sunate	
90-100 %	
7681-381	
7601 301	
231-655-7	
41	
Xi	
Proprietory Neutralizer	
1-5 %	

Not Applicable
Not Applicable
Odour
Characteristic odour.
Appearance
Liquid, pale yellow, soluble in water.
Contact with eyes
Causes irritation.
Contact with skin
In cases of severe exposure, irritation may develop.
Inhalation

	Vapours or aerosols may cause irritation of eyes, nose and respiratory tract.
	Ingestion
	The ingestion of significant quantities may cause gastro-intestinal disturbances.
	Labelling.(REGULATION (EC) No 1272/2008)
	Hazard pictograms Signal word Warning Hazard statements H290 May be corrosive to metals. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
	Precautionary statements Prevention P280 Wear protective gloves. Response
rir	P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuensing.
	Reduced labelling (?125 ml)
	Hazard pictograms
	Signal word Warning
	Hazard statements H317 May cause an allergic skin reaction.
	Precautionary statements .P280 Wear protective gloves.

Contact with skin
Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water Seek medical advice it necessary
Contact with eyes
If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes .Obtain immediate medical attention Ingestion, lever give anything by mouth to an unconscious person Give plenty of water to drink
Ingestion
Never give anything by mouth to anunconscious person . Give plenty of water to drink . Obtain immediate medical attention
Inhalation
Remove patient to fresh air. Keep warm and at rest, in a half up right position. Loosen clothing. Seek medical attention if irritation persists
General
In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)(S45)
In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.
After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.
After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed
Irritant effects, Allergic reactions, CNS disorders. The following applies to aromatic amines in general: systemic effect: methaemoglobinaemia with headache, cardiac dysrhythmia, drop in blood pressure, dyspnoea, and spasms, principal symptom: cyanosis (blue discolouration of the blood).
Indication of any immediate medical attention and special treatment needed.
Fire-fighting measures
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Smoke from fires is irritating Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions
Personal Precautions
Wear protective clothing as per section 8
Environmental Precautions
No special precautions are required for this product Immediate Actions. Shut off source of leak if safe to do so
Clean Up Actions
Absorb spillage in inert material and shovel up. Flush spill area with copious amounts of water

Handling
The usual precautions for handling chemicals should be observed. Eyewash bottles should be available - See Section 8. Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.
Storage
Keep only in the original container in a cool, well ventilated place (S3/9/49) Protect from frost. After inhalation: use fresh air. Take up with liquid-absorbent and neutralising material
Exposure Limits
There are no recommended or established controls for this product.
Exposure controls
No special ventilation is required unless the product is used in a spray form.
Occupational exposure controls
Wear suitable protective clothing, including eye/face protection and gloves (plastic or rubber are recommended) No respiratory protection is required unless subject to contact with substance mist. Individual protection measures Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipmen

should be enquired at the respective supplier. Eye/face protection Safety glasses

splash contact:			
Glove material: Glove thickness	s: Break through time:		
Glove material: Glove thicknes	e: Break through time:		
Giove material. Giove tricknes	5. Dreak tillough tille.		
Nitrile rubber 0.11 mm			
> 480 min			
Nitrile rubber 0.11 mm			
> 480 min			
The protective gloves to be us	ed must comply with the specific	cations of EC Directive 89/686/El	EC and the related standard EN374
Odour			
Characteristic Odour	ater		
Characteristic Odour Appearance	ater		
Characteristic Odour Appearance	ater		
Odour Characteristic Odour Appearance Liquid, pale yellow, soluble in w	ater		

Boiling point
No Information
Relative Density with Water = 1 2662
Vapour pressure
not known
This article is considered stable under normal conditions
Chemical stability: The product is chemically stable under standard ambient conditions (room temperature).
Possibility of hazardous reactions: Violent reactions possible with: The generally known reaction partners of water. Strong oxidizing agents, Bases
Conditions to avoid : No information available
Incompatible materials : Animal/vegetable tissues
Gives off hydrogen by reaction with metals. Metals
Hazardous decomposition products : In the event of fire: See section 5.

1-1.5 at 5 - 10 % concentration

	Toxicological information
	No experimental data available Inhalation. Vapours or aerosols may cause irritation of Eyes, Nose and Respiratory tract.
	Contact with skin
	In cases of severe exposure, redness and irritation may develop.
	Contact with eyes
	Causes irritation.
	Ingestion
	May cause gastrointestinal disturbances
	Carcinogenicity
	No evidence of carcinogenic effects.
Inf	formation on toxicological effects Mixture
Ac	cute oral toxicity: This information is not available.
Ac	cute inhalation toxicity Symptoms: Possible symptoms:, mucosal irritations

Acute dermal toxicity :This information is not available.
Skin irritation : This information is not available.
Eye irritation : Mixture causes serious eye irritation.
Sensitisation : Mixture may cause an allergic skin reaction.
Germ cell mutagenicity : This information is not available.
Specific target organ toxicity - single exposure This information is not available.
Specific target organ toxicity - repeated exposure This information is not available.
Ecotoxicity
This product does not contain ingredients which are classified in the EU as dangerous for the environment.
Mobility
Completely soluble in water
Persistence and Biodegradability

Its main ingredients will either dissolve rapidly and dissociate in water or are readily/inherently biodegradable.
Bioaccumulation Potential
Bioaccumulation of the components in this product is insignificant. Other Adverse Effects No environmental problems are expected when the product is used / handled correctly.
After skin contact: irritative response if not handled appropriately. After eye contact: corneal lesions may occur under certain circumstances. After swallowing: damage to the affected mucous membranes possible. The following applies to aromatic amines in general: systemic effect: methaemoglobinaemia with headache, cardiac dysrhythmia, drop in blood pressure, dyspnoea, and spasms, principal symptom: cyanosis (blue discolouration of the blood).
Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.
Components
sulphuric acid Germ cell mutagenicity
Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative (HSDB)
4-dimethylaminobenzaldehyde Acute oral toxicity
LD50 Rat: > 2,000 mg/kg OECD Test Guideline 423
Skin irritation In vitro study Result: negative OECD Test Guideline 439

	Eye irritation In vitro study
	Result: Eye irritation OECD Test Guideline 492
	In vitro study
	Result: non-corrosive OECD Test Guideline 437
	Catalogue No. Product name
	Carcinogenicity
	This information is not available.
	Reproductive toxicity
	This information is not available.
	Teratogenicity
	This information is not available.
	Classification
	This material and/or its container must be disposed of as hazardous waste EU Waste class
	Disposal considerations
or	Do not discharge into drains or the environment, dispose to an authorised waste collection point Disposal should be in accordance with local, state national legislation
	Ecological information Mixture

Toxicity: No information available.
Persistence and degradability: No information available.
Bioaccumulative potential: No information available.
Mobility in soil : No information available.
Results of PBT and vPvB assessment: PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Other adverse effects: Discharge into the environment must be avoided.
Components
sulphuric acid Toxicity to fish
static test LC50 Lepomis macrochirus (Bluegill sunfish): > 16 -
Toxicity to daphnia and other aquatic invertebrates static test EC50 Daphnia magna (Water flea): > 100 mg/l; 48 h Analytical monitoring: yes OECD Test Guideline 202
Toxicity to algae static test EC50 Desmodesmus subspicatus (green algae): > 100 mg/l; 72 h Analytical monitoring: yes OECD Test Guideline 201
Toxicity to fish (Chronic toxicity) flow-through test NOEC Cyprinodon sp. (minnow): 0.025 mg/l; 65 d

Analytical monitoring: yes(ECHA)
MARINE POLUTANT : NO
- Not classified as hazardous for transport
Risk Phrases
Irritating to eyes (R36)
Safety Phrases Irritant
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice (S26) Wear suitable gloves and eye/face protection
(S37/39)
Text of R and S phrase codes used in this safety data sheet:- R34: Causes burns; R36: Irritating to eyes; R37: Irritating to the respiratory system;
R41: Risk of serious damage to eyes.
The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios.
For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards: EN 166 Personal eye-protection EN 340 Protective clothing
EN 374 Protective gloves against chemicals and micro-organisms
EN 13832 Footwear protecting against chemicals EN 133 Respiratory protective devices