

1. Product and Company Identification

www.rxmarine.com

Product Name SODIUM DI CHLOROISOCYANURATE
Part Number RXSOL-60-6605-495

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400
Fax +91 22 27612100 ::AOH :0091 9821214367
Email mail@rxmarine.com
Website www.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	CAS	EC number	Weight	Molecular Formula
SODIUM DI CHLOROISO CYANURATE	2893-78-9	220-767-7	219,95 g/mol	$C_3Cl_2N_3NaO_3$

3. Hazards Identification

www.rxmarine.com

Signal Word	Danger
Classification of the substance or mixture	Classification according to Regulation (EC) No 1272/2008 Oxidizing solids (Category 2), H272 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Sub-category 1B), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410 For the full text of the H-Statements mentioned in this Section, see Section 16.
Hazard Statements	H272 May intensify fire; oxidizer. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects.
P280 Wear protective gloves.P305 + P351 + P338	Wear protective gloves/ protective clothing/ eye protection/ face protection.F IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard information	EUH031 Contact with acids liberates toxic gas.
Precautionary statement(s)	EUH044 Risk of explosion if heated under confinement P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 Do not breathe dusts or mists. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Lachrymator., Sternutator.

Other hazards

4. First Aid Measures

www.rxmarine.com

Description of first-aid measures

No data available

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

5. Fire-fighting Measures

www.rxmarine.com

extinguishing media

No data available

Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Hydrogen chloride gas

Sodium oxides

Combustible.

Avoid shock and friction.

In the event of decomposition: danger of explosion!

Further information

No data available

Advice for firefighters

No data available

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

For personal protection see section 8.

Enviromental Precaution

No data available

Methods and materials for containment and cleaning up

.Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

7. Handling and Storage

www.rxmarine.com

Precautions for safe handling

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Moisture sensitive

Storage class

Storage class (TRGS 510): 4.1A: Other explosive hazardous materials

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Control parameters

8. Exposure controls and personal protection

www.rxmarine.com

Control parameters

Ingredients with workplace control parameters

Exposure controls

No data available

9. Physical and chemical properties

www.rxmarine.com

Physical state

powder

Colour

white

Odour

Chlorine

Odor Threshold

Not Applicable

pH

6,2 - 6,8 at 10 g/l at 25 °C

Melting Point

No data available

Boiling Point

No data available.

Flash Point

No data available

Evaporation Rate

Not Applicable

Flammability (solid, gas)

The product is not flammable. - Flammability (solids)

Explosive properties

May mass explode in fire.Risk of explosion if heated under

confinement

Upper/lower flammability or explosive limits

No data available

Autoignition temperature

No data available

Decomposition temperature

240 °C

Vapour pressure

< 0,000 hPa at 20 °C

Density

1,97 g/cm³ at 25 °C

Vapour Density

No Data Available

Specific Gravity

No data available

Partition coefficient

No data available

Explosive properties

May mass explode in fire.Risk of explosion if heated under

confinement.

Solubility

236,8 g/l at 25 °C - US-EPA- completely soluble

Particle characteristics

No data available

Oxidizing properties

The substance or mixture is classified as oxidizing with the

category 2.

Other safety information

No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity

No data available

Stability

No data available

Possibility of hazardous reactions	No data available
Conditions to avoid	Strong heating.
Incompatible materials	Strong bases, Strong oxidizing agents
Hazardous Polymerization	In the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

Acute toxicity	<p>LD50 Oral - Rat - male and female - 1.823 mg/kg (US-EPA) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: troclosene sodium, dihydrate Acute toxicity estimate Oral - 1.823 mg/kg (Calculation method)</p> <p>LC50 Inhalation - Rat - male and female - 4 h - 0,27 - 1,17 mg/l - dust/mist (OECD Test Guideline 403) LD50 Dermal - Rat - male and female - > 5.000 mg/kg (US-EPA)</p>
Skin corrosion/irritation	<p>Skin - Rabbit</p> <p>Result: Causes severe burns. - 24 h</p> <p>(US-EPA)</p>
Serious eye damage/eye irritation	<p>Eyes - Rabbit</p> <p>Result: Causes serious eye damage.</p> <p>(US-EPA)</p>
Respiratory or skin sensitization	<p>Maximization Test - Guinea pig</p> <p>Result: negative</p> <p>(OECD Test Guideline 406)</p>
Germ cell mutagenicity	<p>Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: Regulation (EC) No. 440/2008, Annex, B.19 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: Regulation (EC) No. 440/2008, Annex, B.17 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Species: Rat Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 475</p> <p>Result: negative</p>
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	Inhalation - May cause respiratory irritation.
Additional Information	Endocrine disrupting properties
Endocrine disrupting properties	<p>The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Repeated dose toxicity - Mouse - female - Oral - 104 Weeks - NOAEL (No observed adverse effect level) - 1.523 mg/kg Repeated dose toxicity - Rat - male and female - inhalation (dust/mist/fume) - 4 Weeks Remarks: (in analogy to similar products)</p> <p>(ECHA) The value is given in analogy to the following substances: synclosene</p> <p>RTECS: XZ1900000 Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea To the best of our knowledge, the</p>

chemical, physical, and toxicological properties have not been thoroughly investigated.

12. Ecological information

www.rxmarine.com

Persistence and degradability	Biodegradability aerobic - Exposure time 8 h Result: 100 % - Readily biodegradable. Remarks: (ECHA)
Toxicity	Toxicity to fish static test LC50 - Menidia beryllina (Inland silverside) - 8.000 mg/l -96 h (US-EPA) Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - > 1.000 mg/l - 48 h Remarks: (ECHA) Toxicity to algae static test ErC50 - Skeletonema costatum - > 100 mg/l - 72 h (ISO 10253) Toxicity to bacteria EC50 - activated sludge - > 4.500 mg/l - 3 h (OECD Test Guideline 209) Toxicity to fish(Chronic toxicity) semi-static test NOEC - Oncorhynchus mykiss (rainbow trout) - 1.000 mg/l - 28 d (OECD Test Guideline 215) Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) static test EC50 - Daphnia magna (Water flea) - 2.600 mg/l - 21 d (OECD Test Guideline 211)
Bioaccumulative potential	No data available
Toxicity to fish	static test LC50 - Menidia beryllina (Inland silverside) - 8.000 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 1.000 mg/l - 48 h Remarks: (ECHA)
Toxicity to algae	static test ErC50 - Skeletonema costatum - > 100 mg/l - 72 h (ISO 10253)
Toxicity to bacteria	EC50 - activated sludge - > 4.500 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	semi-static test NOEC - Oncorhynchus mykiss (rainbow trout) - 1.000 mg/l - 28 d (OECD Test Guideline 215)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	static test EC50 - Daphnia magna (Water flea) - 2.600 mg/l - 21 d (OECD Test Guideline 211)
Mobility in soil	No Information available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	No data available

13. Disposal considerations

www.rxmarine.com

Waste treatment MethodNo data available

14. Transport information

www.rxmarine.com

UN number ADR/RID: 2465

IMDG: 2465

IATA: 2465

ADR/RID: DICHLOROISOCYANURIC ACID SALTS

IMDG: DICHLOROISOCYANURIC ACID, SALTS

IATA: Dichloroisocyanuric acid, salts

ADR/RID: 5.1

IMDG: 5.1

IATA: 5.1

ADR/RID: II

IMDG: II

IATA: II

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

Tunnel restriction code : (E)

No data available

UN proper shipping name

Transport hazard class(es)

Packaging group

Environmental hazards

Special precautions for user

Further information

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the substance or mixture

National legislation

Chemical Safety Assessment

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. :
ENVIRONMENTAL HAZARDS

For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.