

## 1. Product and Company Identification

[www.rxmarine.com](http://www.rxmarine.com)

Product Name

RXSOL-60-6605-111

Product Type

NITROBENZENE FOR SYNTHESIS

Revised date

Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone

+91 22 27815541 / 42

Fax

+91 22 2781 1318 ::AOH :0091 9821214367

Email

[mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

[www.rxmarine.com](http://www.rxmarine.com)

Substance / Preparation : Nitrobenzene

CAS No :98-95-3

Substance.

Substance name Contents CAS No

Nitrobenzene : 100 % 98-95-3

Contains no other components or impurities which will influence the classification of the product.

## 3. Hazards Identification

[www.rxmarine.com](http://www.rxmarine.com)

3.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Carc. Cat. 3; R40

Repr. Cat. 3; R62

T; R23/24/25-R48/23/24

N; R51-53 Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Carcinogenicity - Category 2 - Warning (CLP : Carc. 2) H351

Reproductive toxicity - Fertility - Category 2 - Warning (CLP : Repr. 2) H361

---

Specific Target Organ Toxicity - Repeated exposure - Category 1 - Danger (CLP :

STOT RE 1) H372

Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301

Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331

Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311

Environmental hazards : Hazardous to the aquatic environment - Chronic hazard -

Category 2 (CLP : Aquatic Chronic 2) H411

### 3.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s) : T : Toxic

N : Dangerous for the environment

R Phrase(s) : R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed.

R40 : Limited evidence of a carcinogenic effect.

R48/23/24 : Toxic : danger of serious damage to health by prolonged exposure

through inhalation and in contact with skin.

R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R62 : Possible risk of impaired fertility.

S Phrase(s) : S1/2 : Keep locked up and out of reach of children.

S28 : After contact with skin, wash immediately with

S36/37 : Wear suitable protective clothing and gloves.

S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).

S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms

Signal words : Danger

Hazard statements : H301 : Toxic if swallowed.

H311 : Toxic in contact with skin.

H331 : Toxic if inhaled.

H351 : Suspected of causing cancer.

H361f : Suspected of damaging fertility.

H372 : Causes damage to organs through prolonged or repeated exposure.

H411 : Toxic to aquatic life with long lasting effects.

---

## Precationary statements

¶ General : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

P201: Obtain special instructions before use.

¶ Prevention : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

¶ Response : P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.

P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P308+P313: If exposed or concerned : get medical advice.

P391: Collect spillage.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

P363: Wash contaminated clothing before reuse.

P314: Get medical advice if you feel unwell.

P361: Remove immediately all contaminated clothing.

¶ Storage : P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.

¶ Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 3.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

## 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest. Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). Remove to fresh air and keep at rest in a position comfortable for breathing.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse.

Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

Ingestion : Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. Rinse mouth.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure. Danger of serious damage to health by prolonged exposure through inhalation. Suspected of damaging fertility.

Swallowing a small quantity of this material will result in serious health hazard.

### 4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If exposed or concerned : get medical advice.

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

---

## 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

## 5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

### 6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

### 7.1. Precautions for safe handling

Handling : Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke

when using this product. Wash thoroughly after handling. Do not eat, drink or smoke

when using this product. Do not breathe dust, fume, gas, mist, vapours, spray.

Wash thoroughly after handling. Obtain special instructions before use.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

Specific end use(s) : None.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

#### 8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

¶ Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

¶ Hand protection : Wear protective gloves.

¶ Eye protection : Chemical goggles or safety glasses.

¶ Others : When using, do not eat, drink or smoke.

#### 8.2. Control parameters

Occupational Exposure Limits : No data available.

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

#### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Odour threshold : No data available.

pH value : No data available.

Melting point [°C] : 5 - 6 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : 482°C

Flammability (solid, gas) : N/A

Flash point [°C] : 88°C

Boiling point [°C] : 210 - 211 °C

Initial boiling point [°C] : 210°C

Final boiling point [°C] : 211 °C

Evaporation rate : N/A

Vapour pressure [20°C] : 0.3 hPa at 20°C

Vapour pressure mm/Hg : N/A

Vapour density : 4,3

Density [g/cm3] : 1,2

Relative density, gas (air=1) : N/A

Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Practically insolubl

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : 8 - 8.5 at 1.00000 g

Viscosity at 40°C [mm2/s] : N/A

## 9.2. Other information

Explosive properties : N/A

Explosion limits - upper [%] : 40%

Explosion limits - lower [%] : 1,80%

Oxidising properties : No data available.

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

### 10.1. Reactivity

Reactivity : Not established.

## 10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

## 10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

### 11.1. Information on toxicological effects

#### Acute toxicity

☐ Inhalation : Toxic if inhaled.

☐ Dermal : Toxic in contact with skin.

☐ Ingestion : Toxic if swallowed.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Suspected of causing cancer.

Toxic for reproduction : Suspected of damaging fertility.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Based on available data, the classification criteria are not met.

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

## 12.1. Toxicity

Toxicity information : Toxic to aquatic life with long lasting effects.

## 12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

## 12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

## 12.4. Mobility in soil

Mobility in soil : Not established.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

## 12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

### 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to toxicity.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

### 14.1. Land transport (ADR-RID)

Proper shipping name : NITROBENZENE

---

UN N° : 1662

H.I. nr : 60

ADR - Class : 6.1

Labelling - Transport : 6.1 : Toxic substances.

ADR - Classification code : T1

ADR - Group : II

ADR - Packing instructions : P001

ADR - Limited Quantity : 100 ML

ADR - Tunnel code : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : NITROBENZENE

UN N° : 1662

IMO-IMDG - Class or division : 6.1 : Toxic substances.

IMO-IMDG - Packing group : II

IMO- IMDG - Packing instructions : P001

IMO-IMDG - Limited quantities : 100 ml

IMO-IMDG - Marine pollution : Yes

EMS-Nr : F-A S-A

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : NITROBENZENE

UN N° : 1662

IATA - Class or division : 6.1 : Toxic substances.

IATA - Packing group : II

IATA - Passenger and Cargo Aircraft : ALLOWED -

Passenger and Cargo - Packing : 654

instruction -

Passenger and Cargo - Maximum : 5 L

Quantity/Packing

IATA - Cargo only : ALLOWED -

Cargo only - Packing instruction : 662

- Cargo only - Maximum Quantity/ : 60 L

Packing IATA - Limited Quantites : 1 L

ERG-Nr : 6L

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed. regulations/legislation specific for the substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

### 15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER OF LIABILITY** :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.