Product Name	RXSOL-19-1113-025
Product Type	Dichloro Methane

**Company Details:** 

# RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Kandla, Mumbai, Chennai, Kolkata, Visakhapatnam, Fujairah, Muscat

Phone	+91 22 27815541 / 42 / 43	Fax	+91 22 2781 1318 :::AOH :0091 9821214367	Email
mail@rxmarine.co	<u>om</u>			

**Chemical Name** 

**CAS Number** 

EC Number

Index number

Dichloro Methane

75-09-2

200-838-9

## Hazard description:

Information concerning particular hazards for human and environment: R 40 Limited evidence of a carcinogenic effect.

After inhalation

Supply fresh air; consult doctor in case of complaints.

After skin contact

Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water.

After swallowing

If symptoms persist consult doctor.

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Protective equipment: No special measures required.

Person-related safety precautions: Not required.

Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.

Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.Ensure adequate ventilation.

### Handling:

### Information for safe handling:

Ensure good ventilation/exhaustion at the workplace.Prevent formation of aerosols. Information about fire - and explosion protection: No special measures required.

### Storage:

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None.

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

75-09-2 dichloromethane

PEL (USA)

TLV (USA) WEL (Great Britain)

Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052 LFC 174 mg/m³, 50 ppm BEI Short-term value: 1060 mg/m³, 300 ppm Long-term value: 350 mg/m³, 100 ppm SK

Additional information: The lists valid during the making were used as basis.

## Personal protective equipment:

### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

**Respiratory protection:** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

### Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye protection:** Safety glasses

**General Information** 

Form

Fluid

## Colour

## Colourless

## Odour

## Like chlorine

## Change in condition

# Melting point/Melting range

# -95.1°C

# Boiling point/Boiling range

## 40°C

# Flash point

Not applicable.

## Danger of explosion

# Product does not present an explosion hazard.

Explosion limits:		Lower	13 Vol %	Upper 22 Vol %		,	Vapour pressure at 20°C	453 hPa
Density at 20°C	1.33 g/cm <sup>3</sup>	Solut	oility in / Miscibili	ty with water a	t 20°C	20 g/l	Viscosity:	Dynamic at 22°C
0.43 mPas								

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Dangerous reactions No dangerous reactions known.

Dangerous decomposition products: No dangerous decomposition products known.

Acute toxicity:
LD/LC50 values relevant for classification:

Oral

Inhalative

LD50

LD50

LC50/4 h

1600mg/kg (rat)

88 mg/l (rat)

Pinnary inthant effect:

on the skin

No initiant effect:

on the skin

No initiant effect:

### General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

### Product:

## Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

### Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Land transport ADR/RID (cross-border)			ADR/RID class			6.1 Toxic substances.			Danger code (Kemler)			
60	ι	JN-Numbe	er 1593	I	Packaging gro	oup III		Hazard la	abel	6.1		Description of
goods	1593 DIC	HLOROM	ETHANE	Maritime	transport IM	DG		IMDG Class	6.1		UN Ni	umber
1593		Label	6.1	Packa	ging group	Ш		EMS Number	F-	A,S-A		Marine
pollutant	No		Proper shippi	ng name	DICHLORO	METHANE		Air transport l	САО-Т	and IAT	A-DGR	
ICAO/I	ATA Class	6.1	U	N/ID Number	1593		Label	6.1		Packagin	g group	Ш
Prop	per shipping	name	DICHLOROM	ETHANE								

Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

#### Code letter and hazard designation of product:

#### • Risk phrases:

40 Limited evidence of a carcinogenic effect.

#### Safety phrases:

2 Keep out of the reach of children.

23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

24/25 Avoid contact with skin and eyes.

36/37 Wear suitable protective clothing and gloves.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall **Rx Marine International** be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, how so ever arising, even if **Rx Marine International** has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.