1. Product and Company Identifaction

www.rxmarine.com

Porduct Name Propionitrile

Part Number RXSOL-19-3710-025

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

 Email
 mail@rxmarine.com

 Website
 www.rxmraine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name Cas No EC No Whight Formula Sodium cyanide 143-33-9 205-599-4 49,01 g/mol CNNa

3. Hazards Identification

www.rxmarine.com

Signal Word Danger

Hazard Statements H300 + H310 Fatal if swallowed or in contact with skin.

Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/ protective clothing. P301 + P310 + P330 IF SWALLOWED:

Immediately call a POISON CENTER/ doctor. Rinse mouth. P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a

POISON CENTER/ doctor.

Classification of the substance or mixture Not a hazardous substance or mixture according to Regulation (EC) No

1272/2008.

Supplemental Hazard Statements None

Other hazards This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

General advice

If inhaled

Eye Contact

Swallowed

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to

neutralise.

Skin Contact In case of skin contact: Take off immediately all contaminated clothing.

Rinse skin with water/ shower. Call a physician immediately

Inhalation Remove patient to fresh air, keep warm and at rest and get medical

assistance in necessary.

Ingestion Rinse mouth with water. Do not induce vomiting. Never give anything by

mouth to an unconscious person. Call a doctor or Poison Control Center

immediately

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment No data available

needed

5. Fire-fighting Measures

www.rxmarine.com

Flammability May be combustible at high temperature.

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances

and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are

given.

Special hazards arising from the substance or mixture Carbon oxides Sodium oxides Not combustible. Ambient fire may

liberate hazardous vapours.

Further information Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent

fire extinguishing water from contaminating surface water or the ground

Fire may cause the evolution of Sulphur oxides, nitrogen oxides.

water system.

Hazardous combustion

products

Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent

skin contact by keeping a safe distance or by wearing suitable protective

clothing.

Protective Equipment Use personal protective equipment.

Specific Hazards Arising from the Chemical Has a fire-promoting effect due to the release of oxygen.

Ambient fire may liberate hazardous vapours.

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures,

consult an expert. For personal protection see section 8.

Spillage Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp

using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition

sources. Call for assistance on disposal.

Personal Protection Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice

for emergency responders: Protective equipment see section 8.

Prevent further leakage or spillage if safe to do so. Do not let product

enter drains.

Methods and materials for Cover drains. Collect, bind, and pump off spills. Observe possible containment and cleaning material restrictions (see sections 7 and 10). Take up carefully. Dispose of

properly. Clean up affected area. Avoid generation of dusts.

For disposal see section 13.

Reference to other sections

Environmental Precaution

7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion

Incompatible materials

Hygiene measures

Advice on safe handling

Conditions for safe storage, including any incompatibilities

Storage conditions

Storage class

Specific end use(s)

Advice on general occupational hygiene

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Keep away from alkalis, strong oxidizing agents and metals. Provide containment walls of adequate capacity to hold any accidental spills.

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Work under hood. Do not inhale substance/mixture.

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Moisture sensitive.

No metal containers. Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Do not store near acids.

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls

Engineering Control

Eye/face protection

Body Protection Skin protection

Respiratory protection

Other Protection Measure Control of environmental exposure No specific additional engineering controls are required. Provide good natural or artificial ventilation.

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

protective clothing

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Recommended Filter type: Filter B-(P3) The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Handle in accordance with good industrial hygiene and safety practice.

Do not let product enter drains.

9. Physical and chemical properties

www.rxmarine.com

Physical state crystalline
Colour white
Odour odorless

Odor Threshold No data available

pH 11,0 - 12,0 at 49,0 g/l at 25 °C

Melting Point 563,7 °C - lit.

Boiling Point 1.500 °C at 1,013 hPa
Flash Point 6 °C - closed cup
Evaporation Rate Not Applicable

Flammability (solid, gas)

No data available

Explosive limits

No Data Available

Upper/lower flammability or explosive limits

No data available

Autoignition temperature No data available
Decomposition temperature No data available
Vapour pressure 1 hPa at 817 °C

Density 1,59 kg/m3 at 20 °C
Relative Density No data available
Specific Gravity No data available
Partition coefficient No data available
Explosive properties No data available

Solubility 370 g/l at 20 °C

Particle characteristics No data available

10. Stability and reactivity

Viscosity

Ignition temperature

www.rxmarine.com

Reactivity Contact with acids liberates very toxic gas.

Chemical stability The product is chemically stable under standard ambient conditions (room

temperature).

No data available

No information available.

Possibility of hazardous reactions Risk of explosion with: chlorates nitrates Oxidizing agents Release

of: Hydrogen cyanide (hydrocyanic acid) Violent reactions possible with: Nitric acid urea Carbon dioxide (CO2) (in the presence of atmospheric oxygen and/or moisture) Release of: Hydrogen cyanide (hydrocyanic acid) Generates dangerous gases or fumes in contact with: alkali salts Acids Water Release of: Hydrogen cyanide (hydrocyanic acid) Generates

dangerous gases or fumes in contact with: Acids

Conditions to avoid No information available Incompatible materials Aluminum, Metals, Zinc

Hazardous decomposition products

In the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

Acute toxicity LD50 Oral - Rat - female - 5,09 mg/kg Remarks: (ECHA) LC50

Inhalation - Rat - male - 1 h - 63 ppm - gas (OECD Test Guideline 403) Remarks: (in analogy to similar products) The value is given in analogy to

the following substances: hydrogen cyanide

Skin corrosion/irritation Remarks: No data available Serious eye damage/irritation Remarks: No data available

Respiratory or skin sensitization No data available Carcinogenicity No data available

Germ cell mutagenicity Test Type: Ames test Test system: Salmonella typhimurium Metabolic

activation: with and without metabolic activation Method: US-EPA Result: negative Test Type: Chromosome aberration test Species: Rat

Application Route: Oral Method: US-EPA Result: negative

Reproductive toxicity No data available
Specific target organ toxicity - single exposure No data available

Additional Information

RTECS: UF9625000 Lung irritation, Cyanosis, Central nervous system depression To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. Ecological information

www.rxmarine.com

Persistence and degradability No data available

mortality LOEC - Pimephales promelas (fathead minnow) - 0,126 mg/l -Toxicity to fish

17 d

Toxicity to daphnia and other aquatic invertebrates semi-static test EC50 - Chironomus riparius (harlequin fly) - 0,012 mg/l -

> 48 h (OECD Test Guideline 202) semi-static test NOEC - Chironomus riparius (harlequin fly) - 0,006 mg/l - 48 h (OECD Test Guideline 202)

Toxicity Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.520

mg/l - 96 h

Toxicity to bacteria EC50 - Bacteria - 4,9 mg/l - 6 h Remarks: (ECHA) Toxicity to algae EC50 - Nitzschia closterium - 0,051 mg/l - 72 h

The methods for determining the biological degradability are not Products Biodegradation

applicable to inorganic substances.

Mobility in soil No data available

Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties No data available Other adverse effects No data available.

13. Disposal considerations

www.rxmarine.com

No data available Waste treatment Method

14. Transport information

www.rxmarine.com

ADR/RID:1689 IMDG:1689 IATA: 1689 UN number

ADR/RID:SODIUM CYANIDE, SOLID IMDG:SODIUM CYANIDE, UN proper shipping name

SOLID IATA:SODIUM CYANIDE, SOLID

ADR/RID: 6.1 IMDG: 6.1 IATA:6.1 Transport hazard class(es) ADR/RID: I IMDG: I IATA:I Packaging group

ADR/RID: Yes IMDG: Yes IATA: No Environmental hazards

Special precautions for user No data available

Further information Not classified as dangerous in the meaning of transport regulations.

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the This material safety data sheet complies with the requirements of

substance or mixture Other regulations

Regulation (EC) No. 1907/2006.

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take

note of Dir 94/33/EC on the protection of young people at work.

Chemical Safety Assessment For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.