1. Product and Company Identifaction

www.rxmarine.com

Porduct Name Sodium Bentonite
Part Number RXSOL-81-8101-001

Company Details:....

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

 Email
 mail@rxmarine.com

 Website
 www.rxmraine.com

2. Composition / Information on ingredients

www.rxmarine.com

Substances

Formula Montmorillonite
Molecular weight 180,1 g/mol
CAS-No 1302-78-9
EC-No. 215-108-5

3. Hazards Identification

www.rxmarine.com

Classification of the substance or mixture Not a hazardous substance or mixture according to Regulation (EC) No

1272/2008

Label elements Not a hazardous substance or mixture according to Regulation (EC) No

1272/2008

Other hazards This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

Description of first aid measures

If inhaled After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing.

Rinse skin with water/ shower

In case of eye contact After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult

doctor if feeling unwell.

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment No data available

needed

If swallowed

Extinguishing media

Suitable extinguishing media Special hazards arising from the substance or mixture Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the

risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Aluminum oxide

silicon oxides

Advice for firefighters Further information Wear self-contained breathing apparatus for firefighting if necessary. No data available

spray to keep fire-exposed containers cool. Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire. No action shall be taken involving any personal risk or without suitable

training. Move containers from fire area if this can be done without risk. Use water

spray to keep fire-exposed containers cool.

6. Accidental Release Measures

Methods and materials for containment and cleaning up

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapors, mist or gas.

For personal protection see section 8.

Environmental precautions No special environmental precautions required.

Sweep up and shovel. Keep in suitable, closed containers for disposal.

For disposal see section 13.

7. Handling and Storage

Reference to other sections

www.rxmarine.com

Advice on protection against fire and explosion

Conditions for safe storage, including any incompatibilities

Provide appropriate exhaust ventilation at places where dust is formed.

Recommended storage temperature see product label.

Recommended storage temperature see product label. Tightly closed.

Recommended storage temperature see product label.

Apart from the uses mentioned in section 1.2 no other specific uses are

stipulated

8. Exposure controls and personal protection

www.rxmarine.com

Control parameters

Specific end use(s)

Ingredients with workplace control parameters

Exposure controls

Personal protective equipment

Eye/face protection Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU). Safety

glasses

Skin protection This recommendation applies only to the product stated in the safety data

sheet,

supplied by us and for the designated use. When dissolving in or mixing

with other

substances and under conditions deviating from those stated in EN374

please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124

Eichenzell,

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet,

supplied by us and for the designated use. When dissolving in or mixing with other

substances and under conditions deviating from those stated in EN374 please $\,$

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L Required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following

standards: DIN EN 143, DIN 14387 and other accompanying standards relating to

the used respiratory protection system.

Recommended Filter type: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory

protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Do not let product enter drains..

Control of environmental exposure

Respiratory protection

9. Physical and chemical properties

www.rxmarine.com

Information on basic physical and chemical properties

Physical state Granules
Color Gray, beige
Odor No data available

Odor Threshold No data available pН No data available Melting point/freezing point No data available Initial boiling point and boiling range No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive limits No data available Flash point No data available Autoignition temperature No data available Decomposition temperature No data available

materials. Extremely flammable in the presence of the following materials

or conditions: oxidizing

materials.

pH 6,0 - 9,0

Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

Water solubility 256,084 g/l at 25 °C - OECD Test Guideline 105- completely soluble Partition coefficient: n-octanol/water log Pow: -0,698 at 30 °C - Bioaccumulation is not expected., (ECHA)

Vapor pressure < 0,1 hPa at 20 °C

Density 1,116 g/cm3 at 20 °C at 975,5 hPa - OECD Test Guideline 109

Relative densityNo data availableRelative vapor densityNo data availableParticle characteristicsNo data availableExplosive propertiesNo data available

Oxidizing properties None

Other safety information

Bulk density 400 - 500 kg/m3

10. Stability and reactivity

www.rxmarine.com

ReactivityNo data availableChemical stabilityNo data availablePossibility of hazardous reactionsNo data availableConditions to avoidNo data availableIncompatible materialsNo data available

Hazardous decomposition productsIn the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

Information on toxicological effects

Acute toxicity LD50 Oral - Rat - > 5.000 mg/kg

Remarks: (IUCLID)

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Molybdenum dioxide Serious eye damage/eye irritation Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Molybdenum dioxide Respiratory or skin sensitization Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products) Test Type: Micronucleus test Germ cell mutagenicity Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 487 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Disodium molybdate dihydrate Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Disodium molybdate dihydrate Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Disodium

molybdate dihydrate
Carcinogenicity
No data available
Reproductive toxicity
No data available
Specific target organ toxicity - single exposure
No data available
Specific target organ toxicity - repeated exposure
No data available
Aspiration hazard
No data available

12. Ecological information

www.rxmarine.com

Persistence and degradability

No data available

Toxicity to fish Static test LC50 - Oncorhynchus mykiss (rainbow trout) - 75 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates Static test EC50 - Daphnia magna (Water flea) - 42,81 mg/l - 48 h

(OECD Test Guideline 202) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: maleic acid

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.520

mg/l - 96 h

Toxicity to bacteria EC10 - Bacteria - 14 mg/l - 72 h Remarks: (Lit.) EC5 - E.coli - 15.000

mg/l Remarks: (Lit.) (maximum permissible toxic concentration)

Toxicity to algae Static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 74,35

mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar products) The value is given in analogy to the following substances:

maleic acid

Products Biodegradation The methods for determining the biological degradability are not

applicable to inorganic substances.

Mobility in soil No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties No data available

Other adverse effects No data available.

13. Disposal considerations

www.rxmarine.com

Product Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the

company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other

waste. Handle uncleaned containers like the product itself.

Contaminated packaging Dispose of as unused product.

Waste treatment Method See www.retrologistik.com for processes regarding the return of

chemicals and containers, or contact us there if you have further

questions.

14. Transport information

Transport hazard class(es)

Environmental hazards Special precautions for user

Packaging group

www.rxmarine.com

UN number ADR/RID:2404 IMDG:2404 IATA: 2404

UN proper shipping name ADR/RID:PROPIONITRILE

IMDG:PROPIONITRILE IATA:PROPIONITRILE

ADR/RID: 3 (6.1) IMDG: 3 (6.1) IATA:3 (6.1)

ADR/RID: II IMDG: II IATA:II

ADR/RID: No IMDG: No IATA: No

No data available

Further information Not classified as dangerous in the meaning of transport regulations.

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations

Chemical Safety Assessment

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.