# 1. Product and Company Identifaction

www.rxmarine.com

Product Name RXSOL-16-1011-210

Product Type Metals Stain Rust Brites Cleaner

### **Company Details:**

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Stock Point: Mumbai, Kandla, Chennai, Ennore, Visakhapatnam, Gangavaram, Kolkata, Haldia, Fujairah UAE, Muscat Oman

Phone +91 22 27815540 / 41 / 42

Fax +91 22 2781 1318 :::AOH :0091 9821214367

Email <u>mail@rxmarine.com</u>

# 2. Composition / Information on ingredients

www.rxmarine.com

No	Ingredients name	CAS-NO	Cons.(weight%)	Cl
1	Phosphoric Acid with Ethoxylated Fatty alcohol		15-20	Xi
2		112-34-5	10 - 20	
3	Butylene Glycol		10	
4	Proprietory Formulatory Detergent Product		2-4	C;
	Citric Acid mixture			

Legend T+=Very toxic, T=Toxic, C=Corrosive, Xn=Harmful, Xi=Irritant, IK=No classification required, E=Explosive,

O=Oxidising,

flammable, Fo=Flammable, N=Dang. to the environment, Mut=Genetoxic,

Sens=Sensitizing, Carc=Carcinogen, Repr=Causes birth defects

5. Non Hazardous ::: Blend

### 3. Hazards Identification

www.rxmarine.com

Acidic liquid. R34 Causes burns. R36 - Irritating to eyes.

Odour Odourless

Appearance Liquid, pale yellow, soluble in water
Contact with eyes Can cause damage to the eyes

Contact with skin Causes burns (R34)

Inhalation Vapours or aerosols may cause irritation of eyes, nose and respiratory

tract, Can cause damage to the lungs

Ingestion The ingestion of significant quantities may cause damage to digestive

syste

### 4. First Aid Measures

www.rxmarine.com

**Inhalation:** Remove victim from immediate source of exposure and assure that the victim is breathing. Administer oxygen if available to the victim from immediate source of exposure and assure that the victim is breathing.

immediate medical attention.

Skin: Wash skin with plenty of soap and water for at least 15 minutes. Seek medical attention. Remove contaminated clot

clean before reuse or discard if they cannot be thoroughly cleaned.

Eyes: Hold eyelids open and flush with a steady, gentle stream of water for at least 15minutes. Seek immediate medical a

with an ophthalmologist.

**Ingestion:** Contact a physician or emergency medical facility immediately. Never give anything to an

unconscious person.

## 5. Fire-fighting Measures

www.rxmarine.com

Proper Fire Fighting Equipment: Water spray, fog or mist, alcohol-resistant foam, dry chemical, carbon dioxide (CO2).

**Improper Fire Fighting Equipment:** Fire fighters should wear self contained breathing apparatus and full protective clothing. Keep unnecessary people away, isolate hazard area and deny entry. Dike area to prevent run off and contamination of water sources. Persons who have been exposed to contaminated smoke should be immediately examine by a physician and checked for symptoms of poisoning.

Fire and Explosion Hazards Products: Oxides of Phosphorous.

Personal Protection When Fire Fighting: Wear self-contained breathing apparatus or supplied-air respirator in confined spaces.

Other Information: Containers close to fire should be removed immediately or cooled with water.

### 6. Accidental Release Measures

www.rxmarine.com

Safety Measurements to Protect Persons: Wear appropriate protective gear for the situation. See personal protection information in section 8.

Safety Measurements to Protect Environment: Run off from fire control or dilution water may cause pollution. Large spills should be handled according to a predetermined plan.

Proper Methods For Damage Limitation And Clean up: Carefully neutralize spill with soda ash. Clean up residual material by washing up area with water.

# 7. Handling and Storage

www.rxmarine.com

**Handling Advice:** Do not get on skin or in eyes. Avoid breathing vapors and mists. Do not ingest. This product reacts violently wit bases liberating heat and causing sputtering.

**Storage:** Store in an area that is cool, dry, well ventilated.

# 8. Exposure controls and personal protection

www.rxmarine.com

### EXPOSURE LIMITS

Name of Substance: Phosphoric Acid

Page Number:2/5

OSHA (PEL): 8 hour time-weighted average 1 mg/m3 ACGIH (TLV): short term exposure limit 3 mg/m3 ACGIH (TLV): time-weighted average 1 mg/m3

Eye protection: Eye contact should be prevented through use of chemical safety glasses with side shields or splash proof goggles. An emergency eye wash must be readily accessible to the work area. Face contact should be prevented through use of a face shield.

**Skin protection:** Skin contact should be prevented through use of suitable protective clothing, gloves and footwear, selected with regard for use conditions and exposures potential. Consideration must be given both to durability as well as permeation resistance..

**Respiratory protection:** When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and industrial recommendations. Other Information: Do not smoke in work area.

# 9. Physical and chemical properties

www.rxmarine.com

Form: Liquid

Air Active: Not applicable

Colour:

Colorless

Rel. vapour density:

Odor:
Odorless

Ignition temp:

>450°C

Solubility in Water:

Completely

Moleculer weight:Not applicableExpl.limit:Not establishedMeltingPoint/range:Not established

 Density:
 1.18 ☑ 1.28 gram / cm3

 Vapour pressure:
 2.16-5.65 mmHg at 760°C

 Boiling Point :
 135°C ☑ 158°C at 760mmHg

Saturaction conc :Not applicableDecomposition temp.:Not applicableViscosity:Not establishedFlash Point:Not applicablepH:1.2 ☑ 2.0

## 10. Stability and reactivity

www.rxmarine.com

Stability: Stable under normal use conditions.

Materials to be avoided: Fluorine, Strong Oxidizing Agents, Strong Reducing Agents, Bases, Metals, Sulfur Trioxide, Phosphorus Pentoxide.

Conditions to be avoided: None known.

Other Information: Hazardous decompositions products Oxide of phosphorus.

## 11. Toxicological information

www.rxmarine.com

#### TOXICOLOGICAL DATA

Name of Substance: Phosphoric Acid

LD50 (oral, rat): 1530 mg/kg (anhydrous substance)

LC50 (inhalation, rat): >0.85 mg/l /1 h (anhydrous substance) LD50 (dermal, rabbit): 2740 mg/kg (anhydrous substance)

Inhalation: Mists can cause lung irritation, shortness of breath, fluid in lungs.

**Skin contact:** Causes irritation and skin burns.

Eye contact: Corrosive, causes tissue destruction, permanent damage to the cornea, blindness.

Ingestion: Can cause nausea, vomiting, diarrhoea, corrosion, burns to mouth and oesophagus, abdominal pain, chest pain, shortness of breath, seizures, death.

## 12. Ecological information

www.rxmarine.com

### ECOTOXICOLOGICAL DATA

Name of Substance: Phosphoric Acid

Fish toxicity: fish LC50: