

1. Product and Company Identification

www.rxmarine.com

Product Name Paint Remover
Part Number RXSOL-18-1013-001

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400
Fax +91 22 27612100 ::AOH :0091 9821214367
Email mail@rxmarine.com
Website www.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	Cas No	EC No	Weight	Formula
Dichloromethane	75-09-2	200-838-9	84,93 g/mol	CH ₂ Cl ₂
Proprietary Bled of Solvent with Pigment Emulsifier	---	---	---	---

3. Hazards Identification

www.rxmarine.com

tatement(s)

Signal Word	Danger
Hazard Statements (s)	No Data available
H315	Causes skin irritation.
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer.
Precautionary statement(s)	Toxic in contact with skin.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing mist or vapors.
P264	Wash skin thoroughly after handling
P302 + P352	IF ON SKIN: Wash with plenty of water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
Supplemental Hazard Statements	none.

4. First Aid Measures

www.rxmarine.com

General advice	Show this material safety data sheet to the doctor in attendance.
If inhaled	After inhalation: fresh air
Swallowed	After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.
Skin Contact	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
Eye contac	After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.
Ingestion	No data available
Most important symptoms and effects, both acute and delaye	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

5. Fire-fighting Measures

www.rxmarine.com

Suitable extinguishing media	Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given.
Special hazards arising from the substance or mixture	Carbon oxides Hydrogen chloride gas Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.
Further information	Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Hazardous combustion products	No data available
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. .
Protective Equipment	No data available
Specific Hazards Arising from the Chemical	No data available

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Personal Protection	No data available
Enviromental Precaution	Do not let product enter drains.
Methods and materials for containment and cleaning	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
Reference to other sections	For disposal see section 13.

7. Handling and Storage

www.rxmarine.com

Advice on safe handling	Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols
Incompatible materials	No data available
Hygiene measures	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.
Conditions for safe storage, including any incompatibilities	Storage conditions Tightly closed. Dry.
Storage conditions	Tightly closed. Keep in a well-ventilated place. Keep locked up or in an

Storage class	area accessible only to qualified or authorized persons. Heat sensitive. Handle and store under inert gas.
Specific end use(s)	Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects
Advice on general occupational hygiene	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated No data available

8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls	Personal protective equipment
Engineering Control	Personal protective equipmen
Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Body Protection	protective clothing.
Skin protection	TThis recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Viton® Minimum layer thickness: 0,7 mm Break through time: 120 min Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)
Respiratory protection	Recommended Filter type: Filter AX (EN 371) The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.
Other Protection Measure	No Data available
Control of environmental exposure	Do not let product enter drains.

9. Physical and chemical properties

www.rxmarine.com

Physical state	liquid
Colour	colorless
Odour	ether-like
Odor Threshold	Not Applicable
pH	No data availabl
Melting Point	Melting point/range: -97 °C
Boiling Point	39,8 - 40 °C
Flash Point	does not flash
Evaporation Rate	Not Applicable
Flammability (solid, gas)	No data available
Explosive limits	No Data Available
Upper/lower flammability or explosive limits	Upper explosion limit: 22 %(V) Lower explosion limit: 13 %(V)
Autoignition temperature	605 °C
Decomposition temperature	No data available
Vapour pressure	584 hPa at 25 °C
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 0,42 mPa.s at 25 °C
Density	1,325 g/mL at 25 °C
Relative Density	No data available
Specific Gravity	No data available
Partition coefficient	log Pow: 1,25 at 20 °C - Bioaccumulation is not expected
Explosive properties	No data available

Solubility	No data available
Ignition temperature	No information available.
Particle characteristics	No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity	No data available
Chemical stability	Sensitivity to light The product is chemically stable under standard ambient conditions (room temperature) . Contains the following stabilizer(s): 2-methyl-2-butene (>0,005 - 2.000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Mouse - 4 h - 86 mg/l - vapor Remarks: (ECHA) Symptoms: Possible damages:, mucosal irritations LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)
Skin corrosion/irritation	LD50 Oral - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Mouse - 4 h - 86 mg/l - vapor Remarks: (ECHA) Symptoms: Possible damages:, mucosal irritations LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)
Serious eye damage/irritation	Eyes - Rabbit Result: Eye irritation Remarks: (ECHA) Remarks: Risk of corneal clouding
Respiratory or skin sensitization	Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)
Carcinogenicity	Suspected of causing cancer
Germ cell mutagenicity	Test Type: Mutagenicity (mammal cell test): chromosome aberration. Sigma-Aldrich- 270997 Page 9 of 14 The life science business of Merck operates as MilliporeSigma in the US and Canada Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: positive Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: positive Test Type: In vivo micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Gavage Method: OECD Test Guideline 474 Result: negative
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	Inhalation - May cause drowsiness or dizziness. - Central nervous system Inhalation - May cause drowsiness or dizziness. - Central nervous system
Additional Information	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Repeated dose toxicity - Rat - male and female - Oral - 104 Weeks - NOAEL (No observed adverse effect level) - 6 mg/kg Repeated dose toxicity - Rat - male and female - Inhalation - 104 Weeks RTECS: PA8050000 Dizziness, Nausea, Vomiting, narcosis, Cough, irritant effects, Unconsciousness, Shortness of breath, respiratory paralysis, somnolence, depressed respiration, CNS disorders, inebriation Risk of corneal clouding. Sigma-Aldrich- 270997 Page 10 of 14 The life science business of Merck operates as MilliporeSigma in the US and Canada The following applies to aliphatic halogenated hydrocarbons in general: systemic effect: narcosis, cardiovascular disorders. Toxic effect on liver, kidneys. Dichloromethane is metabolized in the body producing carbon monoxide which increases and sustains carboxyhemoglobin levels in the blood, reducing the oxygen-carrying capacity of the blood. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: After absorption of large quantities: CNS disorders Drowsiness Dizziness drop in blood pressure Cardiac irregularities depressed respiration inebriation Unconsciousness narcosis Swallowing may result in damage to the following: Liver Kidney The following applies to aliphatic halogenated hydrocarbons in general: systemic effect: narcosis, cardiovascular disorders. Toxic effect on liver, kidneys. Other dangerous properties can not be excluded. This substance should be handled with particular care.

12. Ecological information

www.rxmarine.com

Persistence and degradability	Biodegradability aerobic - Exposure time 28 d Result: 68 % - Readily biodegradable. (OECD Test Guideline 301D)
Toxicity to fish	No data available
Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Daphnia magna (Water flea) - 27 mg/l - 48 h (US-EPA)
Toxicity	No data available
Toxicity to bacteria	static test EC50 - activated sludge - 2.590 mg/l - 40 min (OECD Test Guideline 209)
Toxicity to algae	ErC50 - Pseudokirchneriella subcapitata (green algae) - 0,02 - 0,364 mg/l - 72 h Remarks: (ECHA)
Products Biodegradation	The methods for determining the biological degradability are not applicable to inorganic substances.
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	No data available
Waste treatment methods	No data available

14. Transport information

www.rxmarine.com

UN number	ADR/RID: 1593 IMDG:1593 IATA:1593
UN proper shipping name	ADR/RID: : DICHLOROMETHANE
	IMDG:: DICHLOROMETHANE
	IATA:Dichloromethane
Transport hazard class(es)	ADR/RID:6.1 IMDG:6.1 IATA:6.1
Packaging group	ADR/RID:III IMDG: III IATA:III
Environmental hazards	ADR/RID: No IMDG: No Marine pollutant: No IATA: No
Special precautions for user	Tunnel restriction code (E)
Further information	No data available

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Authorisations and/or restrictions on use	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)
Other regulations	Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work
Chemical Safety Assessment	A Chemical Safety Assessment has been carried out for this substance

16. Other information

www.rxmarine.com

Other Information	The information above is believed to be accurate and represents the
-------------------	---

best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.